UK

Catalogue 2010-2011

G&BL®

We link emotions

www.gebl.net

State of the art *of the product*

Company

Passion, determination and experience characterize every day the commitment of G&BL. For this reason our company is a reference point in the market of the accessories for High Fidelity and Video reproduction. This result has been reached mainly thanks to the continuous proposal of new high quality and innovative products, with which G&BL has widened in the time the range of available articles: from the connections for the more sophisticated Hi-Fi, to the Home Theater systems, to the accessories and cables for those searching the true High Fidelity in auto, up to the new Sat and Wireless technologies.

G&BL also means elegance and fashion, with its line of wall mounts, and in particular the exclusive design of the VENICE GLASS crystal furniture; with the fashion lines of bags for laptops, cameras, PDA and GPS, the full range of accessories for MP3 and iPod, and with all the solutions for the Information Technology world.

"The successes reached today by our products tell of our company developments, of the experience that lets good ideas and good fruits grow"



Evolution

G&BL has made of the investment in human and technique resources its principal tool of innovation and development. The mark High-Power is the confi rmation of the continuous search of elevated qualitative standards... to live and listen to emotions beyond the common places.

G&BL satisfies the whole Audio, Video and Multimedia market, thanks to a consolidated experience in the planning and distribution of over 2000 systems and accessories that cover all the necessities of consumers.

Research & Development

During the years, G&BL attention has always been focused on the quality of products and services, in order to guarantee to our clients reliable solutions, personalized in accordance to the different demands of application and investment. The stability and the trust in the relationships with distributors and suppliers are increased by continuous exchanges: courses of formation, development of new products and applications, personalization of the proposals for the Italian and European market.

Quality Assurance

The Audio and Video reproduction have made enormous steps forward, the evolution of the digital technology has allowed to integrate it with the Information Technology. G&BL is in the pulsating heart of this new multimedia world, offering solutions to integrate and to make communicate the most sophisticated equipments and putting them to the service of clients. G&BL connects audio and video systems, computers, satellite receivers, projectors, monitors, exploiting to the best the new opportunities offered by the most modern technologies. Any new electronic instrument for the house or the job has to be integrated, in order to create a global system: for the emotion of vivid images and clear sounds, G&BL unites, valorises, connects.... we link emotions.

We link emotions

2010-2011

G&BL
We link emotions

Contents

1

RCA-RCA High Power Audio Cables 14
Digital RCA-RCA High Power Audio Cables 22
Teflon High Power Cables 24
RCA High Power Audio Connectors 29
High END Multisocket 33
Optical Cable 37
Optical Cable Accessories 44
Spool Speaker Cable 53
Speaker Cable 58
Audio Connectors 63
Audio Accessories 68
Microphone Cables 70
Home Theather Cables 72

2

HDMI Cables 79
HDMI Connectors 84
HDMI Accessories 95
DVI-HDMI Cables 98
DVI Accessories 102
Component Cables 106
SCART Gold Cables 109
S-Video Cables 117
Video Connectors 125
Video Accessories 129

3

Audio Cable 136
Audio Connector 146
Microphone Connector 152
Video Cable 158
Video Connector 168
Antenna Cable 178
SAT Cable 182

4

Antenna Connectors 190
Internal Antenna 194
Wireless Accessories 197
Speaker Support 202
Classic Wallmount for LCD/Plasma/LED 216
Prestige Wallmount 226
Perfection Wallmount Serie 229
Ceiling Support 232
Cable Management 236
Power adaptor 220V 241
Battery Charger 245
Power adaptor 12V 249

5

394
Serial Printer Cables 258
Monitor Cables 262
Keyboard Cables 266
FDD-CD ROM Cables 268
Serial Cables 270
Power Cables 272
Network Cables 277
USB Cables 280
Fire Wire Cables 286
FireWire- USB-DB15 Gold Cables 292
USB Accessories 297
Lights and Webcam 300
VOIP Accessories 302
Laptop Power Supply 304
Keyboard and Mouse 306
Mouse Pad 308
Multimedia Speakers 310
Headphone and Microphone 312
Cleaning Accessories 323
iPOD Cases 332
iPOD/MP3 Dock Station 338
iPOD/MP3 Power Charger 340
GPS/PDA Power Charger 344
iPOD/MP3 Cables 348
iPOD/MP3 Earphones 350
iPAD Accessories 352
PSP Accessories 356
Wii Cable and Accessories 360
Soft Revolution Bags 364
Denim Jeans Bags 368
Laptop bags 372
Gdigital Camera / Camcorder bags 375
CD/DVD Case 380
CD/DVD Tower 382
318

Huge Types
Reliable Promise

G&BL®
We link emotions

2010-2011

HIGHPOV

AUDIO

WER
1

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Audio HP

RCA-RCA High Power Audio Cables 12
Digital RCA-RCA High Power Audio Cables 20
Teflon High Power Cables 24
RCA High Power Audio Connectors 26
High END Multisocket 32
Optical Cable 36
Optical Cable Accessories 44
Spool Speaker Cable 48
Speaker Cable 56
Audio Connectors 60
Audio Accessories 66
Microphone Cables 70
Home Theatre Cables 72



We link emotions

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

RCA-RCA High Power Audio Cables

We link emotions

RCA-RCA High Power Audio Cables

CODE	N°	MODEL	PACK	BOX
HPX312-06	486	0,6m	1pc/4	10
HPX312	482	1,0m	1pc/60	5
HPX312-20	487	2,0m	1pc/4	10

Audio interconnect cable constructed with the 4 conductors, double balanced "TWIN-SYMMETRY" structure. Beside an unmatched balance in the sonic parameters, through a copper with very high conductive efficiency, it delivers an overall coherency and transparency of the whole audio spectrum.
The Polythene dielectric and the MC-OCC copper shield minimize the signal distortion and grant an accurate reproduction and an exceptional phase control for optimal sound performances. Professional burnished CANNON connectors are mounted on this cable, to be used for components equipped with this professional input/output. Each cable is terminated with one 3-pins male connector and one 3-pins female connector.

Balanced cable

CODE	N°	MODEL	PACK	BOX
HM062	5340	0,6m	1pc/4	10
HM102	5341	1,0m	1pc/4	10
HM152	5342	1,5m	1pc/4	10
HM252	5343	2,5m	1pc/4	10
HM502	5344	5,0m	1pc/4	10
HM51002	5911	10,0m	1pc/60	5

Two conductors audio interconnect, manufactured with high resistant and flexible protective jacket. The Polythene dielectric, with high efficiency shield, assures a perfect phase control in order to deliver a wide dynamic range and a clear audio reproduction. The two-colour molded RCA connectors are realized with Teflon dielectric and heavy duty construction for maximum signal transfer. Exclusive G&BL 24K Hard Gold Plated connectors.

24K gold plated

CODE	N°	MODEL	PACK	BOX
HN102	5552	1,0m	1pc/4	10
HN152	5553	2,0m	1pc/4	10
HN300	5554	3,0m	1pc/4	10

Two conductors audio interconnect, manufactured with high resistant and flexible protective jacket. The Polythene dielectric with high efficiency shield ensures a perfect phase control, for improved music reproduction with more natural sound.
The two-colour molded RCA connectors are realized with Teflon dielectric and heavy duty construction for maximum signal transfer. Exclusive G&BL 24K Hard Gold Plated connectors.

24K gold plated

CODE	N°	MODEL	PACK	BOX
HPN100	5555	1,0m	1pc/4	10
HPN150	5556	1,5m	1pc/4	10
HPN200	5557	2,0m	1pc/4	10
HPN400	5558	4,0m	1pc/4	10

Two conductors audio interconnect, manufactured with high resistant and flexible protective jacket. Polythene dielectric with high efficiency shield. The conductors are realized with extremly pure LC-OFC copper in order to assure a perfect phase control for a full dynamic range and clear audio reproduction. Precision-machined RCA connectors with Teflon dielectric and heavy duty construction for a reliable and lasting connection.
Exclusive G&BL 24K Hard Gold Plated connectors

24K gold plated

CODE	N°	MODEL	PACK	BOX
HPTN060	5559	0,6m	1pc/60	5
HPTN100	5560	1,0m	1pc/65	5
HPTN150	5561	1,5m	1pc/65	5

This audio interconnect cable is constructed with the balanced conductors structure. Beside the result of unmatched balance in the sonic parameters, thanks the PC-OCC copper different section multicore with very high conductive efficiency, this cable delivers an overall coherency and transparency of the whole audio spectrum, and in particular deeper, tighter bass and a precise midrange.
The exclusive dielectric and the PC-OCC copper shield minimize the signal distortion and grant a high level transmission and an exceptional phase control for optimal performances. HGP Rhodium plated connectors.

Rhodium connectors

CODE	N°	MODEL	PACK	BOX
ACAS10	5625	1,0m	1pc/3	10
ACAS15	5626	1,5m	1pc/3	10
ACAS30	5627	3,0m	1pc/4	10

Low capacity two conductors interconnect Audio cable, of the "Active Collection" line, realized with high quality LC-OFC copper for a defined, deep and wide Audio reproduction. Recommended for an optimal level Audio connection between devices equipped with RCA output/input. 24K Hard Gold Plated connectors.

24K gold plated

RCA-RCA High Power Audio Cables

CODE	N°	MODEL	PACK	BOX
HPA072	5345	0,7m	1pc/4	10
HPA122	5346	1,2m	1pc/4	10
HPA202	5347	2,0m	1pc/4	10

Two conductors audio interconnect with exclusive high resistant and flexible protective jacket. Realized with low-capacity Polythene dielectric. "HD" conductors with high efficiency shield for a perfect phase control and a detailed audio reproduction. They use LC-OFC ultra pure copper for a full bandwidth frequency response, ultimate clarity and sound imaging. Precision-machined RCA connectors with Teflon dielectric and heavy duty construction for a reliable and lasting connection. Exclusive G&BL 24K Hard Gold Plated connectors.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPR07V	460	0,7m	1pc/4	10
HPR12V	461	1,2m	1pc/4	10

Triple shield internal construction with extremely precise windings of central conductor for this audio interconnect, for the best and more detailed reproduction of the widest soundstage. The LC-OFC ultra pure copper delivers a dynamic and smooth sound reproduction. RCA connectors with Teflon dielectric and heavy duty construction assure the maximum signal transfer. Exclusive G&BL 24K Hard Gold Plated connectors.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPCD310	491	1,0m	1pc/60	5

Two conductors audio interconnect with exclusive high resistant and flexible protective jacket foiled by an amagnetic sleeve. The low-capacity Polythene dielectric and the high efficiency double shielding assure an optimal phase control and a clear audio reproduction.
The special helical windings configuration of the ultra pure LC-OFC copper assures a deep and wide dynamic reproduction. Precision-machined RCA connectors with Teflon dielectric and heavy duty construction for a maximum signal transfer. Exclusive G&BL 24K Hard Gold Plated connectors.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPC700	474	0,7m	1pc/4	10
HPC720	475	1,2m	1pc/4	10

The advanced construction of this audio interconnect and the accurate choice of the RCA connector, are intended to exalt the full power and the wide dynamic range both at the delicate high and at the deep bass frequencies typical of the digital sound. The special "MULTINETWORK" construction with three insulated copper conductors, delivers the widest dynamic impact, beyond the normal cables performance. Superior crimp-on connectors maximize contact area for optimal signal transfer. Exclusive G&BL 24K Hard Gold Plated connectors.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HSAC42	5242	1,0 m	1pc/60	5

For a state-of-the-art connection, exalted in the hookup of the components that support the Super CD Audio standard, G&BL proposes a range of audio interconnects at the highest level in cable construction.
The HSAC42 cable is the entry level in this range, granting the full reproduction of this audio standard.

SUPER SUDIO CD

CODE	N°	MODEL	PACK	BOX
HPTY07	505	0,7m	1pc/60	5
HPTY12	472	1,2m	1pc/60	5

Ultimate performance interconnect cables, it represents the top of G&BL HI-POWER production. Balanced inner wire construction with silver plated LC-OFC >99,99% pure copper. The symmetrical conductors are precisely winded in order to obtain the minimum noise and a superlative sonic transparency and dynamic response.
The AL-Mylar shield and the silver plated OFC copper result in the most accurate phase control, delivering a intransient noise free reproduction. Foamed Polythene dielectric.
Superior crimp-on connectors maximize contact area for optimal signal transfer. Exclusive G&BL 24K Hard Gold Plated connectors.

RCA-RCA High Power Audio Cables

CODE	N°	MODEL	PACK	BOX
HPG70	467	0,7m	1pc/60	5
HPG120	468	1,2m	1pc/60	5

This balanced audio interconnect, thanks to the "TWIN-SYMMETRY" construction of the conductors and to the high conductive efficiency of ultra pure copper, delivers a transparent and balanced sound in the whole audio spectrum. The MC-OCC copper shield and the exclusive dielectric reduce noise and interference and allow an accurate audio reproduction and phase control for optimal sonic performances. Exclusive G&BL 24K Hard Gold Plated connectors with expanding central pin.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPT32-06	5473	0,6m	1pc/60	5
HPT32-10	5474	1,0m	1pc/60	5

Ultimate performance interconnect cable. This reference audio interconnect in LC-OFC copper is realized using a brand new extrusion technology that produces an extremely pure conductor for an incomparable sonic definition.
The precision winding of the conductor is designed to minimize the "skin" effect and to reproduce with maximal transparency the whole audio bandwidth. Particular care has been dedicated to the selection of insulation materials for a precise and detailed control of the phase response. The external jacket is realized with a special insulating material that protects the signal transmission from external interferences and resonances. Exclusive G&BL 24K Hard Gold Plated connectors.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPTX070	5562	0,7m	1pc/65	5
HPTX120	5563	1,2m	1pc/65	5

Audio interconnect cable constructed with the 4 conductors, double balanced "TWIN-SYMMETRY" structure. Beside an unmatched balance in the sonic parameters, thanks to the PC-OCC copper with very high conductive efficiency, this cable delivers an overall coherency and transparency of the whole audio spectrum. Conductors are realised in silver plated copper. The exclusive dielectric and the MC-OCC copper shield minimize the signal distortion and grant a high level transmission and an exceptional phase control for optimal sonic performances. HGP Rhodium plated connectors. Protective sleeve.

Rhodium
connectors

CODE	N°	MODEL	PACK	BOX
HSAQ08	5564	0,8m	1pc/65	5
HSAQ13	5565	1,3m	1pc/65	5

Medium level interconnect audio cable of the SACD range. It is manufactured with a extremely pure extruded PC-OCC copper. The low electric resistance and the high conductivity allow an extraordinary and airy reproduction. The perfect insulation obtained thanks to the valuable dielectrics, ensures low capacity and high fidelity in the signal transmission. High quality amagnetic aluminium RCA connectors and 24 K gold plated central pin.

SUPER SUDIO CD

24K gold plated

CODE	N°	MODEL	PACK	BOX
HHSAC43	5243	1,0m	1pc/60	1

Professional Hi-End Reference RCA Audio Cable. An extraordinary product to obtain the ultimate performance on present and future high-end audio systems. The HHSAC43 is the top of the range in the SACD audio interconnects: through a specific choice of materials and construction, it grants a revolutionary audio reproduction of SACD digital standard, fully exploiting the sound advantages of this recording and reproduction technology. The "tubular flow" construction and the refined choice of extremely pure copper exalt the deep and highly detailed audio signal reproduction granted by the SACD support. We use OCC silver plated copper, with extremely pure mono-crystalline structure, PE single insulation and reinforced hollow tubular structure.

SUPER SUDIO CD

24K gold plated

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Digital RCA-RCA High Power Audio Cables

We link emotions

Digital RCA-RCA High Power Audio Cables

CODE	N°	MODEL	PACK	BOX
HXOD07	5883	0,7m	1pc/60	5
HXOD12	5884	1,2m	1pc/60	5
HXOD20	5885	2,0m	1pc/60	5

Für kompromisslose Anschlüsse zwischen mit digitalem Aus-/Eingang vorgerüsteten Geräten wurde dieses Kabel mit kontrollierter 75 OHM Impedanz entwickelt, um die Signalübertragung zu linearisieren und auf diese Weise die Transieten und die dynamische Bandbreite zu optimieren. Die Spezialabschirmung mit hoher Dichte und doppellagiger gekreuzter Umlegung sorgt für optimale Abschirmung und eine außergewöhnliche Rauschreduktion. Der in diesem Fall eingefügte, technisch ausgereifte Ferritkern wurde zum Zweck konzipiert, jegliche externe Interferenz in der Verbindung von Digitalgeräten auszuschalten.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
ACDS06	5630	0,6m	1pc/3	10
ACDS12	5631	1,2m	1pc/3	10
ACDS20	5632	2,0m	1pc/3	10

75 Ohm Audio Digital cable, of the "Active Collection" line, realized for an optimal level Audio connection between devices equipped with RCA Audio Digital output/input.
The high quality shield allows an exceptional insulation and the maximum noise reduction.
Superb reproduction of the transients and of the whole frequency bandwidth.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HEPD1	5566	1,0m	1pc/4	10
HEPD2	5567	2,0m	1pc/4	10

RCA digital cable to connect digital coaxial sources with controlled 75 Ohm impedance. This cable linearizes the signal's transmission extolling the transient and the dynamic bandwidth. The high density crossing shield grants efficient insulation and optimal jitter reduction. Moreover the moulded gold-plated 24K-HGP RCA connector, thanks to its exclusive fixing system, controls efficiently the contact pressure.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HEDD1	5568	1,0m	1pc/4	10
HEDD2	5569	2,0m	1pc/4	10
HEDD3	5570	3,0m	1pc/4	10

RCA digital cable to connect digital coaxial sources with controlled 75 Ohm impedance. This cable linearizes the signal's transmission extolling the transient and the dynamic bandwidth. The high density crossing shield grants efficient insulation and optimal jitter reduction. Moreover the gold-plated 24K-HGP RCA connector, thanks to its exclusive fixing system, controls efficiently the contact pressure.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HEP07	5571	0,7m	1pc/4	10
HEP15	5572	1,5m	1pc/4	10
HEP30	5573	3,0m	1pc/4	10

RCA digital cable to connect digital coaxial sources with controlled 75 Ohm impedance. This cable linearizes the signal's transmission extolling the transient and the dynamic bandwidth. The high density crossing shield grants efficient insulation and optimal jitter reduction.
Moreover the gold-plated 24K-HGP RCA connector, thanks to its exclusive fixing system, controls efficiently the contact pressure.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HEPOOD	5436	1,0m	1pc/4	10
HEPOOD2	5437	2,0m	1pc/4	10

RCA digital cable to connect digital coaxial sources with controlled 75 Ohm impedance.
This cable linearizes the signal's transmission extolling the transient and the dynamic bandwidth.
The high density double crossing shield grants efficient insulation and optimal jitter reduction. Moreover the gold-plated 24K-HGP RCA connector, thanks to its exclusive fixing system, controls efficiently the contact pressure.

24K
gold plated

Digital RCA-RCA High Power Audio Cables

CODE	N°	MODEL	PACK	BOX
HPOOD7F	5223	0,7m	1pc/60	5
HPOODF	5224	1,0m	1pc/60	5
HPOOD2F	5225	2,0m	1pc/60	5

These RCA audio interconnect cable has been developed in order to provide an exceptional connection among digital coaxial sources. With controlled 75 Ohm impedance, this cable linearizes the signal's transmission extolling the transient and the dynamic bandwidth.
The special high density double crossing shield grants an exceptional insulation and optimal jitter reduction. Moreover this cable is equipped with a special ferrite nucleus specifically designed to eliminate any external interference in the connection of digital components.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPFER9	5226	ø9mm	2pc/1	10

In the high-level connection of your digital coaxial sources, it's advisable to protect the audio signal from external interference using a ferrite nucleus. G&BL ferrite is realized with absolute perfection and performs all the peculiar features of this useful item. Moreover the 24K-HGP gold-plated fixing system ensures an efficient use. This ferrite is also suitable for our video cables HVR150.

24K
gold plated

Teflon High Power Cables

We link emotions

Teflon High Power Cables

CODE	N°	MODEL	PACK	BOX
HSAT070	5575	0,7m	1pc/4	10
HSAT100	5576	1,0m	1pc/4	10

G&BL presents the new "Teflon Cable" range that becomes the new reference point in the Hi-End Audio and Video connections. Teflon is one of the best cable insulator and ensures the minimal loss and interferences both at the lowest bass frequencies and at the highest frequencies. Thanks to its natural dielectric stability, it delivers an optimal performance in the transient response and audio dynamics. This cable is manufactured with Silver plated copper for a detailed and clear sound. The optimal conductors construction and the efficient shield allows a wide and definite audio reproduction. 24K-HGP Gold Plated connectors.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HSDT100	5578	1,0m	1pc/4	10

From its "Teflon Cable" range for Hi-end Audio and Video connections, G&BL presents the new reference digital audio cable. Teflon is one of the best cable insulator and ensures the minimal loss and interferences both at the lowest bass frequencies and at the highest frequencies. Thanks to its natural dielectric stability, it delivers an optimal performance in the transient response and audio dynamics. It is manufactured with Silver plated copper for a detailed and clear sound. The optimal construction of the 75OHM conductor, and the efficient shield allows a wide and definite audio reproduction. 24K-HGP Gold Plated connectors.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HSVT100	5579	1,0m	1pc/4	10
HSVT200	5580	2,0m	1pc/4	10

From its "Teflon Cable" range for Hi-end Audio and Video connections, G&BL presents the new reference Video cable. Teflon is one of the best cable insulator and ensures the minimal loss and interferences both at the lowest bass frequencies and at the highest frequencies. Thanks to its natural dielectric stability, it delivers an optimal performance in the clear and detailed colours reproduction. It is manufactured with Silver plated copper for definite and vivid colours. The optimal construction of the 75OHM conductor, and the efficient shield allow a superlative video reproduction. 24K-HGP Gold Plated RCA connectors with PC-OCC pin.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HSST100	5581	1,0m	1pc/4	10
HSST200	5582	2,0m	1pc/4	10

From its "Teflon Cable" range for Hi-end Audio and Video connections, G&BL presents the new S-Video reference cable. Teflon is one of the best cable insulator and ensures the minimal loss and interferences both at the lowest bass frequencies and at the highest frequencies. Thanks to its natural dielectric stability, it delivers an optimal performance in the clear and detailed colours reproduction. It is manufactured with Silver plated copper for definite and vivid colours. The optimal construction of the 75OHM conductor, and the efficient shield allow a superlative S-Video reproduction. 24K-HGP Gold Plated S-VHS 4-pins connectors.

24K
gold plated

RCA High Power Audio Connectors

We link emotions

RCA High Power Audio Connectors

CODE	N°	MODEL	PACK	BOX
HRA35	5593	Jack 3,5 St. M/ Jack 2,5 St. F	1pc/1	20
HRA3355	5886	Jack 3,5 Mono M/Jack 3,5 St. F	1pc/1	20
HRA63	5594	Jack 6,3 M/Jack 3,5 F	1pc/1	20

Professional adapters of the "High-Power S" range. They permit to adapt/extend the input/output in accordance with various requirements, still ensuring an high level Audio-Video connection. They are realized in resistant ABS and with 24K gold plated conductors.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HRFF	5592	RCA F/RCA F	1pc/1	20
HR35MF	5590	JACK 3,5mm M/F	1pc/1	20
HR235MF	5591	JACK 3,5mm M/2xF	1pc/1	20

Professional adapters of the "High-Power S" range. They permit to adapt/extend the input/output in accordance with various requirements, still ensuring an high level Audio-Video connection. They are realized in resistant ABS and with 24K gold plated conductors.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HRP3F	5596	Jack 3,5 M / RCA F	1pc/1	20
HRP6F	5595	Jack 6,3 M/ RCA F	1pc/1	20

Professional adapters of the "High-Power S" range. They permit to adapt/extend the input/output in accordance with various requirements, still ensuring an high level Audio-Video connection. They are realized in resistant ABS and with 24K gold plated conductors.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HRP3MF	5598	Jack 3,5 St. M/ Jack 6,3 St. F	1pc/1	20
HRP6MF	5597	Jack 6,3 M/Jack 3,5 St. F	1pc/1	20

Professional adapters of the "High-Power S" range. They permit to adapt/extend the input/output in accordance with various requirements, still ensuring an high level Audio-Video connection. They are realized in resistant ABS and with 24K gold plated conductors.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
145B	441	2xRosso 2xNero	4pc/1	10

RCA Plug gold plated connector to be soldered.
Retained by soft and particularly strong PVC shell, available in red and black colour.
High efficiency 24K-HGP Gold plating to prevent oxidations and corrosions and to ensure a high conductivity connection. Cable's maximum diameter: 5 mm.

24K gold plated

CODE	N°	MODEL	PACK	BOX
HP26	524	2xRosso 2xNero	4pc/1	10

RCA Plug gold plated connector.
Black anodized light aluminium shell. Central conductor to be soldered.
High efficiency 24K-HGP Gold plating to prevent oxidations and corrosions and to ensure a high conductivity connection. Cable's maximum diameter: 6 mm.

24K gold plated

CODE	N°	MODEL	PACK	BOX
HPR903	5585	2xRosso 2xBianco	4pc/1	20

Exclusive RCA connector of the range "900", realized with high level quality standards and TF2 Teflon dielectric. Cable's lock by screw and also by mechanical catch.
Especially recommended for the termination of balanced cables. Pearl grey amagnetic external shell. Cable's maximum diameter: 10 mm. Rhodium plated plugs for absolute efficiency in conductivity and durability.

Rhodium connectors

CODE	N°	MODEL	PACK	BOX
HP42J	517	JACK M - 2xBianco	2pc/1	10
HP42F	516	RCA M - 1xRosso 1xBianco	2pc/1	10
HP42M	515	RCA M - 2xRosso 2xBianco	4pc/1	10

RCA/JACK connectors' range realized with high quality standard, with TF2 Teflon dielectric. Central conductor catch to be soldered. Cable's maximum diameter: 6 mm.
High efficiency 24K-HGP Gold plating to prevent oxidations and corrosions and to ensure a high conductivity connection.

24K gold plated

RCA High Power Audio Connectors

CODE	N°	MODEL	PACK	BOX
HP26F	525	2xRosso 2xNero	2pc/1	20

RCA female gold plated connector.
Black anodized light aluminium shell. Central conductor to be soldered.
High efficiency 24K-HGP Gold plating to prevent oxidations and corrosions and to ensure a high conductivity connection. Cable's maximum diameter: 6 mm.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HP36G	606	2XRosso 2xNero	4pc/1	10

RCA Plug gold plated connector to be soldered.
Gold amagnetic aluminium shell.
TF2 Teflon dielectric for an enhanced and precise electric and mechanical insulation. Exclusive fixing system to ensure a professional and durable wiring.
Cable's maximum diameter: 6 mm.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HP50M	5523	2xRosso 2xNero	4pc/1	20

RCA Plug gold plated connector to be soldered. Retained by soft and particularly strong PVC protection shell, available in red and black colour.
High efficiency 24K-HGP Gold plating to prevent oxidations and corrosions and to ensure a high conductivity connection. Cable's maximum diameter: 5 mm.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HP47M	5587	2xRosso 2xNero	4pc/1	10

RCA Plug gold plated connector to be soldered.
Silver amagnetic aluminium shell.
TF2 Teflon dielectric for an enhanced and precise electric and mechanical insulation. Professional fixing system to ensure a professional and durable wiring.
Cable's diameter: from 4 to 6 mm.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HP46M	5336	2xRosso 2xNero	4pc/1	10

RCA Plug gold plated connector to be soldered. v
Amagnetic aluminium shell.
TF2 Teflon dielectric for an enhanced and precise electric and mechanical insulation. Professional fixing system to ensure a professional and durable wiring.
Cable's maximum diameter: 6 mm.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HP901	5583	2xRosso 2xBianco	4pc/1	20

RCA connectors of the range "900" realized with high level quality standards, with TF2 Teflon dielectric. Cable's lock by screw and also by mechanical catch. Especially recommended for the termination of balanced cables. External shell with progressive and calibrated lock of the contact body. Cable's maximum diameter: 9 mm.
High efficiency 24K-HGP Gold plating to prevent oxidations and corrosions and to ensure a high conductivity connection.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HP79M	5338	2xRosso 2xNero	4pc/1	10

RCA Plug gold plated connector.
Professional "HIGH-POWER" aluminium line.
TF2 Teflon dielectric for an optimal insulation.
Central conductor catch to be soldered with retaining screw for cable locking. Especially suitable for the termination of large section cables. Tight heavy-mass contact mass. Professional fixing system to ensure a professional and durable wiring.
Cable's diameter: from 4 to 6 mm.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HP67B	413	2xRosso 2xBianco	4pc/1	10

RCA Plug gold burnished amagnetic connector.
Professional "HIGH-POWER" aluminium line.
TF2 Teflon dielectric for an optimal insulation.
Central conductor catch to be soldered with Teflon shell. Cable's lock by screw and also by mechanical catch. Especially recommended for the termination of balanced cables. External shell with progressive and calibrated lock of the contact body.
Cable's maximum diameter: 7 mm.

24K
gold plated

RCA High Power Audio Connectors

CODE	N°	MODEL	PACK	BOX
HP902	5584	2xNero 2xBianco	4pc/1	20

RCA connectors of the range "900" realized with high level quality standards and TF2 Teflon dielectric. Cable's lock by screw and also by mechanical catch. Especially recommended for the termination of balanced cables. Red aluminium amagnetic shell. Exclusive expanding central pin for a perfect connection.
Cable's maximum diameter: 9 mm.
24K-HGP Gold plated.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPR904	5586	2xRosso 2xBianco	1pc/1	20

Exclusive RCA connector of the range "900", realized with high level quality standards and TF2 Teflon dielectric. Cable's lock by screw and also by mechanical catch. Especially recommended for the termination of balanced cables. Carbon fiber external shell. Cable's maximum diameter 10 mm. Rhodium Plated connectors to prevent oxidation and corrosion, and to ensure an high conductivity.

Rhodium
connectors

CODE	N°	MODEL	PACK	BOX
HPRAD	415	1xRosso 1xNero	2pc/1	20

Gold plated RCA Plug Y-adapter.
Suitable to solve connection problems, when there is the need to duplicate or to reduce an audio signal in a simple way. Possible capacity and impedance problems must be checked, as they could occur in such parallel connections.

24K
gold plated

High END Multisocket

We link emotions

High END Multisocket

CODE	N°	MODEL	PACK	BOX
NPADX	597	Raccordo	1pc/1	20

Universal Adapter Socket UL/Italy

CODE	N°	MODEL	PACK	BOX
NP3PS40	598	2,0m	1pc/60	5
NP3PS	599	50m	1pc	1

G&BL presents a new power supply cable for audio/video components. It's realized with the revolutionary
UP-OCC® copper wired with the patented OCC system, that allows to obtain a very pure copper with unidirectional mono-crystalline structure. The purity of this copper is higher than 99,997%. The gaseous impurities into the conductor are less than 5ppm for O2 and 0,25 ppm for H2, while the crystals per meter are about 0,008 Pc.
Thanks to all these characteristics, we have realised extraordinay power supply cables, in the respect of the IEC standard, equipped with non-ferrous 24K-HGP gold-plated terminations.
The use of these power supply cables, if employed in the context of an homogeneous chain, ensures a sonic reproduction clearly free from interference and much more defined, extolling the whole dynamic range, allowing to appreciate the tonal balance and the holographic music imaging. Power: 10A/220V. Resistance: 24mOhm/m.

CODE	N°	MODEL	PACK	BOX
SCHUM-P	6218	Schuko	1pc/13	0

Professional Schuko plug

CODE	N°	MODEL	PACK	BOX
NP150C	596	1,0m	1pc/60	5

Screened power supply cable for audio/video components.
Shielded Cable.
It's realized with the revolutionary UP-OCC® copper wired.

UL - 3 Poles cable

CODE	N°	MODEL	PACK	BOX
NP5A	595	2,0m	1pc/0	20

Multiple socket for HI-END components, realised with a particular care in the materials selection and in the internal wiring to ensure a perfect power supply chain, completely protected and insulated from network's interferences. It's equipped with an anti-inteference AC filter and an automatic overload circuit breaker. It's particularly recommended to be used with our NP range shielded power supply cable (NP150C).
A power supply cable H05VVF 3x1,00 / 220V Schuko Plug is also included.In option it is also available with power supply cable NP3PPag.

CODE	N°	MODEL	PACK	BOX
NP3PSCK	5887	2,0m	1pc/0	1

UL power supply cable for audio/video components.
Shielded Cable.
It's realized with the revolutionary UP-OCC® copper wired.

3 Plugs+Schuko

High END Multisocket

CODE	N°	MODEL	PACK	BOX
PS8SPBA	6079	8 prese	1pc/0	5

Every day your electronic equipment is submitted to dangers resulting from electric problems caused by sourges and peaks of current or EMI/RFI interference.
Our filter sourge protector is designed to protect your equipment from all the surges and peaks which may damage your equipment in time and eliminate the electromagnetic and radio frequency inference by EMI/RFI noise filter inside.

- High reduction electronic noise
- 8 sockets wire grounding pins
- Lighted rocker swich
- EMI/RFI noise filter
- Circuit breaker
- Safe and certified case

CODE	N°	MODEL	PACK	BOX
PS8SPPRH	6080	8 prese	1pc/0	5

Every day your electronic equipment is submitted to dangers resulting from electric problems caused by sourges and peaks of current or EMI/RFI interference.
Our filter sourge protector is designed to protect your equipment from all the surges and peaks which may damage your equipment in time and eliminate the electromagnetic and radio frequency inference by EMI/RFI noise filter inside.

- High reduction electronic noise
- 8 sockets wire grounding pins
- Lighted rocker swich
- EMI/RFI noise filter
- Circuit breaker
- Safe and certified case
- Fax, Telephone ADSL sockets

Optical Cable

We link emotions

Optical Cable

CODE	N°	MODEL	PACK	BOX
HEOA/TT1	5205	1,0m	1pc/3	10
HEOA/TT2	5206	2,0m	1pc/3	10

Optical cables, for the hookup of the Hi-End audio sources that use the digital technology.
External diameter: 4 mm
Sonic features:
- Clear reproduction, with high sonic transparency
- Very low distorsion and excellent definition
- It allows a jitter-free registration from digital sources
- 90° Toslink connectors in order to avoid forced bending to the Optical

90° PLUG CONNECTOR

CODE	N°	MODEL	PACK	BOX
HPADOF05	356	0,5m	1pc/3	10
HPADOF-1	357	1,0m	1pc/3	10
HPADOF2	358	2,0m	1pc/3	10

G&BL presents a new quality Optical cable to ensure jitter-free digital interface.
External fiber diameter: 5,00 mm
Sound features:
- Clear reproduction with high sound transparency
- Wide bandwidth, high transmission rate
- It allows a transmission without distortions of digital sources that use the optical fiber Audio connections

CODE	N°	MODEL	PACK	BOX
HMDTT1	5246	1,0m	1pc/4	5
HMDTT2	5247	2,0m	1pc/4	5
HPCT100	5256	10,0m	1pc/4	10

Optical cables, for the interconnect of the most modern sources that use the digital technology. The digital signal can be transmitted without loss or distortions at a very high velocity of propagation and with minimum noise. The sound reproduction is improved in transparency, clearness and depth. For digital connection between CD, DAT and other digital components.
Main features of HMD Optical cables:
- Optimal signal transmission, free of distortions
- High level of mechanical quality of optical fiber employed
- Accurate control of fiber section 0.06mm
- External Jacket: 5mm

CODE	N°	MODEL	PACK	BOX
HEOPTT1	351	1,0m	1pc/3	10
HEOPT352	354	2,0m	1pc/3	10
HEOPTT2	352	2,0m	1pc/3	10

G&BL presents a range of quality Optical cables, for the interconnect of the most modern sources that use the digital technology. The digital signal can be transmitted without loss or distortions at a very high velocity of propagation and with minimum noise.
These cables are equipped with the new Toslink connectors, with special insertion system, without insertion direction.
Most important features of our Optical cables :
- Optimal signal transmission, free of distortions
- High level of Optical mechanical quality
- Accurate control of fiber section 1.0+-0.06mm
- External Jacket: PVC Ø 4.00mm +-0.10

CODE	N°	MODEL	PACK	BOX
HRSQ060	5610	0,6m	1pc/60	5
HRSQ200	5612	2,0m	1pc/60	5

Reference GLASS Optical Cable, thanks to its construction quality and technology, in accordance with the most modern interconnection standards of digital audio Hi-End components, like Amplifier, CD, DVD and MD with Toslink connectors. This optimal cable transfers the digital signal without disturbs and distortions with a high propagation speed and a very low noise. The sound reproduction improves in transparency, cleanliness and depth. The loss of signal level is less than 0,2dB/m with an insertion loss <1,5dB. Large frequency band DC-10MHz. Particularly recommended for top level installations thanks to the fiber high manufacturing standards and the MULTI-CORE construction technology, that allows to deliver absolute transparency and purity in the whole soundstage.
Dark grey metallic Toslink connectors.External fiber diameter: 8mm

CODE	N°	MODEL	PACK	BOX
HQRS05	5330	0,5m	1pc/3	10
HQRS10	5331	1,0m	1pc/3	10
HQRS20	5332	2,0m	1pc/3	10
HQRS50	5333	5,0m	1pc/4	20

Optimal Optical cable to ensure an accurate bitstream transfer and jitter-free digital interface. Toslink connectors with transparent end. This cable is specifically designed to obtain a deep and transparent sound with an high definition of the dynamic bandwidth. Particularly recommended for the connection of CD and DVD players.

Optical Cable

CODE	N°	MODEL	PACK	BOX
MP3OCW05	6104	0,5m	1pc/3	10
MP3OCW10	6105	1,0m	1pc/3	10
MP3OCW20	6106	2,0m	1pc/3	10
MP3OCW30	6107	3,0m	1pc/3	10

Reference Digital Audio Interconnect Cable
2 x Toslink Plugs - Plastic Optical Fiber - Ø 5 ±0.20 mm
Loss of fiber cable transmission is below 1 dB
Suitable for high quality digital audio signal
Toslink - 3,5 Adapter Included

CODE	N°	MODEL	PACK	BOX
ACTS12	5629	1,2m	1pc/3	10

Optimal Optical cable to ensure an accurate bitstream transfer and jitter-free digital interface. Toslink connectors with transparent end. This cable is specifically designed to obtain a deep and transparent sound with an high definition of the dynamic bandwidth. Particularly recommended for the connection of CD and DVD players.

CODE	N°	MODEL	PACK	BOX
HQP100	5600	1,0m	1pc/4	10
HQP200	5601	2,0m	1pc/4	10
HQP300	5602	3,0m	1pc/4	10

Optical extension cables realised with innovative high quality materials to ensure an optimal interconnection between Hi-End digital components.
- Two-coloured yellow Toslink connectors
- Optimal jitter-free signal transmission
- Advanced mechanical features of the Optical
- Accurate control of fiber section 1.0±0.06mm
- External jacket in PVC Ø 6.00mm ± 0,10

CODE	N°	MODEL	PACK	BOX
HOTRP2	5356	2,0m	1pc/4	5

Specially designed Optical cables to ensure an accurate bitstream transfer and jitter-free digital interface.

CODE	N°	MODEL	PACK	BOX
RQOP060	5479	0,6m	1pc/3	10
RQOP100	5480	1,0m	1pc/3	10
RQOP200	5481	2,0m	1pc/3	10
RQOP300	5482	3,0m	1pc/4	10

Reference Optical Cable for construction quality and technology, in accordance with the most modern interconnection standards of digital audio Hi-End components, like Amplifier, CD, DVD and MD. This optical cable transfers the digital signal without disturbs and distortions with a high propagation speed and a very low noise. The sound reproduction improves in transparency, cleanliness and depth.
The loss of signal level is less than 0,2dB/m with an insertion loss <1,5dB. Large frequency band DC-10MHz. Particularly recommended for top level installations thanks to the fiber high manufacturing standards and careful construction.Absolute transparency and sound purity. Low distortion and excellent coherence of sound dimension.
External fiber diameter: 8mm

CODE	N°	MODEL	PACK	BOX
HETM10G	5477	1,0m	1pc/4	10
HETM20G	5478	2,0m	1pc/4	10

High performance Optical cables realised with innovative high quality materials to ensure an optimal interconnection between Hi-End digital components.
- Amagnetic metallic Toslink connectors with transparent plug
- Optimal jitter-free signal transmission
- Advanced mechanical features of the Optical
- Accurate control of fiber section 1.0±0.06mm
- External jacket in PVC Ø 6.00mm ± 0,10

Avaiable colors: Red/Light Blue

Optical Cable

CODE	N°	MODEL	PACK	BOX
HETM10R	5475	1,0m	1pc/4	10
HETM20R	5476	2,0m	1pc/4	10

High performance Optical cables realised with innovative high quality materials to ensure an optimal interconnection between Hi-End digital components.
- Amagnetic metallic Toslink connectors with transparent plug
- Optimal jitter-free signal transmission
- Advanced mechanical features of the Optical
- Accurate control of fiber section 1.0±0.06mm
- External jacket in PVC Ø 6.00mm ± 0,10

Avaiable colors: Red/Light Blue

CODE	N°	MODEL	PACK	BOX
HHODCTT1	362	1,0m	1pc/3	10
HHODCTT2	363	2,0m	1pc/3	10
HHODCTT5	372	5,0m	1pc/4	10

G&BL presents an extraordinary quality Optical Cable, in accordance with the most modern technology interconnection systems of digital audio Hi-End components, like Amplifier, CD, DVD and MD. This optimal cable transfers the digital signal without disturbs and distortions with a high propagation speed and a very low noise. The sound reproduction improves in transparency, cleanliness and depth.
The loss of signal level is less than 0,2dB/m with an insertion loss <1,5dB. Large frequency band DC-10MHz. Particularly recommended for top level installations thanks to its high manufacturing standards and its careful and technologic construction. Absolute transparency and sound purity. Low distortion and excellent coherence of sound dimension.
External fiber diameter: 6mm

CODE	N°	MODEL	PACK	BOX
HQS060	5603	0,6m	1pc/4	10
HQS100	5604	1,0m	1pc/4	10
HQS200	5605	2,0m	1pc/4	10

Innovative Optical Cable to ensure an accurate bitstream transfer and jitter-free digital interface for hi-end components. Metallic amagnetic Toslink connectors. This cable is specifically engineered to obtain a deep and clean sound with an high definition of the dynamic bandwidth. Particularly recommended for the connection of CD and DVD players with Dolby/DTS/THX surround standards.
High transmission speed: 125 Mbps
Bandwidth 30 Mhz/50m

External diameter 6,00mm-protection jacket

CODE	N°	MODEL	PACK	BOX
HPQFA100	5248	1,0m	1pc/4	10
HPQFA200	5249	2,0m	1pc/4	10

High quality Quartz Optical Fiber Cable for the connection at the highest level between HI-END digital devices. This Toslink cable is specially designed with precision connectors to grant Optical alignment for maximum signal transfer.
External diameter: Ø 6mm
Sound features:
- The use of this extremely pure fiber offers a very high transmission rate, the accurate fiber construction grants precise transfer of the sharp square waves to deliver the clearest sound possible from DVD/CD and MiniDisc Players.
- It also ensures a clean, transparent enhanced sound reproduction, with low distortion.
- Wide frequency bandwidth/Insertion loss <0,2dB
- Terminations: 2 x Toslink 90° angled connector

90° PLUG CONNECTOR

CODE	N°	MODEL	PACK	BOX
HRQ060	5607	0,6m	1pc/60	5
HRQ100	5608	1,0m	1pc/60	5
HRQ200	5609	2,0m	1pc/60	5

Reference GLASS Optical Cable, thanks to its construction quality and technology, in accordance with the most modern interconnection standards of digital audio Hi-End components, like Amplifier, CD, DVD and MD. This optimal cable transfers the digital signal without disturbs and distortions with a high propagation speed and a very low noise. The sound reproduction improves in transparency, cleanliness and depth.
The loss of signal level is less than 0,2dB/m with an insertion loss <1,5dB. Large frequency band DC-10MHz. Particularly recommended for top level installations thanks to the fiber high manufacturing standards and the MULTI-CORE construction technology, that allows to deliver absolute transparency and purity in the whole soundstage.
External fiber diameter: 7mm

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Optical Cable Accessories

We link emotions

Optical Cable Accessories

CODE	N°	MODEL	PACK	BOX
HPC35T	5251	3,5mm > Toslink	1pc/1	20
HPCT35	5250	Toslink > 3,5mm	1pc/1	20

Professional Optical cable adapters. They allow to adapt the Toslink connectors to the 3,5mm digital optical input and vice versa.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPTT35	359	Toslink>3,5mm	1pc/1	20

Optical cable adapter. It allows to adapt all the Toslink connectors to the 3,5mm optical digital input

CODE	N°	MODEL	PACK	BOX
HPTTPR	360	Prolunga	1pc/1	20

Optical Fiber Cable Extension. It allows to extend any cable with Toslink connectors, even thought it is recommended not to exceed a total length of 5 meters.

CODE	N°	MODEL	PACK	BOX
HPOMSS	466	1 > 3	1pc/4	10

Manual Optical cable selector. Switchboard for the manual shunting of Audio sources connected with Optical cables. Manual selection by release for the maximum connection security. It shunt an input signal into up to three output connections and vice versa.
Toslink connection

CODE	N°	MODEL	PACK	BOX
TOS90	5522	Toslink 90°	1pc/1	20

Optical Fiber Cable Professional Adapter. It allows to connect the Toslink Optical Fiber Cable at 90° angle in order to reduce the space and not to submit the cable to bending stress.
24 K Gold plated contacts.

90° PLUG CONNECTOR

24K gold plated

CODE	N°	MODEL	PACK	BOX
HPDCA	5241	Digitale > Analogico	1pc/4	10

DIGITAL/ANALOG AUDIO CONVERTER
This Digital to Analog Audio Converter is designed for either home or professional audio switching. It converts Coaxial or Toslink digital audio signals to analog L/R audio and available for connection to an external device such as an amplifier via standard RCA-style jacks. This Converter is small in size and quite easy to install.
This Converter has many features that enable it to perform in a superior manner. Among those features you will find:
Converts Coaxial or Toslink digital audio signals to analog L/R audio
Supports sampling rate at 32, 44.1, 48 and 96 KHz.
24-bit S/PDIF incoming bit stream on left and right channels

CODE	N°	MODEL	PACK	BOX
HPDS	5202	1 > 2	1pc/1	10

This useful accessory allows to duplicate the Audio Digital signal in Optical. Very resistant ABS black body. The connectors are realized with a internal dielectric "zirconic dioxide ceramic". Toslink plugs/gold plated 24K-HGP contacts.

CODE	N°	MODEL	PACK	BOX
HDCO	5201	TOSLINK Ottico > RCA Coassiale	1pc/4	10

This Audio Digital converter turns without distortions the input Audio Digital RCA signal to Audio Digital optical Toslink. It's realized with extreme care and professionality in order to release the signal with the maximum definition.
Technical specifications:
1. Input: RCA coaxial Digital Audio 2-3 Mpbs
2. Output: Optical Toslink 650nm Audio
3. Power supply: DC6V- 100mA
Power Supplier 220V- DC 6V included in the box

Optical Cable Accessories

CODE	N°	MODEL	PACK	BOX
HDOC	5200	RCA Coassiale > TOSLINK Ottico	1pc/4	10

Digital audio signal converter

This Audio Digital converter turn without distortions the input Audio Digital Optical Toslink signal to Audio Digital RCA. It's realized with extreme care and professionality in order to release the signal with the maximum definition.
Technical specifications:
1. Input: Optical Toslink 650nm Audio
2. Output: RCA coaxial Digital Audio 2-3 Mpbs
3. Power supply: DC6V- 100mA
Power Supplier 220V- DC 6V included in the box

Spool Speaker Cable

We link emotions

Spool Speaker Cable

CODE	N°	MODEL	PACK	BOX
P2/0.75R	214	2x0,75/ 100m	1pc	1
P2/0.75RB	213	2x0,75/ 250m	1pc	1
P2/1.00R	215	2x1,00/ 100m	1pc	1
P2/1.50R	216	2x1,50/ 100m	1pc	1

P2 Line
Red/Black
Speaker cables
Pure copper

CODE	N°	MODEL	PACK	BOX
PT2/0.75	695	2x0,75/ 300m	1pc	1
PT2/1.00	212	2x1,00/ 100m	1pc	1
PT2/1.00B	211	2x1,00/ 250m	1pc	1
PT2/1.50B	5694	2x1,50/ 250m	1pc	1
PT2/2.50B	5833	2X2,50/ 100m	1pc	1
PT2/4.00B	5834	2X4,00/ 100m	1pc	1

Transparent Speaker cable
Pure copper

CODE	N°	MODEL	PACK	BOX
PT215K	693	2x1,00/ 5,0m	1pc/13	20
PT215K/I	1693	2x1,00/ 5,0m	1pc	20
PF/2075B	329	2x0,75/ 100m/ BLU	1pc	1
PT2110K	694	2x1,00/ 10,0m	1pc/3	10
PT2110K/I	1694	2x1,00/ 10,0m	1pc	10
P215EX10	6032	2x1,50/ 10,0m	1pc	1
P215EX20	6033	2x1,50/ 20,0m	1pc	1
PT21530K	5695	2x1,50/ 30,0m	1pc	1

Line PT2
Transparent Speaker cables

Pure copper

Code PF/2075B-Blue jacket

CODE	N°	MODEL	PACK	BOX
PT2/075BW	6253	2x0,75/ 300m	1pc	1
PT2/150BW	5840	2x1,50/ 250m	1pc	1
PT2/250BW	5841	2x2,50/ 100m	1pc	1
PT2/400BW	5842	2x2,50/ 100m	1pc	1

White Speaker cable
Pure copper

CODE	N°	MODEL	PACK	BOX
P215K	690	5,0m	1pc/13	20
P2110K	691	10,0m	1pc/3	10

Red/Black Speaker cable
Pure copper
In blister

CODE	N°	MODEL	PACK	BOX
P2BS075	5998	2x0,75/ 300m	1pc	1
P2BS100	5999	2x1,00/ 250m	1pc	1
P2BS150	6000	2x1,50/ 250m	1pc	1

G&BL has developed a new line of speaker cables to connect with an high qualitative standard the amplifier to the speakers. These cables are realized with LC-OFC uniform crystal structure copper to transmit the signal in an absolutely linear way thanks to the particular wiring and winding. The highly flexible external PVC jacket ensures the durable quality of audio signal transmission in the time.



MC-OCC
HIGH QUALITY
COPPER

Spool Speaker Cable

CODE	N°	MODEL	PACK	BOX
PTS2100B-20	636	2X1,00/ 20m/ Bianco	1pc	1
PTS2200A	638	2X2,00/ 50m/ Arancio	1pc	1
PTS2200B	639	2X2,00/ 50m/ Bianco	1pc	1
PTS2200	391	2X2,00/ 50m/ Giallo	1pc	1
PTS2100B	392	2X1,00/ 100m/ Bianco	1pc	1
PTS2100N	637	2X1,00/ 100m/ Nero	1pc	1
PTS2100	390	2X1,00/ 100m/ Verde	1pc	1

G&BL has developed a new line of speaker cables, able to respond in the best way to the always increasing perfection and audio reproduction quality in the Home-Theater systems.

LC-OFC
HIGH QUALITY COPPER

CODE	N°	MODEL	PACK	BOX
HP2CA	536	ø 15mm/ 50m	1pc	1
HP2BA	538	ø 20mm/ 30m	1pc	1



Prestigious two-conductors speaker cable with large section and high flexibility obtained thanks to the particular multi-gauge wiring of copper conductors and to the special high efficiency PVC external jacket. It's realized with ulta-pure mono-crystalline PC-OCC copper and PE internal dielectric. This exceptional cable grants the absolute quality in the speakers connection: high dynamic audio response in the whole bandwidth, incredible definition of the bass and a very natural reproduction of medium frequencies. The multi conductor structure and wiring also ensure an acoustic performance extremely detailed for the high frequencies.

HP2CA ---> External diameter 15mm
HP2BA ---> External diameter 20mm

These "HP2" line speaker cables are the absolute point of reference for high dynamic audio response and extremely natural sonic performances.

PC-OCC
HIGH QUALITY COPPER

CODE	N°	MODEL	PACK	BOX
P2/2.50S	523	2x2,50/ 50m	1pc	1
P2/4.00S	539	2x4,00/ 50m	1pc	1

High level speaker cable with an Extraflex red PVC shielding partition.
It's realized with ultra-pure LC-OFC copper and silver-plated conductors for an exceptional purity in sound reproduction. The most advanced winding of conductors grants high conductivity and superior performances in the audio signal transmission.
It delivers an incredible detailed reproduction and a neutral, clear musical balance; a precise definition of the whole frequency bandwidth with a wide and controlled dynamic range.

LC-OFC
HIGH QUALITY COPPER

CODE	N°	MODEL	PACK	BOX
HK2700	508	2x1,50/ 7m	1pc	1
HK21000	509	2x1,50/ 10m	1pc	1
HK23000	510	2x1,50/ 30m	1pc	1
HK49410	512	2x2,50/ 10m	1pc	1
HP2150	493	2x1,50/ 150m	1pc	1
HP2250	494	2x2,50/ 100m	1pc	1
HP2400	495	2x4,00/ 100m	1pc	1

As part of its "HIGH – POWER" range, G&BL has developed a line of speaker cables to connect with an high qualitative standard the amplifier to the speakers. These cables are realized with LC-OFC uniform crystal structure copper to transmit the signal in an absolutely linear way thanks to the particular wiring and winding. The highly flexible external PVC jacket ensures the durable quality of audio signal transmission in the time.

LC-OFC HIGH QUALITY COPPER

CODE	N°	MODEL	PACK	BOX
HK15	699	10m/ ADESIVO/ Bianco	1pc	1
FTK415T	700	2x1,50/ 50m/ Bianco	1pc	1
HK2200B	640	2X2,00/ 10m/ Bianco	1pc	1

FTK415T is a 4 conductors speaker cable. It is realised with the extremely pure LC-OFC, to exalt transparency and sound dynamics. Especially recommended for the surround rear speakers.

LCF-OFC HIGH QUALITY COPPER

CODE	N°	MODEL	PACK	BOX
HPEP215	5889	2x1,50/ 150m	1pc	1
HPEP225	5890	2x2,50/ 150m	1pc	1



Speaker cable wired according to the "PHASE CONTROL" technology. It's realized with LC-OFC uniform crystal structure copper using a 4 conductors AWG 12 standard construction. The high precision finish makes it suitable to enhance high level systems. The anti-inductive construction ensures an optimal reproduction of medium-high notes, exalting their definition in the space.
Especially recommended for wiring through tube.

LC-OFC HIGH QUALITY COPPER

Spool Speaker Cable

CODE	N°	MODEL	PACK	BOX
HP416	496	ø4,00mm/ 100m	1pc	1

Speaker cable wired according to the "PHASE CONTROL" technology. It's realized with LC-OFC uniform crystal structure copper using a 4 conductors AWG 12 standard construction. The high precision finish makes it suitable to enhance high level systems. The anti-inductive construction ensures an optimal reproduction of medium-high notes, exalting their definition in the space.
Especially recommended for wiring through tube.



LC-OFC
HIGH QUALITY COPPER

CODE	N°	MODEL	PACK	BOX
HK48810	513	2x3,00/ 10m	1pc/82	5
P2/3.00TR	488	2x3,00/ 100m	1pc	1

Low profile speaker cable with a green PVC shielding partition. The particular winding and wiring of conductors are studied to obtain an optimal sound performance and a detailed reproduction of the Audio signal. Exceptional linearity for the whole Audio spectrum and precise definition of the frequency bandwidth with wide dynamics.



LC-OFC
HIGH QUALITY COPPER

CODE	N°	MODEL	PACK	BOX
HP2LB	5415	100m	1pc	1

Two conductors high level speaker cable. This cable represents our point of reference for the bipolar cables because the particular construction ensures absolute high quality level performances. The special wiring and the accurate material's choice result in an optimal sound definition with a very dynamic and wide response at the low frequencies. The PE jacket contribute to the full definitions of the acoustic details. The copper is wired in a special way to deliver a linear and crystal clear timbre's balance.

UP-OCC
HIGH PURITY COPPER

CODE	N°	MODEL	PACK	BOX
HP4152	497	2x2,50+2x1,50/ 50m	1pc	1

Four conductors high level speaker cable with two groups of conductors in different sections, especially designed to solve Bi-Wiring and Bi-Amping connection problems. It's realized with the revolutionary LC-OFC uniform structure copper, with a multiple section capillary construction to control the phase's rotation and to obtain a linear reproduction.

Biwiring cable

LC-OFC HIGH QUALITY COPPER

CODE	N°	MODEL	PACK	BOX
188	188	2x0,18/ 100m	1pc	1
191SC	434	2x0,20/ 100m	1pc	1

Code 188 Bipolar, shielded Audio Signal cable
2x0.18
Black jacket
Code 191SC
Bipolar, shielded Audio Signal cable
Blue jacket
Low capacity cable Ø 5mm
Polythene dieletric

CODE	N°	MODEL	PACK	BOX
10200	430	100m	1pc	1

Hi-End Audio Signal cable
5mm bipolar low capacity cable
Black jacket
Resistance: 160m/Ohm-m
Capacity: 57Pf/M

Multimedia Series

Spool Speaker Cable

CODE	N°	MODEL	PACK	BOX
VRGB3	5498	100m	1pc	1

Video cable 3xRGB + 2x0,12 in spool

Speaker Cable

We link emotions

Speaker Cable

CODE	N°	MODEL	PACK	BOX
HTS20	5408	2,0m	2pc/13	20
HTS30	5409	3,0m	2pc/13	1
HTS50	5410	5,0m	2pc/3	10
HTS80	5411	8,0m	2pc/3	10

Two conductors speaker cable with optimal audio performances, realised to respond in the best way to the increasing request for perfection and audio reproduction quality in the Home-Theater systems.
The copper used is the extremely pure LC-OFC, to exalt transparency and sound dynamics. It is particularly suitable to connect the rear and central speakers.

24K gold plated

LC-OFC HIGH QUALITY COPPER

CODE	N°	MODEL	PACK	BOX
HEPB25	5894	2,5m+2,5m	2pc/65	5
HEPB35	5895	3,5m+3,5m	2pc/65	5
HEPB50	5896	5,0m+5,0m	2pc/65	5

High-End speaker cable, terminated with 24K-Hard Gold Plated banana plugs. These products are realised with LC-OFC copper two conductor cable. Their superior features grants very low distortion, impedance and capacity for incredibly low noise and spectral contamination. The particular construction optimizes the sound dynamics for an extremely clear reproduction throughout the audio bandwidth.
Optimal performance at the low frequencies. Anti-inductive protection jacket.

24K gold plated

LC-OFC HIGH QUALITY COPPER

CODE	N°	MODEL	PACK	BOX
HMF140	5499	50m	1pc	
HMF140-3	5500	3,0m+3,0m	2pc/65	1

Professional Hi-End Reference specially shielded Bi-Wiring Speaker Cable. The internal dielectric PE is assembled with an external professional PVC jacket which, combined with a high efficiency external shield, grant a perfect phase control and linear Audio reproduction. The exclusive ultra-pure 99,9998% UP-OCC copper, wired in X-wind construction, ensures high dynamic audio response, enhanced sonic performance, improved signal transfer and linear Audio Spectrum reproduction. This 4 conductors cable represents the ultimate expression of G&BL technology to obtain a highest speaker cable performance. The advanced construction of the HMF14O-3 delivers a more natural sound and powerful music reproduction. This cable is terminated with exclusive 24K Hard Gold Plated banana connectors for improved signal transfer.
This cable can be used in the standard configuration, connecting two by two the conductors and obtaining in this way the positive and negative conductors; or it can be used for BI-WIRING connection separating the conductors in four ways for each speaker crossover input, to part the low from the medium

24K gold plated

Biwiring cable

CODE	N°	MODEL	PACK	BOX
HQLIN25	5615	2,5m+2,5 m	2pc/65	5
HQLIN35	5897	3,5m+3,5m	2pc/66	5

SACD line Speaker cable. It's realized with two conductors in x-wind construction. Thanks to a remarkable flexibility in its use, it allows to fully exploit its superb sound features.
This cable is manufactured with ultra pure Oxygen-Free copper, precisely wired to exalt the audio dynamics and to ensue the maximum sound transparency. Extremely reactive and clear at the bass frequencies. Each conductor has a large section of 5,75 mmq. Terminated with24K HGP spade connectors.

SUPER SUDIO CD

24K gold plated

CODE	N°	MODEL	PACK	BOX
HP2BA-3	5486	3,0m+3,0m	1pc/65	5
HP2CA-3	5485	3,0m+3,0m	2pc/65	5

The HP2 series is also supplied already terminated in the standard measure of 3 meters both for reference HP2CA and HP2BA; the second is particularly recommended for high amplification power.
The standard terminations on these cable are the heavy-duty 24K-HGP "HPS07" banana plugs, but they can also be realized with spade connectors, as our article HPF91, if required.
Customizable with BFA-Connector (code 6114)

24K gold plated

CODE	N°	MODEL	PACK	BOX
HSP25	5489	2,5m+2,5m	1pc/65	5
HSP35	5490	3,5m+3,5m	1pc/65	4
HSP50	5491	5,0m+5,0m	1pc/65	4

High level speaker cable with 24-Hard Gold Plated spades. These cables are realized with two LC-OFC copper conductors. Its particular construction ensures a low power loss, low resistance, low capacity and an extremely low distortion. Moreover, it optimizes the sound dynamics for and extremely clear reproduction throughout the audio bandwidth. Optimal performances at the bass frequencies.
Spade connectors suitable for hinge with max diameter 6mm.

24K gold plated

LC-OFC HIGH QUALITY COPPER

Speaker Cable

CODE	N°	MODEL	PACK	BOX
HHSP43	5287	2,0m+2,0m	1pc/65	5

The HHSP43 is the reference speaker cable developed by G&BL to complete, with high performances, the final link to loudspeakers in your audio system. Specially manufactured with the newest engineering refinements to assure the perfect compatibility with Audio systems which use the Super Audio CD format. The superior playback quality achieved by the SACD format required the development of new Audio products and reference cables to fully appreciate this new audio standard. The "tubolar flow" technology, combined with ultra-pure UP-OCC copper, the new PTFE tape special insulating material precision wounded around the inner conductors, assure a low dynamic noise and a perfect natural music reproduction at low, mid and high frequencies. The high-quality mono-crystalline structure UP-OCC silver plated copper conductors are individually insulated by exclusive PE dielectric winded around a reinforced hollow tubes structure. The advanced sonic performance of the HHSP43 are assured by expanding bananas, each engineered to ensure greater contact pressure and optimal signal transfer.

24K gold plated

UP-OCC HIGH PURITY COPPER

SUPER SUDIO CD

CODE	N°	MODEL	PACK	BOX
SPSP30	5891	3,0m	1pc/65	5
SPSP50	5892	5,0m	1pc/65	5
SPSP100	5893	10,0m	1pc/65	5

Speaker cables terminated with Speakon connectors. They are realised with ultra-pure LC-OFC copper. Special winding and wiring of conductors are engineered for an exceptional purity of sound reproduction.
Professional Speakon male connectors.

LC-OFC HIGH QUALITY COPPER

Audio Connectors

We link emotions

Audio Connectors

CODE	N°	MODEL	PACK	BOX
HPS04	437	2xRosso/ 2xNero	4pc/1	10

Exclusive banana speaker plugs "HIGH-POWER" line. Suitable for cable section up to 6 mmq. The central expanding pin ensures a large contact surface for maximum signal transfer. The back part holds a supplementary hole for bi-wiring connections.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPS07	422	2xRosso/ 2xBianco	4pc/1	10

Exclusive banana speaker plugs "HIGH-POWER" Locking Design line. Suitable for cable section from 3 to 6 mmq. A-magnetic aluminium shell. The central expanding pin ensures a large contact surface for high dynamic signal transmission.
Cable locked by two screws.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPS72	5419	2xRosso/	4pc/1	10

Banana speaker plugs "HIGH-POWER" line. The central expanding pin ensures a large contact surface for optimal signal transfer. Cable conductor and external jacket locked by screws.

Code HPS72-Max. diameter 7,2 mm

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPS08	423	2xRosso/ 2xNero	4pc/1	20

Banana speaker plugs "HIGH-POWER" line. To be used with cable section up to 4 mmq. The central expanding pin ensures a large contact surface. Resistant PTE shell for high insulation. Available in red and black colour.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPS02	449	2xRosso/ 2xNero	4pc/1	10

Banana speaker plugs "HIGH-POWER" line. Suitable for cable section from 3 to 6 mmq. The central expanding pin ensures a large contact surface for optimal high current transfer.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPS02P	442	2xRosso/ 2xNero	4pc/1	10

Banana plugs for loudspeakers. Suitable for cable section from 3 to 6 mmq. They are equipped with a fixing ring to provide the greatest contact pressure between cable and connector. Supplied in red and black colour. Completely protected as per European regulations.

24K
gold plated

Audio Connectors

CODE	N°	MODEL	PACK	BOX
HPS33	5417	2xRosso/ 2xBlu	4pc/1	10

On-line banana speaker plugs "HIGH-POWER" line. Suitable for cable section from 1 to 4 mmq. The central expanding pin ensures a large contact surface. Conductors are locked by 2 screws for optimal contact.
24K Hard Gold Plated.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPBFA01	6111	2xRosso/ 2xNero	4pc/1	10

High Performance Banana Connectors type BFA.
On/Line termination by one screw.
Max. 6mmq cables
24K Gold Plated Pins

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPBFA02H	6114	2xRosso/ 2xNero	4pc/1	10

Professional BFA/Banana Plugs.
Extra massive for best conductivity and better sound.
New shape "TUBE" - Max. 6mmq cables
24K Gold Plated Pins.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPT420	428	2xRosso/ 2xNero	4pc/1	10

Exclusive speaker crimps with angled pins "HIGH-POWER" line. Suitable for cable section from 1,5 to 4,00 mmq. Supplied with PVC extraflex insulation shell, available in red and black colour.

24K gold plated

CODE	N°	MODEL	PACK	BOX
HPS230	369	2xRosso/ 2xNero	4pc/1	10

5 way binding posts "HIGH-POWER" line. To be used with cable section up to 6 mmq. Equipped with press-cable ring for an optimal high dynamic signal transmission. Realized with Teflon to insulate from the wall and provided with nuts and insulation rings for the fixing. Supplementary back hole for other connections. Long hinge model.

24K gold plated

CODE	N°	MODEL	PACK	BOX
HPS215	368	2xRosso/ 2xNero	4pc/1	10

5 way binding posts "HIGH-POWER" line. To be used with cable section up to 6 mmq. Equipped with press-cable ring for an optimal high dynamic signal transmission. Realized with Teflon to insulate from the wall and provided with nuts and insulation rings for the fixing. Supplementary back hole for other connections. Short hinge model.

24K gold plated

Audio Connectors

CODE	N°	MODEL	PACK	BOX
HPF81	527	2xRosso/ 2xNero	4pc/1	10
HPF91	576	2xRosso/ 2xNero	4pc/1	10

Exclusive spade speaker plugs "HIGH-POWER" line. The reference item number HPF91 is equipped with a two screws professional lock. Suitable for cable section up to 6 mmq Large contact surface for an high dynamic high current transmission without any distortion.

HPF81: For use with up to 6 mm hinge's diameter
HPF91: For use with up to 9 mm hinge's diameter.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPFQ92	5616	2xRosso/ 2xNero	4pc/1	20

Prestigious spade speaker plugs "HIGH-POWER" line. Suitable for cable's section from 3 to 8 mmq. Recommended for an "in line" wiring with a two screws cable fixing. High contact performance ensured by 24K-HGP gold plated plug. For use with up to 8 mm hinge's diameter.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
SPKFV	950	Maschio 4 poli	1pc/1	10

Flying Speakon 4-pin jack connector.

Audio Accessories

We link emotions

Audio Accessories

CODE	N°	MODEL	PACK	BOX
HPM4-FC	522	Basi	4pc/1	20
HPM4	528	Punte + Basi	2pc/1	20

Gold plated 24K-HGP anti-vibration spikes and foots for speakers "HIGH-POWER Platinum" line. Handcrafted in an exceptionally strong material for an optimal hardiness to reduce the vibration reflected by the support. These foots allows a very clear bass frequencies reproduction with an extremely linear sound. Exclusive G&BL 24K-HGP.

CODE	N°	MODEL	PACK	BOX
HPM20	469	Basi GOLD	2pc/1	20
HPM20-S	471	Basi SILVER	2pc/1	20

Professional spikes for electronic devices.

CODE	N°	MODEL	PACK	BOX
HPMB3R	6125	Punte	2pc/1	0

Professional conical spikes.Shock Absorbing Foot device - Gold Plated
Base diameter 30mm.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPM3	470	Punte + basi	2pc/1	20

Anti-vibration rubber spikes and foots for "HIGH-POWER" line speakers. Realized in PPDM rubber sandwich. They use an adequately strengthened material for an optimal hardiness to reduce the vibration reflected by the support. These foots allow a very clear bass frequencies reproduction with an extremely linear sound. 24K-HGP gold-plated.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPM5G	6115	Punte + Basi	2pc/1	20

Professional conical spikes.
Shock Absorbing Foot device - Gold Plated
Base diameter 15mm.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
SHR2	518	Ø 07mm	4pc/1	20
SHR3	519	Ø 10mm	4pc/13	20
SHR4	520	Ø 15mm	4pc/13	20

PVC "Y" boot, particularly elastic and purposely performed to protect the power cable terminations. They permit to obtain a perfect termination, protecting from electric and mechanical interferences, and ensuring a connection without compromises. Colours enclosed in the box: black and red.

Audio Accessories

CODE	N°	MODEL	PACK	BOX
CS904	347	Molla	1pc/4	10
CSH504	5857	Morsetti	1pc/4	10

SPEAKER CONTROL
Switcher unit to connect up to four couples of loudspeakers. Easy control of the selection of speaker couple by front side push-buttons. Cables lock system with spring-clamps or with clamps to be tighten. The clamps to be tighten can be used for both spade and banana connectors.
24K-HGP gold plated contacts.

CODE	N°	MODEL	PACK	BOX
CS902	346	Molla	1pc/4	10
CSH502	5856	Morsetti	1pc/4	10

SPEAKER CONTROL
Switcher unit to connect up to two couples of loudspeakers. Easy control of the selection of speaker couple by front side push-buttons. Cables lock system with spring-clamps or with clamps to be tighten. The clamps to be tighten can be used for both spade and banana connectors. 24K-HGP gold plated contacts.

CODE	N°	MODEL	PACK	BOX
SPCTRL04	6025	4 coppie	1pc/0	1
SPCTRL06	6026	6 coppie	1pc/0	1

Passive selector for a complete control of uo to 4/6 speakers pairs.
Ready to control up to two different inputs of two amplifiers.
Volume Power Control with 12 steps. For every speakers pair can be selected A or B input of each speakers pair.
Switching On/Off independently.
Ready to connect 4 and 8 ohm impedance speakers.

Microphone Cables

We link emotions

Microphone Cables

CODE	N°	MODEL	PACK	BOX
PMXL30B	6254	3,0m - BIL.	1pc	10
PMXL30	5898	3,0m - SBIL.	1pc/82	10
PMXLB	6255	5,0m - BIL.	1pc	10
PMXL	120	5,0m - SBIL.	1pc/82	10
PMXL100B	6256	10,0m - BIL.	1pc	10
PMXL100	5899	10,0m - SBIL.	1pc/82	10

Balanced mike interconnect cable, manufactured according to the "PHASE CONTROL" technology. It is realised using LC-OFC copper with very pure linear structure in AWG12 standard structure. The flexible external jacket protects from noise interferences and resist to stamping. Professional XLR connectors with 24K-HGP contacts.

CODE	N°	MODEL	PACK	BOX
PMXFJ30	5900	3,0m	1pc/82	10
PMXFJ	121	5,0m	1pc/82	10
PMXFJ100	5901	10,0m	1pc/82	10

Unbalanced mike interconnect cable, manufactured according to the "PHASE CONTROL" technology. It is realised using LC-OFC copper with very pure linear structure in AWG12 standard structure. The flexible external jacket protects from noise interferences and resist to stamping. Professional female XLR connector and Jack 6,3 Mono plug, with 24K-HGP contacts.

CODE	N°	MODEL	PACK	BOX
PMJJ	163	5,0m	1pc/82	10

Balanced mike interconnect cable, manufactured according to the "PHASE CONTROL" technology. It is realised using LC-OFC copper with very pure linear structure in AWG12 standard structure. The flexible external jacket protects from noise interferences and resist to stamping. Two professional 6,3 Jack Mono plug, with 24K-HGP contacts.

(MONO)

CODE	N°	MODEL	PACK	BOX
PMXMJ	5902	5,0m	1pc/82	10

Balanced mike interconnect cable, manufactured according to the "PHASE CONTROL" technology. It is realised using LC-OFC copper with very pure linear structure in AWG12 standard structure. The flexible external jacket protects from noise interferences and resist to stamping. Professional male XLR connector and Jack 6,3 Mono plug, with 24K-HGP contacts.

Home Theatre Cables

We link emotions

Home Theatre Cables

CODE	N°	MODEL	PACK	BOX
ACJJS50	5624	5,0m	1pc/4	10

Low capacity Audio cable, of the "Active Collection" line, realized with high quality LC-OFC copper for a defined, deep and wide Audio reproduction. Recommended for an optimal level Audio connection between devices equipped with 3,5 Stereo Jack output/input.
24K Hard Gold Plated connectors.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPD35	686	1,0m	1pc/3	10
HPD35-5	687	1,5m	1pc/3	5
HPD35/30	5348	3,0m	1pc/4	10
HPD35/50	5620	5,0m	1pc/4	10

Hi performance Audio interconnect cable, particularly recommended for multimedia and for Hi-End connections to digital sources. The particular moulded 3,5 stereo Jack grants a secure and precise contact. This cable is manufactured with materials of absolute quality and uses ultra-pure LC-OFC copper. The full-coverage shield assures the total protection against RFI and EMI interferences. The exceptional clearness of the sound reproduced by this cable, makes it the top-of-the-range for 3D multimedia systems reproduction.
The connectors are precise-machined 24K Hard Gold Plated.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
SUB3	463	3,0m	1pc/4	10
SUB5	465	5,0m	1pc/4	10
SUB5U	5413	5,0m - Mono	1pc/4	10
SUB8	5813	8,0m	1pc/4	10
SUB10	5814	10,0m	1pc/4	10

High quality Y-Adapter cable for splitting the subwoofer signal coming from the Dolby Digital processor to powered Subwoofers. This cable is realised with a double high density braided shielding for RFI and EMI noise rejection. Moulded Y-Adapter connector for an optimal mechanical resistance. 24K Hard Gold Plated connectors.
The model SUB5U is the online RCA-RCA version for Subwoofer with mono audio input.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
SUBE20	5949	2,0m	1pc/4	10
SUBE50	5950	5,0m	1pc/4	10

Y cable for the connection of the SUBWOOFER encoded signal coming from the Dolby Digital processor for amplified Subwoofers. It is realised using an efficient shielded cable with low capacity and good shielding.
Moulded duplication connector for an optimal mechanical resistance. The connectors are gold plated with the exclusive system G&BL 24 K-HGP.

24K gold plated

CODE	N°	MODEL	PACK	BOX
SUBH30	5621	3,0m	1pc/60	5
SUBH50	5622	5,0m	1pc/65	5

Reference cable for Dolby Digital connections to powered Subwoofers. Engineered for Audio signal transmission with frequencies lower than 80 Hz. Thanks to the particular wiring and the special PC-OCC copper, this cable delivers deep powerful defined and braked bass. Particular care has been paid to obtain an optimal low capacity. Cable diameter: 10,33 mm. High quality Rhodium plated connectors.

Rhodium connectors

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Video HP

HDMI Cables	78
HDMI Connectors	84
HDMI Accessories	90
DVI-HDMI Cables	98
DVI Accessories	102
Component Cables	104
SCART Gold Cables	108
S-Video Cables	116
Video Connectors	124
Video Accessories	128

We link emotions

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

HDMI Cables



We link emotions

HDMI Cables

CODE	N°	MODEL	PACK	BOX
DVC2308	2308	100m	1pc/0	1

Digital cable for single-link DVI/HDMI connections.
Manufactured according to the UL AWM 20276 standards.
Maximum length recommended: 10 meters.



CODE	N°	MODEL	PACK	BOX
CDSP180	6243	1,8m	1pc/4	10
CDSP300	6244	3,0m	1pc/4	10

DisplayPort 20-pin male to DisplayPort 20-pin male Cable (DisplayPort v1.1 compatible).

Allows the transfer of digital audio/video signals between PC and monitor and devices that support DisplayPort standard with a resolution up to 1080p - Supports HDMI and DVI signal.
10.8 Gbit/s forward link channel supports super high resolution monitors up to 2560×1600 (WQXGA) at 24-bit color depths - HDCP compatible.
Embedded clock architecture to reduce EMI susceptibility

CODE	N°	MODEL	PACK	BOX
HD4200E06	6500	0,6m	1pc	10
HD4200E10	6501	1,0m	1pc	10
HD4200E20	6502	2,0m	1pc	10
HD4200E30	6503	3,0m	1pc	10
HD4200E50	6504	5,0m	1pc	10
HD4200E75	6505	7,5m	1pc	5
HD4200E100	6506	10,0m	1pc	5
HD4200E150	6507	15,0m	1pc	5

High Speed HDMI Cable With Ethernet Channel

- HDMI 19-pin male to HDMI 19-pin male connections
- Ensures the integrity of the signal between HDMI devices
- High-speed, bi-directional networking at up to 100 Mbps
- Supports HD resolutions beyond 1080p/4k and Deep Color
- Compliant with High Speed HDMI specifications
- Up to 10.2 Gbps at 340 MHz bandwidth
- Molded PVC boot and 24K hard gold plated contacts.

CODE	N°	MODEL	PACK	BOX
HD4201E10	6508	1,0m	1pc	20
HD4201E20	6509	2,0m	1pc	20
HD4201E30	6510	3,0m	1pc	20
HD4201E50	6511	5,0m	1pc	20
HD4201E75	6512	7,5m	1pc	10
HD4201E100	6513	10,0m	1pc	10

High Speed HDMI Cable With Ethernet Channel

- HDMI 19-pin male to HDMI 19-pin male connections
- Ensures the integrity of the signal between HDMI devices
- High-speed, bi-directional networking at up to 100 Mbps
- Supports HD resolutions beyond 1080p and Deep Color
- Compliant with High Speed HDMI specifications
- Up to 10.2 Gbps at 340 MHz bandwidth
- Molded PVC boot and 24K hard gold plated contacts.

HUNG PACKAGING

CODE	N°	MODEL	PACK	BOX
HD4210E10	6515	1,0m	1pc	10
HD4210E18	6516	1,8m	1pc	10
HD4210E30	6517	3,0m	1pc	10

High Speed HDMI Cable With Ethernet Channel

Space-saving, cable with one angled plug for optimized connection. Ideal to connect Flat Screen TV climbed on to wall or to connect the side socket of the TV.

- Ensures the integrity of the signal between HDMI devices
- High-speed, bi-directional networking at up to 100 Mbps
- Supports HD resolutions beyond 1080p/4k and Deep Color
- Compliant with High Speed HDMI specifications
- Up to 10.2 Gbps at 340 MHz bandwidth
- Molded PVC boot and 24K hard gold plated contacts.

CODE	N°	MODEL	PACK	BOX
HD4500E06	6523	0,6m	1pc/4	10
HD4500E10	6524	1,0m	1pc/4	10
HD4500E18	6525	1,8m	1pc/4	10
HD4500E30	6526	3,0m	1pc/4	10
HD4500E50	6527	5,0m	1pc/4	10
HD4500E100	6528	10,0m	1pc	5
HD4500E120	6529	12,0m	1pc	5

High Speed HDMI Cable With Ethernet Channel one ferrite core

Ideal for connecting your HD Devices to HD/Full HD LCD/Plasma Monitors, Playstation® 3, Blu-ray and HD DVD Disc™

- Ensures the integrity of the signal between HDMI devices
- High-speed, bi-directional networking at up to 100 Mbps
- Supports HD resolutions beyond 1080p/4k and Deep Color
- Compliant with High Speed HDMI specifications
- Up to 10.2 Gbps at 340 MHz bandwidth
- Fully shielded to reduce EMI and other interference sources
- Molded PVC boot and 24K hard gold plated contacts

HDMI Cables

CODE	N°	MODEL	PACK	BOX
HD4530E06	6541	0,6m	1pc/4	10
HD4530E18	6542	1,8m	1pc/4	10

High Speed HDMI Cable With Ethernet Channel
1 x HDMI (type A) Plug - 1 x HDMI (type C) Plug

Ideal for connecting your Devices to HD/Full HD LCD/Plasma Monitors and perfect for Digital HD/FullHD Videocameras.

- Ensures the integrity of the signal between HDMI devices
- High-speed, bi-directional networking at up to 100 Mbps
- Supports HD resolutions beyond 1080p/4k and Deep Color
- Compliant with High Speed HDMI specifications
- Up to 10.2 Gbps at 340 MHz bandwidth
- Molded PVC boot and 24K hard gold plated contacts.

CODE	N°	MODEL	PACK	BOX
HD4520E10	6536	1,0m	1pc/4	10
HD4520E20	6537	2,0m	1pc/4	10
HD4520E30	6538	3,0m	1pc/4	10
HD4520E50	6539	5,0m	1pc/4	10

High Speed HDMI Cable With Ethernet Channel with elegant cable mesh jacket

Ideal for connecting your HD Devices to HD/Full HD LCD/Plasma Monitors, Playstation® 3, Blu-ray and HD DVD Disc™

- HDMI 19-pin male to HDMI 19-pin male connections
- Ensures the integrity of the signal between HDMI devices
- High-speed, bi-directional networking at up to 100 Mbps
- Supports HD resolutions beyond 1080p/4k and Deep Color
- Compliant with High Speed HDMI specifications
- Up to 10.2 Gbps at 340 MHz bandwidth
- Molded PVC boot and 24K hard gold plated contacts.

CODE	N°	MODEL	PACK	BOX
HD4540E06	6544	0,6m	1pc/4	10
HD4540E18	6545	1,8m	1pc/4	10

High Speed HDMI Cable With Ethernet Channel with metal shaped connectors
1 x HDMI (type A) Plug - 1 x HDMI (type C) Plug

Ideal for connecting your Devices to HD/Full HD LCD/Plasma Monitors and perfect for Digital HD/FullHD Videocameras.

- Ensures the integrity of the signal between HDMI devices
- High-speed, bi-directional networking at up to 100 Mbps
- Supports HD resolutions beyond 1080p/4k and Deep Color
- Compliant with High Speed HDMI specifications
- Up to 10.2 Gbps at 340 MHz bandwidth
- Molded PVC boot and 24K hard gold plated contacts.

CODE	N°	MODEL	PACK	BOX
HD45500E10	6519	1,0m	1pc	10
HD45500E18	6520	1,8m	1pc	10

High Speed HDMI Cable With Ethernet Channel

Space-saving, angled plugs (1x angled to the right, 1x angled to the left) for optimized connection
Helps prevent disconnections and stress damage to HDMI ports
Ideal to connect Flat Screen TV climbed on to wall or to connect the side socket of the TV.

- Ensures the integrity of the signal between HDMI devices
- High-speed, bi-directional networking at up to 100 Mbps
- Supports HD resolutions beyond 1080p/4k and Deep Color
- Compliant with High Speed HDMI specifications
- Up to 10.2 Gbps at 340 MHz bandwidth
- Molded PVC boot and 24K hard gold plated contacts.

CODE	N°	MODEL	PACK	BOX
HD4510E18	6532	1,8m	1pc/4	10

High Speed HDMI Cable With Ethernet Channel

Space-saving, cable with two flexible connectors adjusts 180 degrees for easy installation on walls, in media cabinets or other confined locations
Helps prevent disconnections and stress damage to HDMI ports
Ideal to connect Flat Screen TV climbed on to wall or to connect the side socket of the TV.

- Ensures the integrity of the signal between HDMI devices
- High-speed, bi-directional networking at up to 100 Mbps
- Supports HD resolutions beyond 1080p/4k and Deep Color
- Compliant with High Speed HDMI specifications
- Up to 10.2 Gbps at 340 MHz bandwidth
- Molded PVC boot and 24K hard gold plated contacts.



CODE	N°	MODEL	PACK	BOX
HD4511E18	6533	1,8m	1pc/4	10

High Speed HDMI Cable With Ethernet Channel

Space-saving, the connector can be swivelled in all directions (solves space problems behind flat TVs and prevents bent cables)
Helps prevent disconnections and stress damage to HDMI ports
Ideal to connect Flat Screen TV climbed on to wall or to connect the side socket of the TV.

- Ensures the integrity of the signal between HDMI devices
- High-speed, bi-directional networking at up to 100 Mbps
- Supports HD resolutions beyond 1080p/4k and Deep Color
- Compliant with High Speed HDMI specifications
- Up to 10.2 Gbps at 340 MHz bandwidth
- Molded PVC boot and 24K hard gold plated contacts.



HDMI Cables

CODE	N°	MODEL	PACK	BOX
HD4700E10	6547	1,0m	1pc/4	10
HD4700E20	6548	2,0m	1pc/4	10
HD4700E30	6549	3,0m	1pc/4	10
HD4700E50	6550	5,0m	1pc/4	10
HD4700E75	6551	7,5m	1pc	5
HD4700E100	6552	10,0m	1pc	5
HD4700E150	6553	15,0m	1pc/65	5
HD4700E200	6554	20,0m	1pc/65	5
HD4700E250	6555	25,0m	1pc/65	5

High Speed HDMI Flat Cable With Ethernet Channel
Ideal for connecting your HD Devices to HD/Full HD LCD/Plasma Monitors, Playstation® 3, Blu-ray and HD DVD Disc™
- HDMI 19-pin male to HDMI 19-pin male connections
- Ensures the integrity of the signal between HDMI devices
- High-speed, bi-directional networking at up to 100 Mbps
- Supports HD resolutions beyond 1080p/4k and Deep Color
- Compliant with High Speed HDMI specifications
- Up to 10.2 Gbps at 340 MHz bandwidth
- Molded PVC boot and 24K hard gold plated contacts.

Full HD 4096x2160 | HEC HDMI ETHERNET CHANNEL | FLAT CABLE | 3D

CODE	N°	MODEL	PACK	BOX
HD4900E10	6558	1,0m	1pc/60	10
HD4900E20	6559	2,0m	1pc/60	10

NITROGEN HDMI Category 2 Cable Luxury Line
Nitrogen gas-injected dielectric provides higher velocity of propagation for maximum signal strength.

Developed for professional use and all home cinema applications
Ideal for connecting your HD Devices to HD/Full HD LCD/Plasma Monitors, Playstation® 3, Blu-ray and HD DVD Disc™

- 99.7% Oxygen Free Copper for improved Signal Transfer
- Heavy Duty PVC Jacket with integrated strain relief & Nylon Mash protects against wire damage for consistently high-quality audio video.
- Best Video Quality – 1080p to 1600p
- HDMI 1.3b cable supports maximum pixel clock rate of 340MHz 10.2 Gbit/s which allows for WQXGA (2560X1600), or up to 1600p.
- Supports 12-bit colour, also known as Deep Color™
- Enables highest sound quality: Ultra-lifelike 192/24 Dolby® TrueHD and DTS-HD™ lossless surround sound, available on Blu-ray Disc™ and HD DVD™ movies.

Full HD 4096x2160 | HEC HDMI ETHERNET CHANNEL | NITROGEN CABLE | 3D

CODE	N°	MODEL	PACK	BOX
HD4910E10	6561	1,0m	1pc/60	10
HD4910E20	6562	2,0m	1pc/60	10
HD4910E30	6563	3,0m	1pc/60	10
HD4910E50	6564	5,0m	1pc/60	10

High Speed HDMI Flat Cable With Ethernet Channel Luxury Line
Premium metal housing & 24K Gold plated connector HDMI 19 pins/ HDMI 19 pins design specs.

Developed for professional use and all home cinema applications
Ideal for connecting your HD Devices to HD/Full HD LCD/Plasma Monitors, Playstation® 3, Blu-ray and HD DVD Disc™

- 99.7% Oxygen Free Copper for improved Signal Transfer
- Heavy Duty PVC Jacket with integrated strain relief & Nylon Mash protects against wire damage for consistently high-quality audio video.
- Best Video Quality – 1080p to 1600p
- HDMI 1.3b cable supports maximum pixel clock rate of 340MHz 10.2 Gbit/s which allows for WQXGA (2560X1600), or up to 1600p.
- Supports 12-bit colour, also known as Deep Color™
- Enables highest sound quality: Ultra-lifelike 192/24 Dolby® TrueHD and DTS-HD™ lossless surround sound, available on Blu-ray Disc™ and HD DVD™ movies.

Full HD 4096x2160 | HEC HDMI ETHERNET CHANNEL | FLAT CABLE | 3D

HDMI - DVI Connectors

We link emotions

HDMI Connectors

CODE	N°	MODEL	PACK	BOX
RDSPDVFDM	6246	DVI/DP	1pc/1	10

Display Port 20 pin male - DVI-I female adapter
Support conversion from Display Port signal to DVI signal
Support the video Bandwidth up to 10.8Gpbs

CODE	N°	MODEL	PACK	BOX
RDSPHFDM	6245	HDMI/DP	1pc/1	10

Display Port 20 pin male - HDMI female adapter
Support conversion from Display Port signal to HDMI signal
Support the video Bandwidth up to 10.8Gpbs

CODE	N°	MODEL	PACK	BOX
DVC2307	2307	DVI M	2pc/1	20

- Professional DVI-I connector
- 24K HGP contacts, as per DVI standards, for optimal signal conduction
- Dual side printing circuit board

CODE	N°	MODEL	PACK	BOX
DVA2317	2317	Dvi F-DB15 M	1pc/1	20
DVA2315	2315	Dvi M-DB15 F	1pc/1	20

- Professional RGB DVI-DB15HD video adaptor
- 24K HGP contacts, as per HDMI v.1.0 standards, for optimal signal conduction
- Dual sided printing circuit board

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HDMITYA	6247	HDMI M	2pc/1	10

Professional HDMI connector
24K HGP contacts, as per DVI standards, for optimal signal conduction
Dual side printing circuit board

24K gold plated

CODE	N°	MODEL	PACK	BOX
ADHDAFCM	6175	HDMI A F/ HDMI C M	1pc/1	20
HDMIRMICR	6135	HDMI A M/ HDMI C F	1pc/1	20

6135
HDMI type A Male/HDMI type C Female
100% shielded
6175
HDMI type C Male/HDMI type A Female
100% shielded

24K gold plated

CODE	N°	MODEL	PACK	BOX
DCHDFHDF	5835	HDMI F-F	1pc/1	5

- Professional HDMI audio-video connector for extension or link
- 24K Hard Gold plated contacts, as per HDMI v. 1.0 requirements for maximum signal transfer
- Internal dual-side printed circuit board

24K gold plated

CODE	N°	MODEL	PACK	BOX
DVAHDMI	6048	HDMI-M1	1pc/1	20

- Professional Video Adapter
- 24K HGP Gold Plated Pins
- HDMI Female/M1 InFocus Port Male

HDMI Connectors

CODE	N°	MODEL	PACK	BOX
DRMIFVIF	6002	Hdmi F-DVI F	1pc/1	20
DRMIFVIM	6003	Hdmi F-DVI M	1pc/1	20
DRMIFMIF	6001	Hdmi F-Hdmi F	1pc/1	20
DRMIMVIF	6004	Hdmi M-DVI F	1pc/1	20
DRMIMVIM	6005	Hdmi M-DVI M	1pc/1	20

- REFERENCE LINE video adapters for DVI and HDMI connections
- 24K HGP contacts

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HDMI90	6124	HDMI-HDMI 90°	1pc/1	20

- Professional HDMI to DVI audio-video adapter
- 24K Hard Gold plated contacts, as per HDMI v. 1.0 requirements for maximum signal transfer
- Internal dual-side printed circuit board

24K
gold plated

CODE	N°	MODEL	PACK	BOX
DCHDFDVM	5836	HDMI F-DVI M	1pc/1	5

- Professional DVI to HDMI audio-video adapter
- 24K Hard Gold plated contacts, as per HDMI requirements for maximum signal transfer
- Internal dual-side printed circuit board

24K
gold plated

CODE	N°	MODEL	PACK	BOX
DCHDMDVF	5837	HDMI M-DVI F	1pc/1	5

- Professional HDMI to DVI audio-video adapter
- 24K Hard Gold plated contacts, as per HDMI v. 1.0 requirements for maximum signal transfer
- Internal dual-side printed circuit board

24K
gold plated

CODE	N°	MODEL	PACK	BOX
MDPHDMI	3239	Mini DP-HDMI	1pc/3	10

- Mini Display Port Male to HDMI Female Adapter
- Support Mini DisplayPort 1.1a Input and HDMI 1.3b output
- Support HDMI highest video resolution: HDTV 1080p - PC 1920x1200p
- Support HDMI 225MHz/2.25Gbps per channel (6.75Gbps) bandwith
- Support uncompressed/compressed audio such as LPCM / DTS-Dolby Digital

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

HDMI Accessories

We link emotions

HDMI Accessories

CODE	N°	MODEL	PACK	BOX
HDMISW4	6023	4in-1out	1pc/4	10

High Performance HDMI Manual Switch for HDTV - 4 x HDMI Input / 1 x HDMI Output

Special Enginneering for high-speed connection and digital visual connection

High Efficiency channel transmission structure for high frequency bandwidth

Full HD 24K gold plated HDMI 4IN - 1OUT SWITCH

CODE	N°	MODEL	PACK	BOX
SW1P2	6258	2in-1OUT	1pc/4	10

1.3b HDMI Switcher - 2 X INPUT HDMI - 1 X OUTPUT HDMI

For switching over of digital video and audio signals on AV devices (HDTV)

HDCP compatible - Press the "Select" button to select input source

Supports high resolutions:
HDTV 480i, 480p, 720i, 720p, 1080i and 1080p (up to 60 Hz)
PC 1920x1200

HDCP COMPLIANT 24K gold plated HDMI 2IN - 1OUT SWITCH

CODE	N°	MODEL	PACK	BOX
HDMIPOW	6228	Passivo	1pc/1	20

HDMI REPEATER

Extends high definition video-digital audio capability
Supports all HDMI signal formats; up to 1080p
Easy to connected and self-powering from source

DIMENSION: L. 44.2mm x l. 22.3mm x A. 13.2mm

24K gold plated

CODE	N°	MODEL	PACK	BOX
DSHDMX2	6235	1in-2out	1pc/4	10

High Speed two outputs HDMI 1.3 splitter

It distributes the HDMI input into two identical outputs

Supports a wide range of resolution, up to 1920x1080p (480i/576i/480p/576p/720p/1080i/1080p)

Can be cascaded two or more splitter, they can be used to create a larger distribution

Series connection of splitter achieves long distance transmission of HDMI signal of more than 15 meters

HDCP COMPLIANT

POWER SUPPLY INCLUDED

24K gold plated

HDMI 1IN - 2 OUT SPLITTER

HDMI Accessories

CODE	N°	MODEL	PACK	BOX
HDMIEXTL5	6173	HDMI-CAT6	1pc/4	6

This device allows the extension of HDMI video signal up to 30/50 meter using the HDMI extender and two CAT.6 cables.
HDMI extender is ideal for:
Test bench facilities
Data Center
Help desks

HDTV resolution up to 1080i / 50 meter.
PC resolution to 1600x1200 60Hz / 30 meter.
Compliant with the specification of HDMI 1.2.
Support DDC & HDCP.
Use CAT.6 cable to install easily.

Package Contents:
HDMI Extender
Local Unit
HDMI Extender
Remote Unit
1 user manual
2 power adapter DC 5V 1.2A

(NOT INCLUDED CAT5 AND HDMI CABLES)

POWER SUPPLY INCLUDED | HDCP COMPLIANT | CAT6 EXTENDER | 24K gold plated

CODE	N°	MODEL	PACK	BOX
DVHDMI4	5955	4IN-1OUT	1pc/113	5

High Performance HDMI Automatic Switcher for HDTV
2 x HDMI Input / 1 x HDMI Output

With remote control, power supply icluded on the box and Led indicators

Special Engineering for high-speed connection and digital visual connection

High Efficiency channel transmission structure for high frequency bandwidth

HDTV Resolution: 480i,576i,480p,576p,720p,1080i e 1080p

HDMI 1.3, HDCP 1.1 e DVI 1.0 compliant

HDCP COMPLIANT | 24K gold plated | HDMI 4IN - 1OUT SWITCH

CODE	N°	MODEL	PACK	BOX
DV4HDMIP	6257	1IN-4OUT	1pc/0	5
DV8HDMIP	6110	1IN-8OUT	1pc/0	5

High Performance HDMI Distribution Amplifier, HDCP Ready.

Allows on HDMI source to split up to 4/8 HDMI ports.

Supports a wide range of resolutions, up to 1920x1080p

Can be cascaded up to a maximum of 3 layers

Each output can run up to 12 meters @ 1920x1080p

RoHs compliant / HDMI 1.3 standard.

POWER SUPPLY INCLUDED

HDCP COMPLIANT

24K gold plated

HDMI 1IN - 8OUT SPLITTER

CODE	N°	MODEL	PACK	BOX
DVHD42MTR	6236	4IN-2OUT	1pc/0	1

PROFESSIONAL HDMI CATEGORY 2 MATRIX
4 Hdmi IN X 2 Hdmi OUT

Matrix routes high definition video in multiple resolutions up to 1080p plus multichannel digital audio from any of the four HDMI sources to two displays.

Two outputs give you the choices of sending high definition audio and video signals up to two displays.

It works with HD-DVD players, Blue-Ray DVD, PS3, and satellite set top boxes that connect to two HDMI displays. Every source is accessible at all times by any display by selecting it with an IR remote.

Features:
- Switch easily between any four HDMI sources
- Distributes any of the four inputs to any or any combination of the two
HDMI output displays
- Maintains high resolution video: beautiful, sharp HDTV resolutions up to
1080p, 2k, and computer resolutions _up to 1600 x 1200 are easily achieved
- Discrete IR remote (included)
- HDMI support 1.3b - HDCP support 1.0/1.1

HDMI 1.3b, HDCP 1.1 e DVI 1.0 compliant

HDCP COMPLIANT

24K gold plated

HDMI 4IN - 2OUT MATRIX

HDMI Accessories

CODE	N°	MODEL	PACK	BOX
DVHDMI2	5954	2IN-1OUT	1pc/4	5

High Performance HDMI Automatic Switcher for HDTV with Led indicators - 2 x HDMI Input / 1 x HDMI Output

With remote control, power supply icluded on the box.

Special Enginneering for high-speed connection and digital visual connection. High Efficiency channel transmission structure for high frequency bandwidth.

HDTV Resolution: 480i,576i,480p,576p,720p,1080i e 1080p

HDMI 1.2, HDCP 1.1 e DVI 1.0 compliant
HDMI 1.3 COMPATIBLE

HDCP COMPLIANT

24K gold plated

HDMI 2IN - 1OUT SWITCH

CODE	N°	MODEL	PACK	BOX
VGACVHDMI	6241	VGA/HDMI	1pc/0	10

It converts VGA input signal into HDMI and allows PC users to enjoy their larger image on TV. The conversion is along with the R/L audio.

It offers solutions for digital entertainment center, HDTV retail and show site, HDTV, STB, DVD and Projector factory, noise space and security concerns, data center control, information distribution, conference room presentation, school and corporate training environments.

This HDMI Amplifier Switcher has many features that enable it to perform in a superior manner.

Among those features you will find:

Easy to Use: Install in seconds, no need of setting.
Conversion: It converts PC's VGA video and R/L audio into complete HDMI.

HDCP pass-through

POWER SUPPLY INCLUDED

CODE	N°	MODEL	PACK	BOX
CYSA2HD	6113	0,5m	1pc/4	10

Converter HDMI to output HD Analogue (YPbPr/RGBHV)

Accepts HDTV from 480i to 1080i - HDCP compliant

3,5mm plug to 2xRCA plug Audio Connecting Cable and DB15 (VGA)-Component Video Connecting Cable included

Ideal for viewing HDMI sources on analogue displays

POWER SUPPLY INCLUDED

HDMI Accessories

DVI-HDMI Cables

We link emotions

DVI-HDMI Cables

CODE	N°	MODEL	PACK	BOX
HVHVT10	5979	1,0m	1pc/4	10
HVHVT20	5980	2,0m	1pc/4	10
HVHVT40	5981	4,0m	1pc/4	10

• ADVANCED LINE DVI-HDMI cables for the transmission of TMDS encoded digital video signal
• These cables assure a good quality in the video signal reproduction, extolling the brightness, definition and naturalness of images.
• The high efficiency shielding, the high quality two-colours connectors with 24K hard gold plated contacts, the two ferrite cores, and the conductors with 100 Ohm controlled impedance, ensure the optimal quality level of these cables.
• Single-link cable for maximum resolution 1920x1080. Maximum transmission speed 2.25 Gbps.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
DVI2310	2310	1,8m	1pc/4	10
DVI2318	2318	3,0m	1pc/4	10

• ADVANCED LINE DVI-D cables for the transmission of TMDS encoded digital video signal
• These cables assure a good quality in the video signal reproduction, extolling the brightness, definition and naturalness of images.
• The high efficiency shielding, the high quality two-colours connectors with 24K hard gold plated contacts, the two ferrite cores, and the conductors with 100 Ohm controlled impedance, ensure the optimal quality level of these cables.
•Single-link cable for maximum resolution 1920x1080. Maximum transmission speed 2.25 Gbps.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
DVIREF18	5962	1,8m	1pc/4	10
DVIREF30	5963	3,0m	1pc/4	10
DVIREF50	5964	5,0m	1pc/4	10
DVIREF75	5965	7,5m	1pc/76	5
DVIREF100	5966	10,0m	1pc/76	5

• REFERENCE LINE DVI-D cables for the transmission of TMDS encoded digital video signal
• High efficiency shielding, 24K hard gold plated contacts, 100 Ohm controlled impedance conductors, ensure the high quality of these cables
• Single-link cable for maximum resolution 1920x1080. Maximum transmission speed 2.25 Gbps.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HDMDL15	5829	1,5m	1pc/60	5
HDMDL30	5830	3,0m	1pc/60	5
HDMDL50	5831	5,0m	1pc/60	5

- High-Resolution PROFESSIONAL LINE DVI-D cables for the transmission of TMDS encoded digital video signal.
- These top quality professional cables deliver the brightest, most accurate colours and sharpest detail, delivering the true high-definition, all-digital video signal.
- They use extremely pure silver-plated copper conductors with 100 Ohm controlled impedance, high efficiency shielding, top quality connectors with 24K hard gold plated contacts and two ferrite cores.
- Dual-link cable for maximum resolution 2048x1536. Maximum transmission speed 4.5 Gbps.

24K gold plated

CODE	N°	MODEL	PACK	BOX
DVHREF18	5967	1,8m	1pc/4	5
DVHREF30	5968	3,0m	1pc/4	5
DVHREF50	5969	5,0m	1pc/4	5
DVHREF75	5970	7,5m	1pc/75	5
DVHREF100	5971	10,0m	1pc/75	5

- REFERENCE LINE DVI-HDMI cables for the transmission of TMDS encoded digital video signal
- High efficiency shielding, 24K hard gold plated contacts, 100 Ohm controlled impedance conductors, ensure the high quality of these cables
- Single-link cable for maximum resolution 1920x1080. Maximum transmission speed 2.25 Gbps.

24K gold plated

DVI-HDMI Cables

CODE	N°	MODEL	PACK	BOX
HDMDF50	5740	5,0m	1pc/115	5
HDMDF75	5948	7,5m	1pc/65	5
HDMDF100	5741	10,0m	1pc/65	5

- High-Resolution PROFESSIONAL LINE DVI-HDMI cables for the transmission of TMDS encoded digital video signal.
- These top quality professional cables deliver the brightest, most accurate colours and sharpest detail, delivering the true high-definition, all-digital video signal.
- They use extremely pure silver-plated copper conductors with 100 Ohm controlled impedance, high efficiency shielding, top quality connectors with 24K hard gold plated contacts and two ferrite cores.
- Dual-link cable for maximum resolution 2048x1536. Maximum transmission speed 4.5 Gbps.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
DVI2314	2314	1,8m	1pc/4	10

- High performance DVI-A cable for the transmission of RGB video signal interfaced with DVI-capable components.
- This cable assures the maximum quality in the video signal reproduction, optimizing the brightness, definition and naturalness of images.
- Feature high efficiency shielding, superior finishing connectors with 24K hard gold plated contacts and 75 Ohm controlled impedance conductors, that make of these cables products of optimal quality.
- Single-link cable.

DVI Accessories

We link emotions

DVI Accessories

CODE	N°	MODEL	PACK	BOX
DVC3201	3201	Bobinaprezzo m./lin.	1pc/1	20

• Digital cable for single-link DVI/HDMI connections. Manufactured according to the UL AWM 20276 standards. Maximum length recommended: 10 meters.



CODE	N°	MODEL	PACK	BOX
DVIAP	5874	2xDVI IN - 1xDVI OUT	1pc/4	10

High Performance DVI-I Manual Switch for HDTV - 1 x DVI-I Input / 2 x DVI-I Output
Pls verify the total cable lenght used in the installation to have a correct signal transmission
Special Engineering for high-speed connection and digital visual connection

CODE	N°	MODEL	PACK	BOX
DVIAPD	5875	2xDVI IN - 1xDVI OUT	1pc/4	10

High performance DVI-I+ Audio Stereo and Audio digital RCA manual switch
1xDVI-I+Audio Stereo and digital RCA Input / 2xDVI-I+Audio Stereo and digital RCA Output
Pls verify the total cable lenght used in the installation to have a correct signal transmission
Special Enginneering for high-speed connection and digital visual connection

Component Video cable. Low capacity 75 Ohm impedance

for each conductor to prevent the signal loss. Realized with the

exclusive OCC copper free from impurities. For its improved picture clarity

and brilliant colour balance it is recommended for Hi Defi nition TV-Monitor.

Component Cables

We link emotions

Component Cables

CODE	N°	MODEL	PACK	BOX
ACVCP50	5641	5,0m	1pc/4	10

Component Video cable. Low capacity 75 Ohm impedance for each conductor to prevent the signal loss.
Realized with the exclusive OCC copper free from impurities. For its improved picture clarity and brilliant colour balance it is recommended for Hi-Definition TV-Monitor.

24K Hard Gold Plated connectors.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HVC3	5430	3xRCA	1pc/1	20
H3C060	5703	0,6m	1pc/4	10
H3C100	5702	1,0m	1pc/4	10
H3C200	5662	2,0m	1pc/4	10
H3C400	5663	4,0m	1pc/4	10

3 conductors Component Video Cable for an optimal hookup of DVD players in the modern Home Cinema systems. It allows to connect the normal video Y-Pb-Pr component outputs or the interlaced Y-Cb-Cr outputs. This cable, engineered to optimize this new interconnection technology, is realised with a particular care in the materials choice, 75 Ohm impedance video conductors, optimal double shield to prevent EMI and RFI interferences. LC-OFC copper, pure at minimum 99.987%. Extended video bandwidth up to 100 Mhz. 24 K hard gold plated RCA connectors

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HEC060	5750	0,6m	1pc/4	10
HEC100	6034	1,0m	1pc/4	10
HEC200	5751	2,0m	1pc/4	10
HEC300	5854	3,0m	1pc/4	10
HEC400	5752	4,0m	1pc/4	10
HEC1000	5753	10,0m	1pc/4	5

3 conductors Component Video Cable for an optimal hookup of sources that support this connection. It allows to connect the normal video Y-Pb-Pr component outputs or the interlaced Y-Cb-Cr outputs. Engineered to optimize this new interconnection technology, it is realised with a particular care in the materials choice: 75 Ohm impedance video conductors, optimal double shield to prevent EMI and RFI interferences and LC-OFC copper, pure at minimum 99.987%. Extended video bandwidth up to 100 Mhz. 24 K hard gold plated RCA connectors.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HZP3R	5861	3xRCA	3pc/1	10
HZP100	5747	1,0m	1pc/60	5
HZPBOB	5860	50m	1pc	1

The HZP 3 conductors Component Video Cable is particularly engineered to extol the performances of the components connected, such as the new a progressive scan DVD player. It allows to connect the normal video Y-Pb-Pr component outputs or the interlaced Y-Cb-Cr outputs.
Especially designed to fully exploit the Component interconnection technology, it is manufactured with exact 75 Ohm impedance video conductors. Particular attention has been paid to the efficient double OFC shield, in order to prevent any EMI and RFI interferences for high video resolution. Extended frequency bandwidth up to 100 Mhz.
Especially cared the external jacket in pearl white colour. The cables are realised with the high quality LC-OFC copper, pure at 99.997%.
Particularly recommended for Hi-End systems, it is also the valuable choice where the distance is longer than 5 meters.
24 K hard gold plated burnished a-magnetic RCA connectors.

24K gold plated

CODE	N°	MODEL	PACK	BOX
HVQ3	5542	3xRCA	3pc/1	10
HVQ200	5379	2,0m	1pc/4	10
HVQ500	5380	5,0m	1pc/60	5
HVQ1000	5381	10,0m	1pc/65	3

New 3 conductors Component Video Cable for a high quality connection of a progressive scan DVD player. It is possible to connect the normal video Y-Pb-Pr component outputs or the interlaced Y-Cb-Cr outputs . Engineered to optimize this interconnection technology, is manufactured with 75 Ohm impedance video conductors. Particularly accurate 100% double shielding to prevent any EMI and RFI interferences for high video resolution. Extended frequency bandwidth up to 100 Mhz. LC-OFC copper, pure at 99.997%.
This cable is particularly recommended for hookups of high level equipments or for connections longer than 2 meter. 24 K hard gold plated RCA connectors.

24K gold plated

CODE	N°	MODEL	PACK	BOX
HQC200	5664	2,0m	1pc/60	5
HQC500	5665	5,0m	1pc/65	5

Exclusive 3 conductors Component Video Cable for a connection without compromises for a progressive scan DVD player. It is possible to connect the normal video Y-Pb-Pr component outputs or the interlaced Y-Cb-Cr outputs . This cable, engineered to optimize this new interconnection technology, is manufactured with 75 Ohm impedance video conductors, realised with a particular care in the materials choice, as for the high quality LC-OFC copper, pure at 99.997%. The particularly efficient double OFC shield plus one aluminium foil can cut off signal EMI and RFI interferences for high video resolution. Extended frequency bandwidth up to 100 Mhz.
24 K hard gold plated burnished a-magnetic RCA connectors

24K gold plated

Component Cables

CODE	N°	MODEL	PACK	BOX
ACLRGB20	5818	2,0m	1pc/4	10
ACLRGB50	5819	5,0m	1pc/4	10

High quality Scart – 3 x RGB Video interconnect cable, for TV Monitors equipped with Scart input. This Video-RBG cable has been realised with the maximum care in order to obtain a highly defined image and to exalt the brilliant colours which are typical features of the RGB connection improved definition.
The wide and linear bandwidth is free from interferences and rejections thanks to the efficient shield. Bidirectional signal.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HESRGB2	5254	2,0m	1pc/60	5
HESRGB5	5255	5,0m	1pc/60	5

To transfer with maximum fidelity a Video signal from Dolby Surround and THX
to TV/Monitor/Beamer, G&BL engineered this high performance cable. This RCA Video cable has been carefully manufactured to deliver a definite image, exalting the brilliant colours typical of the higher definition of RGB signal.
The video bandwidth is very wide and clear, free from EMI and RFI interferences, thanks to the efficient shielding.

24K
gold plated

SCART Gold Cables

We link emotions

SCART Gold Cables

CODE	N°	MODEL	PACK	BOX
HSCB07	5370	0,7m	1pc/4	10
HSCB15	5367	1,5m	1pc/4	10
HSCB20	5368	2,0m	1pc/4	10
HSCB40	5369	4,0m	1pc/4	10
HSCB60	5385	6,0m	1pc/60	4
HSCB100	5386	10,0m	1pc/65	4

High quality SCART-SCART interconnect cable, with 24K-HGP contacts and single shielded conductors with exact 75 Ohm impedance.
It is terminated with soldered two colours SCART connectors for a strong and long lasting connection. Together with the extremely pure cooper they grant a wide frequency bandwidth, high resolution and a clear transparency in the colours reproduction, together with a definite wide and deep soundstage.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
XLSP621	9175	1,2m	1pc/82	20
XLSP622	9176	2,0m	1pc/82	20

Metallic plug - 21 pin connected SCART Cable
Single shielded conductor - Gold Plated 24K
Exclusive fixing system for an excellent contact
Perfect for: Digital TV & Sat, DVD & DV-Recording, LCD & Plasma TV

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HDFG20	5863	2,0m	1pc/4	10
HDFG40	5864	4,0m	1pc/4	10

SCART-SCART Audio and Video interconnect cable realised with a flat cable with optimal flexibility. This cable is manufactured with single shielded conductors for the Audio Stereo and the Video in composite, RGB and SVideo. The 24K HGP soldered connectors ensure an optimal and durable contact. The ultra pure copper and the 75 Ohm impedance of the video conductors, optimize the reproduction down to the last details of video images.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
VDP521	254	1,5m	1pc/3	5
VDP521HU	9254	1,5m	1pc	20
VDP5213	5653	3,0m	1pc/4	10
VDP5215	5654	5,0m	1pc/4	10
VDP52110	5655	10,0m	1pc/0	5
0CA1167	92	100m	1pc	1

Scart - Scart interconnect Cable with 21 pins connected. It is manufactured with single shielded conductors and the insulation of each single terminal, connectors and pins are 24 K-HGP.
These exact 75 Ohm impedance video cables feature low attenuation for an high speed Video signal transmission, and deliver a high picture quality, natural colours and a high definition of images.

24K gold plated

CODE	N°	MODEL	PACK	BOX
HTGVV10	5405	1,0m	1pc/4	10
HTGVV15HU	9405	1,5m	1pc	20
HTGVV20	5406	2,0m	1pc/4	10

21-Pins Scart-Scart Audio and Video interconnect cable, recommended for high level Home-Video systems. This Scart cable, with moulded connectors, grants an extremely reliable and mechanically strong connection; the controlled 75 Ohm impedance cable transmit an extended bandwidth for superior picture quality and vivid colours.
24K gold-plated connector.

24K gold plated

CODE	N°	MODEL	PACK	BOX
ACSCA10	5642	1,0m	1pc/4	10
ACSCA20	5643	2,0m	1pc/4	5

Scart-Scart Audio-Video connection cable, with all 21-pins connected. This scart cable, with moulded caps, ensures an efficient contact and high mechanical resistance connection. The controlled 75 Ohm impedance Video cable transmits a wide frequency bandwidth to ensure high resolution and definition of images and linear transparency in the colour reproduction. 24K Hard Gold Plated connectors.

24K gold plated

SCART Gold Cables

CODE	N°	MODEL	PACK	BOX
XLP521	9172	1,2m	1pc/82	20

Metallic plug - 21 pin connected SCART Cable
Single shielded conductor - Gold Plated 24K
Exclusive fixing system for an excellent contact
Perfect for: Digital TV & Sat, DVD & DV-Recording, LCD & Plasma TV

24K
gold plated

CODE	N°	MODEL	PACK	BOX
SRW21	944	1,5m	1pc/4	10
SRW23	943	3,0m	1pc/4	10

High quality Scart - Scart interconnect Cable. The choice of optimal materials, allows to obtain a precise and technically exceptional Audio and Video connection between the signal processors and TV/Monitor, in particular for modern flat LCD or PLASMA TV. Reference quality soldered SCART Connector with 24K-HGP Pins for low insertion loss provide an extended frequency bandwidth, an high picture quality, natural colours and high definition images.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
XLP522	9173	2,0m	1pc/82	20

- Metallic plug - 21 pin connected SCART Cable
- Single shielded conductor - Gold Plated 24K
- Exclusive fixing system for an excellent contact
- Perfect for: Digital TV & Sat, DVD & DV-Recording, LCD & Plasma TV

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPSQ15	5373	1,5m	1pc/65	1
HPSQ25	5536	2,5m	1pc/65	1
HPSQ40	5374	4,0m	1pc/65	1

G&BL is proud to present the ultimate reference for Audio and Video technology with the HPSQ SCART-SCART cable. The advanced engineering of inner conductor and dielectric ensures that the cable maintains the exact 75 Ohm impedance to obtain high resolution picture, colour contrast and image sharpness. The high-performance soldered Scart connector, moulded for maximum integrity, ensures a low-loss signal transfer. The high efficiency double shielding and the reference quality low capacity Video cables carry Y/C – RGB – Video Composite signals separately for advanced colour balance and superb picture quality. It uses the sophisticated "Twin Symmetry" Audio Cable construction and ferrite cores for extended frequency response. Terminated with 24K Hard Gold Plated contacts.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HVSQ080	5667	0,8m	1pc/0	1
HVSQ200	5669	2,0m	1pc/0	1

High quality SCART-SCART interconnect Cable. It's terminated with precious "Hi-End" amagnetic metallic SCART connectors, in champagne colour. This cable features a precise and technically exceptional Audio and Video connection between signal processors/DVD player/VRC and TV/Monitor LCD or PLASMA. These brand new cables are manufactured with single shielded cables for the Video / Video S-VHS / RGB and Audio Stereo signals, they grant an extended frequency bandwidth together with a high picture quality, natural colours and high definition images.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
ACSA15-I	5648	1,5m	1pc/4	10
ACSA15-O	5649	1,5m	1pc/4	10

This cable allows the Video and Audio Stereo connection to TV Monitors equipped with Scart input. Low capacity cable with controlled 75 Ohm impedance for the SVHS conductors to prevent the signal loss. Realized with the exclusive OCC copper free from impurities. 24K Hard Gold Plated connectors.

24K
gold plated

SCART Gold Cables

CODE	N°	MODEL	PACK	BOX
HTGSR10	5402	1,0m	1pc/4	10
HTGSR20	5403	2,0m	1pc/4	10
1-65L	5284	50m	1pc/4	10

This cable connects the Scart plug to the RCA Video Composite + Audio Stereo input or output. Low capacity cables, with controlled 75 ohm impedance for the video cable, prevent the signal degradation, granting high resolution and improved colour balance. The use of exclusive pure OCC copper makes this cable particularly suitable to exploit the high performances of today's high resolution DVD players, Video Monitor and TV. 24K gold-plated connector.
Lever for the selection of signal direction.

24K gold plated

CODE	N°	MODEL	PACK	BOX
SCRGB42	5528	2,0m	1pc/65	5
SCRGB46	5529	6,0m	1pc/65	5

To transfer with maximum fidelity a Video signal from Dolby Surround and THXR to Plasma TV/Video Projector, G&BL has engineered this high performance cable.
This RCA Video cable has been carefully manufactured to deliver a definite image, exalting the brilliant colours typical of the higher definition of DVD support.
The video bandwidth is very wide and clear, free from EMI and RFI interferences, thanks to the efficient shielding. Equipped with a yellow RCA connector for sync H/V signal, coming from the Scart Video Composite output.

24K gold plated

CODE	N°	MODEL	PACK	BOX
ACSV15-I	5644	1,5m	1pc/4	10
ACSV15-O	5645	1,5m	1pc/4	10

Scart - SVHS Audio-Video interconnect cable. Low capacity cable with controlled 75 Ohm impedance for the SVHS conductors to prevent the signal loss. Realized with the exclusive OCC copper free from impurities. 24K Hard Gold Plated connectors.

24K gold plated

CODE	N°	MODEL	PACK	BOX
HTGSV10	5396	1,0m	1pc/4	10
HTGSV20	5397	2,0m	1pc/4	10
HTGSV50	5398	5,0m	1pc/4	10

This cable transmits the signal from the SVHS output of the source to the Scart input of the Monitor or Video Projector and vice versa. Low capacity cables, with controlled 75 Ohm impedance for the video cable, prevent the signal degradation, granting high resolution and improved colour balance. The use of exclusive pure OCC copper makes this cable particularly suitable to exploit the high performances of today's high resolution DVD players, Video Monitor and TV. 24K gold-plated connector.
Lever for the selection of signal direction.

24K gold plated

CODE	N°	MODEL	PACK	BOX
ACSVA15-I	5646	1,5m	1pc/4	10
ACSVA15-O	5647	1,5m	1pc/4	10

This cable allows the Video and Audio Stereo connection to TV Monitors equipped with Scart input. Low capacity cable with controlled 75 Ohm impedance for the SVHS conductors to prevent the signal loss. Realized with the exclusive OCC copper free from impurities. 24K Hard Gold Plated connectors.

24K gold plated

CODE	N°	MODEL	PACK	BOX
HES3181	5270	1,5m	1pc/4	10
HES3201	5272	1,5m	1pc/4	10

This cable connects the SVHS Video + RCA Audio Stereo input or output to the TV Scart plug, when this plug is SVHS compatible. Low capacity cables, with controlled 75 Ohm impedance for the video cable, prevent the signal degradation, granting high resolution and improved colour balance. The use of exclusive pure OCC copper makes this cable particularly suitable to exploit the high performances of today's high resolution DVD players, Video Monitor and TV. 24K gold-plated connector.

24K gold plated

CODE	N°	MODEL	PACK	BOX
HTGSS10	5400	1,0m	1pc/4	10
HTGSS20	5401	2,0m	1pc/4	10

This cable connects the SVHS Video + RCA Audio Stereo input or output to the TV Scart plug, when this plug is SVHS compatible. Low capacity cables, with controlled 75 ohm impedance for the video cable, prevent the signal degradation, granting high resolution and improved colour balance. The use of exclusive pure OCC copper makes this cable particularly suitable to exploit the high performances of today's high resolution DVD players, Video Monitor and TV. 24K Hard Gold Plated connectors.
Lever for the selection of signal direction.

24K gold plated

CODE	N°	MODEL	PACK	BOX
DB15SC42	5526	2,0m	1pc/65	5
DB15SC46	5527	6,0m	1pc/65	5

Special featuring professional cable for improved connection from DVD players or other devices with a RGB output on the 21-pins Scart socket to Plasma TV/Video Projector with DBHD15 connector RGB input. Equipped with a yellow RCA connector for sync H/V signal.
The video bandwidth is very wide and clear, free from EMI and RFI interferences, thanks to the efficient shielding. The video conductors employed allow a very defined and bright images reproduction, exalting the features of the RGB video signal.

24K gold plated

SCART Gold Cables

CODE	N°	MODEL	PACK	BOX
HESVA1	5274	1,5m	1pc/4	10

This cable transmits the signal from the SVHS output of the source to the Scart input of the Monitor or Video Projector. This SVHS video cable is manufactured with two inner conductors for luminance and chrominance with exact 75 ohm impedance for high resolution and improved colour balance. It uses the exclusive pure OCC copper, and can provide high performances for today's high resolution DVD players, Video Monitor and TV. 24K Hard Gold Plated connectors.

CODE	N°	MODEL	PACK	BOX
DB15RGB	5421	5,0m	1pc/60	5

Special featuring professional cable for improved connection from a DVD player or other equipment with RCA Video outputs to beamers / TV / Plasma with a DBHD15 connector RGB input, when synchronism signal is not needed. Bidirectional signal in accordance with the device that qualify the RGB output.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
DB15RGB42	5524	2,0m	1pc/60	5
DB15RGB46	5525	6,0m	1pc/65	5

Special featuring professional cable for improved connection from a DVD player or other equipment with RCA Video RGB outputs to beamers / TV / Plasma with a DBHD15 connector RGB input. Equipped with a yellow RCA connector for sync H/V signal. This efficiently shielded cable ensures an extended and linear frequency bandwidth free from EMI and RFI interferences.

24K
gold plated

S-Video / Composite Cables

We link emotions

S-Video Cables

CODE	N°	MODEL	PACK	BOX
HTGRR30	5393	3,0m	1pc/4	10

RCA-RCA Video Composite + Audio Stereo interconnect cable. This cable is manufactured with two inner conductors for luminance and chrominance with exact 75 Ohm impedance for high resolution and improved colour balance. It uses the exclusive pure OCC copper, and can provide high performances for today's high resolution DVD players, Video Monitor and TV. 24K Hard Gold Plated connectors.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPVB10	5660	1,0m	1pc/3	10
HPVB30	5661	3,0m	1pc/3	10

This low capacity video interconnect cable with controlled 75 Ohm impedance ensures a low signal degradation and an optimal colour reproduction. The special hi-density shielding allows to linearize and expand the video frequency bandwidth, providing the maximum rejection to RFI and EMI interferences, and delivering vivid colours and detailed images. The 24K Hard Gold Plated RCA Video connector ensures an optimal signal transmission thanks to the increased contact mass.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
ACVC06	5634	0,6m	1pc/3	10
ACVC12	5635	1,2m	1pc/3	10
ACVC20	5636	2,0m	1pc/3	10
1-12L	5285	100m	1pc	1

"Active Collection" RCA Video cable, with controlled 75 Ohm impedance conductor. The special wiring, the Teflon dielectric and an efficient shield prevent the signal loss and ensure natural bright colours and high definition images. Realized with the exclusive OCC copper free from impurities. It is recommended for Hi End TV-Monitor.
24K Hard Gold Plated connectors.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HVTCS06	5530	0,6m	1pc/0	10
HVTCS10	5531	1,0m	1pc/0	10
HVTCS20	5532	2,0m	1pc/0	10

The low capacity LC-OFC copper ensures a very efficient conductivity and an optimal dynamic reproduction of the whole Audio frequency bandwidth. The "S" range features a SVHS Video cable with separate conductors for the luminance and chrominance signals.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HVR150	483	1,5m	1pc/0	5

This low capacity video interconnect cable with controlled 75 Ohm impedance ensures a low signal degradation and an optimal colour reproduction. The special hi-density shielding allows to linearize and expand the video frequency bandwidth, providing the maximum rejection to RFI and EMI interferences, delivering vivid colours and detailed images. The 24K Hard Gold Plated RCA Video connector ensures an optimal signal transmission thanks to the increased contact mass. It's possible to turn the RCA connector into a BNC connector using the special adapter 155GB.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HVTC06	5492	0,6m	1pc/65	5
HVTC10	5493	1,0m	1pc/65	5
HVTC20	5494	2,0m	1pc/65	5

This line of A/V cables allows an high level interconnection both for the Video and for the Audio signal. The three conductors are specially engineered to optimize the transmission between A/V components, like DVD Player – VCR, and TV/Monitor – H-T amplifier. The Video conductor with exact 75 Ohm impedance and the high efficiency shield provide the maximum rejection to RFI and EMI interferences. Extended frequency bandwidth up to 100 Mhz. Particularly clean and definite video images

24K
gold plated

S-Video Cables

CODE	N°	MODEL	PACK	BOX
HV100HP	677	1,0m	1pc/0	5
HV200HP	663	2,0m	1pc/0	5

Superb professional cable for improved connection from a RCA Video Composite to Video Projectors or Monitors with 21-pins RGB SCART. The low capacity and the controlled 75 Ohm impedance prevent signal degradation. It is realized with the exclusive ultra pure UP-OCC patented copper.
Particularly recommended for HI-END systems and High definition TV Monitors to exalt their qualities. G&BL 24K Hard Gold Plated connectors.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HHPVA1	5292	1,0m	1pc/60	5
HHPVA2	5293	2,0m	1pc/60	5
HHPVA5	5294	5,0m	1pc/60	5

The new REFERENCE HQ HHPVA Video SVHS Cable features improved cable technology to obtain the maximum picture quality typical of modern home theater systems. The advanced dielectric and the exact 75 Ohm impedance of inner conductor, ensure high resolution picture. The accurate and 100% covered double shield and separate copper conductors for luminance and chrominance ensure to reproduce the improved colour balance and bright colours, typical of the Laserdisc or DVD support. 24K-Hard Gold plated professionally manufactured SCART connectors and precise S-VHS connector, for the best conductivity and corrosion resistance.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
SHP100	5217	1,0m	1pc/3	10
SHP200	5218	2,0m	1pc/3	10
SHP500	5219	5,0m	1pc/4	10
SHP1000	5220	10,0m	1pc/4	10
SHP5221	5221	100m	1pc	1

LC-OFC Video cable of the "S Hi-End Quality" range for S-VHS signal with separate conductors for chrominance and luminance. Realized with a careful materials selection and engineered with a special conductor structure, it uses an optimal dielectric, to obtain an exceptional colour reproduction and an high level sharpness definition. Exact 75 Ohm conductors impedance. Recommended for long distance connections. 24K-HGP Video S-VHS 4-pins connector realized with a-magnetic aluminium shell.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPVP200	5518	2,0m	1pc/4	10

LC-OFC extension Video cable for S-VHS signal with separate conductors for chrominance and luminance. Sharp, detailed and bright colours reproduction. Video conductors with exact 75 Ohm impedance. Recommended for connection between HI-END devices and high definition TV Monitor. The efficient shield grants a transmission free from RF interferences.
24K-HGP 4-pins S-VHS Video connectors.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HTGHH20	5394	2,0m	1pc/4	10

SVHS-SVHS interconnect cable recommended for high level Home-Video systems. This SVHS video cable is manufactured with two inner conductors for luminance and chrominance with exact 75 Ohm impedance, for high resolution and improved colour balance. It uses the exclusive pure OCC copper. This cable provides high performances for today's high resolution DVD players, Video Monitor and TV. 24K Hard Gold Plated connectors.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HSV020	5377	2,0m	1pc/3	10

LC-OFC Video cable for S-VHS signal with separate conductors for chrominance and luminance. Clear and definite colours reproduction. Video conductors with exact 75 Ohm impedance. Recommended for connection between HI-END sources and high definition TV Monitor. The efficient shield grants a transmission free from RF interferences.
G&BL 24K HGP 4-pins male S-VHS Video connectors.

24K
gold plated

S-Video Cables

CODE	N°	MODEL	PACK	BOX
HPVS100	672	1,0m	1pc/3	10
HPVS300	5517	3,0m	1pc/4	10
HPVS500	671	5,0m	1pc/4	10
HPSVHS2	674	100m	1pc	1

LC-OFC copper Video cables for S-VHS signal with separate conductors for chrominance and luminance. High picture quality, natural colour and high definition images. Video conductors with exact 75 Ohm impedance. Recommended for connection between HI-END devices and high definition TV Monitor. The efficient shield allows a transmission free from RF interferences. G&BL 24K HGP 4-pins male S-VHS Video connectors.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
ACVS50	5638	5,0m	1pc/4	10

SVHS Video cable. Low capacity 75 Ohm impedance for the luminance and chrominance conductors to prevent the signal loss. Realized with the exclusive OCC copper free from impurities. It is recommended for Hi Definition TV-Monitor. 24K Hard Gold Plated connectors.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
SCR15	5521	1,5m	1pc/3	10
SCR30	5533	3,0m	1pc/3	10

LC-OFC Video cables for turning S-VHS signal to composite video signal and vice versa with RCA connectors. High picture quality, sharp and bright colours. Video conductor with exact 75 Ohm impedance. Recommended to solve connection problems between different Video standards. The efficient shield grants a transmission free from RF interferences.

24K-HGP 4-pins S-VHS - RCA connectors.

S-Video Cables

CODE	N°	MODEL	PACK	BOX
EHPSV060	5876	0,6m	1pc/60	5
EHPSV120	5877	1,2m	1pc/60	5
EHPSV300	5878	3,0m	1pc/60	5

LC-OFC Video cables of "S-Enhanced Quality" for S-VHS signal with separate conductors for chrominance and luminance. A special care has been paid to the materials choice, to the dielectric and to the conductors construction, obtaining in this way a spectacular and detailed colour reproduction, with a particular definition of shadings. Exact 75 Ohm conductors impedance. This cable is particularly recommended for long distance connections. Of exceptional quality the 24K HGP 4-pins S-VHS a-magnetic aluminium connectors.

24K
gold plated

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Video Connectors

We link emotions

Video Connectors

CODE	N°	MODEL	PACK	BOX
HVF95	679	FEMMINA	2pc/1	20
HVM95	678	MASCHIO	2pc/1	20

Professional "ALUMINIUM" line HI-END connectors for IEC 9,5 mm standard antenna cables. Dielectric engineered for exact 75 Ohm impedance. Optimal antenna cable lock by external jacket catch with golden screws. High efficiency body with large contact surface.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HVRV	5867	VIDEO-RCA	2pc/1	20
HVRAV	5866	1xVIDEO- 2xAUDIO	3pc/1	20

Professional "ALUMINIUM" line RCA HI-END connectors for Audio/Video cables with max. Ø 5 mm. PTE dielectric. Optimal cable lock by a strong catch. High efficiency body with large contact surface. 24K HGP.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
VC841	115	RCA-RCA	1pc/1	10

AUDIO/VIDEO F-F Extension Adapter

1xRCA Video
2xRCA Audio Stereo

24K
gold plated

CODE	N°	MODEL	PACK	BOX
VC842	116	SVHS-RCA	1pc/1	20

AUDIO/VIDEO F-F Extension Adapter

1xS-VHS Video
2xRCA Audio Stereo

24K
gold plated

CODE	N°	MODEL	PACK	BOX
SC858	117	SVHS	1pc/13	10
SC859	118	V. COMPOS.	1pc/13	20

Male SCART/ Female SCART adapters with supplementary RCA Audio/Video input. Selector for the signal switching for both the RCA input and output. SC858 model is also equipped with a in-out 4-pins connector for S-VHS video signal.

Code SC858
SCART-SCART plus RCA + SVHS In/Out

24K gold plated

CODE	N°	MODEL	PACK	BOX
SRSP	166	21 PIN	1pc/1	20

Professional 21-pins SCART connector realized with burnished a-magnetic aluminium for a reliable and durable connection. Locking by a pair of screws. 24K-HGP gold plated pins to ensure high conductivity and maximum resistance to time corrosion.

24K gold plated

CODE	N°	MODEL	PACK	BOX
VSC70H	324	0,3m	1pc/3	10
VSC70HS	325	0,3m	1pc/3	10

Special adaptor that gives the possibility to insert a new Audio/Video input into an existing SCART – SCART connection. A switch gives the possibility to select the A/V input. Single shielded cable and moulded SCART plug. HI-END

24K gold plated

CODE	N°	MODEL	PACK	BOX
HP938	95	SVHS-RCA	1pc/1	10

Scart / RCA Audio Video - SVHS Adapter

This adapter permits to connect to the SCART plug both the Video Composite and the Audio Stereo S-VHS signal. The switch lead the Stereo Audio/Video signal to the input or to the output from/to the SCART plug. 24K HGP contacts.

24K gold plated

Video Connectors

CODE	N°	MODEL	PACK	BOX
VC3FF	5495	SVHS F-F	1pc/1	20

SVHS ADAPTER
F-F

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HV676S	676	SVHS-4P.	2pc/1	20
HV678S	5222	SVHS-4P.	2pc/1	20

4-pins S-VHS HI-END connectors for high quality Video cables with different conductors for chrominance and luminance. Professional "ALUMINIUM" line. TF2 Teflon dielectric. Cable optimally locked by external jacket catch.
High performance body with large contact surface.
Code HV676S for S-VHS cable max. Ø 6 mm.
Code HV678S for S-VHS cable max. Ø 8 mm.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
SCRR	5520	SVHS-RCA	1pc/1	20
SCSF	5865	SVHS-RCA	1pc/1	20

Adapters for the conversion of video signal from Composite to SVHS and vice versa.

Cod. SCRR
-SVHS FEMALE
-RCA MALE

Cod. SCSF
-SVHS MALE
-RCA FEMALE

24K
gold plated

CODE	N°	MODEL	PACK	BOX
SCRC	654	SVHS-RCA	1pc/1	20

Adapters for the conversion of video signal from Composite to SVHS and vice versa. Our article SCRC is composed by an adapter plus a 20 cm connection cable with two 4-pins SVHS connectors. 24K gold plated connectors for a reliable and durable contact.

24K
gold plated

Video Accessories

We link emotions

Video Accessories

CODE	N°	MODEL	PACK	BOX
SPDIS4	5713	1 -> 4	1pc/0	1

AUDIO-SVIDEO DISTRIBUTION AMPLIFIER

The Video Splitter enables to amplify and distribute the Audio Stereo and S-VHS Video signal to up to 4 outputs simultaneously. Each A/V output is individually amplified and grants therefore a perfect vision, without signal loss.

INPUT : 1xS-VIDEO (Y/C) VIDEO
2xRCA AUDIO STEREO
OUTPUT : 4x4PIN S-VIDEO VIDEO/AUDIO ST.
Technical features :
Video Out : S-VIDEO(Mini-4P) - 75 OHM
VIDEO BANDWIDTH : >250MHz +/- 3db
VIDEO DISTORTION : <1,2db (+/- 3db)
AUDIO DISTORTION : <0,6db (+/- 3db)
POWER SUPPLY : 220V - DC +12V-500mA

POWER SUPPLY INCLUDED

CODE	N°	MODEL	PACK	BOX
SC868V	302	3 -> 1+1	1pc/0	5

This selector is equipped with 3 SCART inputs for Camcorder, VCR and Sat receiver or similar A/V devices. This new model is provided with Video input, also compatible with RGB video standard. One SCART output to TV/Monitor, one supplementary RCA audio/video output and a third supplementary RGB video output.
Input selection by rear push-buttons set. By a second push-buttons set it is possible to select which is the input signal for the registration on the AV3. Passive AV signal selection.

CODE	N°	MODEL	PACK	BOX
SPD2SC4	5851	4 -> 2	1pc/0	1

This Audio-Video Switcher enables to amplify and distribute the Audio Stereo and Video Composite / S-VHS / RGB-S signal from 4 inputs to 2 outputs. It is possible to select per each input the output n. 1 or 2 even using the remote control included.

INPUT : 4xSCART AUDIO STEREO
VIDEO/S-VIDEO/RGB-S
OUTPUT : 2xVIDEO-S/RGB/AUDIO STEREO
Video Out : 1 Vpp - 75 OHM
VIDEO BANDWIDTH : >250MHz +/- 3db
VIDEO DISTORTION : <1,2db (+/- 3db)
AUDIO DISTORTION : <0,6db (+/- 3db)
POWER SUPPLY : 220V - DC +12V-800mA

POWER SUPPLY INCLUDED

CODE	N°	MODEL	PACK	BOX
SC868E	301	3 -> 1+1	1pc/0	10

This selector presents the same interconnection features of SC868E. It's equipped with an electronic circuit to auto-select the working input (only for Scart-Scart connections). 12 V/ DC 300 mA power supplier included in the box. The selector is also provided of an amplification Video circuit to make up for the possible signal losses and to obtain an optimal colour reproduction. Rear switcher to select the input signal toward the AV3.

POWER SUPPLY INCLUDED

CODE	N°	MODEL	PACK	BOX
SCXGA	5871	RGB-XGA	1pc/0	1

This converter enables to convert the RGB signal coming from the SCART plug to the 60Hz PC DB15HD input. Signal conversion up to the XGA resolution. Optimal video noise reduction and perfect Luminance and Chrominance transients response. OSD Controls. Remote control included.
Resolution:
640x480 VGA/800x600 SVGA/
1024x768 XGA
INPUT :
1 x SCART RGB
1 x DB15HD RGB+H&V sync.
1 x Audio Phone Jack 3,5mm
OUTPUT :
1 x DB15HD RGB+H&V sync.
2 x RCA AUDIO STEREO
POWER SUPPLY : 220V - DC +12V-800mA

POWER SUPPLY INCLUDED

CODE	N°	MODEL	PACK	BOX
DVCPCV	5869	PC to VIDEO	1pc/0	1

This converter has been developed to convert the video signal (from 640x480 up to 1600x1200) coming from a PC, into an interlaced PAL or NTSC Video signal. The output signal format can be selected among Video Composite, S-Video, YUV or RGBS.
INPUT : High-Resolution PC max 1600x120060Hz
OUTPUT : Video Composite/S-Video/RGB
Video Controls: Scaling / Contrast / Brightness / Colour
OSD Controls
POWER SUPPLY : 220V - DC +12V-800mA
Dimensions : 204x155x50mm

POWER SUPPLY INCLUDED


REFEREN

ICE 3

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Audio Basic

Audio Cable 136
Audio Connector 144
Microphone Connector 152

We link emotions

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Audio Cable

We link emotions

Audio Cable

CODE	N°	MODEL	PACK	BOX
ANTFM	684	2,0m	1pc/13	5

M Dipole Antenna
Socket connector PAL 9,5 IEC

CODE	N°	MODEL	PACK	BOX
AL12	161	3,0m	1pc/13	10

12 Volt cigarette lighter socket Power supply cable
1 x 2,5 mm plug

CODE	N°	MODEL	PACK	BOX
ELJ3S	28	1,5m	1pc/13	20
ELJ30S	20	3,0m	1pc/13	5
ELJ50S	5539	5,0m	1pc/13	20

Duplication Audio cable
1 x 3,5 mm Male Jack Stereo
2 x RCA Male Plug

CODE	N°	MODEL	PACK	BOX
EL2J	85	0,2m	1pc/13	20

Duplication Audio cable
6,35 mm Male Jack Stereo
2 x 6,35 mm Female Socket Stereo



CODE	N°	MODEL	PACK	BOX
EL50JF	56	5,0m	1pc/13	20

Audio Interconnect cable
1 x 6,35 mm Male Jack Stereo
1 x 6,35 mm Female Socket Stereo

CODE	N°	MODEL	PACK	BOX
ELS50JF	49	1,5-4,0m	1pc/13	20

Audio Extension coiled cable
1 x 6,35 mm Male Jack Stereo
1 x 6,35 mm Female Socket Stereo

CODE	N°	MODEL	PACK	BOX
EL53	53	0,2m	1pc/13	20

Audio Interconnect cable
1x3,5 mm Male Jack Stereo
2xPLUG 3,5 Female Sockets Mono

CODE	N°	MODEL	PACK	BOX
EL15DY	91	1,5m	1pc/13	20

Audio Interconnect cable
1 x 3,5 mm Male Jack Stereo
2 x 3,5 mm Male Jack Stereo



Audio Cable

CODE	N°	MODEL	PACK	BOX
EL15JJ3	52	1,5m	1pc/13	20

Audio Interconnect cable
1 x Jack 3,5 Mono Stecker
1 x Jack 3,5 Mono Stecker

CODE	N°	MODEL	PACK	BOX
EL15JJ3S	76	1,5m	1pc/13	5
ELJJ30S	78	3,0m	1pc/13	20

Audio Interconnect cable
1 x 3,5 mm Male Jack Stereo
1 x 3,5 mm Male Jack Stereo

CODE	N°	MODEL	PACK	BOX
EL30JJ3S	86	3,0m	1pc/13	20
EL50JJ3S	87	5,0m	1pc/13	20

Audio Extension cable
1 x 3,5 mm Male Jack Stereo
1 x 3,5 mm Female Socket Stereo

CODE	N°	MODEL	PACK	BOX
EL50JJ3SP	73	1,5-5,0m	1pc/13	20

Audio Extension coiled cable
1 x 3,5 mm Male Jack Stereo 1 x 3,5 mm Female Socket Stereo

CODE	N°	MODEL	PACK	BOX
EL44	44	0,2m	1pc/13	20

Duplication Audio cable
1 x 3,5 mm Female Socket Stereo
2 x RCA Male Plug

CODE	N°	MODEL	PACK	BOX
EL48	48	0,2m	1pc/13	20

Audio Interconnect cable
1x6,3 mm Male Jack Stereo
2xRCA Female Sockets

CODE	N°	MODEL	PACK	BOX
EL47	47	0,2m	1pc/13	20

Audio Interconnect cable
1x3,5 mm Male Jack Stereo
2xRCA Female Sockets

CODE	N°	MODEL	PACK	BOX
EL46	46	0,2m	1pc/13	20

Duplication Audio cable
1 x 6,35 mm Female Socket Stereo
2 x RCA Male Plug

Audio Cable

CODE	N°	MODEL	PACK	BOX
EL15JJ3SA	90	1,5m	1pc/13	10

Audio Interconnect cable
1 x 3,5 mm Male Jack Stereo
1 x 3,5 mm Male Jack Stereo - 90° angle connector

CODE	N°	MODEL	PACK	BOX
481002	650	1,0m	1pc/13	5
483002	651	3,0m	1pc/13	5
485002	652	5,0m	1pc/13	10
4810002	5910	10,0m	1pc/13	20

Bipolar interconnect cable
Golden contacts
Low capacity transparent cable
Moulded Red / Black RCA plugs

24K
gold plated

CODE	N°	MODEL	PACK	BOX
EL154DP	63	1,5m	1pc/13	20

Audio Interconnect cable 1 x 5-pin DIN Male Plug
4 x RCA Male Plug

CODE	N°	MODEL	PACK	BOX
EL154P	37	1,5m	1pc/13	20

Tetrapolar interconnect cable
4 x RCA Male Plug
4 x RCA Male Plug

CODE	N°	MODEL	PACK	BOX
EL10P	31	1,0m	1pc/13	20
EL15P	32	1,0m	1pc/13	20
EL30P	34	3,0m	1pc/13	20
EL50P	45	5,0m	1pc/13	5
EL100P	5538	10,0m	1pc/4	10

Bipolar interconnect cable
2 x RCA Male Plug
2 x RCA Male Plug

CODE	N°	MODEL	PACK	BOX
ELJ3SG	670	1,5m	1pc/13	20

Audio interconnect cable
1 x 3,5 mm Male Plug Stereo
2 x RCA plugs
24 K-HGP golden contacts

24K
gold plated

CODE	N°	MODEL	PACK	BOX
371502	658	1,5m	1pc/13	10

Bipolar interconnect cable
Red / Black RCA plugs with golden contacts
One side with angled RCA plugs

24K
gold plated

CODE	N°	MODEL	PACK	BOX
38150F	655	1,5m	1pc/13	5

Bipolar interconnect cable
Red / Black RCA plugs with golden contacts
One side with RCA Male plugs + Female sockets



24K
gold plated

Audio Cable

CODE	N°	MODEL	PACK	BOX
ELSUB5	122	5,0m	1pc/13	20

Audio cable / SUBWOOFER interconnect
1 x RCA-RCA low capacity cable
1 x RCA Female sockets / 2 x RCA Male Plugs
24 K-HGP golden contacts

24K
gold plated

CODE	N°	MODEL	PACK	BOX
EL15PF	35	3,0m	1pc/13	20
EL30PF	21	3,0m	1pc/13	20

Bipolar extension cable
2 x RCA Male Plug
2 x RCA Female Plug

CODE	N°	MODEL	PACK	BOX
EL2P	29	2,0m	1pc/13	20

Unipolar interconnect cable
1x RCA Male Plug
1x RCA Male Plug

Audio Connector

We link emotions

Audio Connector

CODE	N°	MODEL	PACK	BOX
SA349	349	3 Ingressi	1pc/13	20

3 or 4 inputs Audio Stereo and Coaxial Video Switcher

It allows the selection of more Audio / Composite Video inputs toward a pre-/amplifier increasing its flexibility. Easy selection of the input source by a practical slider.
Inputs and outputs with RCA Audio Stereo and Video sockets.

CODE	N°	MODEL	PACK	BOX
MA348	348	2 Ingressi	1pc/4	10

Mini Audio Mixer with 2 inputs

It allows the mixing of the audio signal coming, for example, from a Camcoder and an audio recorder.
No power supply needed
Input signal selection by sliders
Strong metal chassis

CODE	N°	MODEL	PACK	BOX
PPHM	5433	Mic/Phono	1pc/0	5

Phono/Microfone pre-Amplifier

It amplifies and adapts the output from the record-player head to the standard inputs of any amplifier. Il also permits the use of microphones adjusting their impedance. One stereo mike input or two mono inputs. High quality circuitry with integrated components for a proper gain and very low noise.
220V power supplier included.

CODE	N°	MODEL	PACK	BOX
237B	237	DIN 4+1 - 3,5F St	1pc/1	20
233B	233	DIN 4+1 - 6,3F St	1pc/1	20



CODE	N°	MODEL	PACK	BOX
159B	159	2,5mm	2pc/1	20
160B	160	2,5mm ST	2pc/1	20

2,5 mm Male Jack mono

2,5 mm Male Jack Stereo

CODE	N°	MODEL	PACK	BOX
208B	208	2,5M Mo - 3,5F Mo	1pc/1	20
207B	207	2,5M St - 3,5F St	1pc/1	20



CODE	N°	MODEL	PACK	BOX
158B	158	3,5mm	2pc/1	20
144B	144	3,5mm ST	2pc/1	20

3,5 mm Female socket mono



3,5 mm Female socket stereo

CODE	N°	MODEL	PACK	BOX
157B	157	3,5mm	2pc/1	20
143B	143	3,5mm ST	2pc/1	20

3,5 mm Male Jack mono



Jack 3,5-Male Stereo



CODE	N°	MODEL	PACK	BOX
6178B	6178	3,5M St - 2.5F St	1pc/1	10

CODE	N°	MODEL	PACK	BOX
229B	229	3,5M Mo - 3,5F St	1pc/1	20
231B	231	3,5M St - 6,3F St	1pc/1	5



Audio Connector

CODE	N°	MODEL	PACK	BOX
225B	225	3,5M St - 2x3,5F St	1pc/1	20
225GB	125	3,5M St - 2x3,5F St GOLD	1pc/1	20



CODE	N°	MODEL	PACK	BOX
223B	223	3,5M Mo - 6,3F Mo	1pc/1	20
230B	230	3,5M Mo - 6,3F St	1pc/1	20



CODE	N°	MODEL	PACK	BOX
236B	236	3,5M St - 2x6,3F St	1pc/1	20



CODE	N°	MODEL	PACK	BOX
228B	228	3,5M Mo - RCA F	1pc/1	20
210B	210	6,3M Mo - RCA F	1pc/1	5



CODE	N°	MODEL	PACK	BOX
235B	235	3,5M St - 2xRCA F	1pc/1	5



CODE	N°	MODEL	PACK	BOX
234B	234	3,5M Mo - 2xRCA F	1pc/1	20

CODE	N°	MODEL	PACK	BOX
141B	141	6,35mm	2pc/1	20
139B	139	6,35mm ST	2pc/1	20

6,3 mm Male Jack Mono



6,3 mm Male Jack Stereo

CODE	N°	MODEL	PACK	BOX
142B	142	6,35mm	2pc/1	20
140B	140	6,35mm ST	2pc/1	20

6,3 mm Female socket mono



6,3 mm Female socket stereo

CODE	N°	MODEL	PACK	BOX
209B	209	6,3M St - 3,5F Mo	1pc/1	5
232B	232	6,3M St - 3,5F St	1pc/1	5



CODE	N°	MODEL	PACK	BOX
227B	227	RCA M - 3,5F Mo	1pc/1	20
224B	224	6,3M Mo - 3,5F Mo	1pc/1	20

Audio Connector

CODE	N°	MODEL	PACK	BOX
226B	226	6,3M St - 2x3,5F St	1pc/1	20



CODE	N°	MODEL	PACK	BOX
239B	239	6,3M St - 2x6,3F St	1pc/1	20



CODE	N°	MODEL	PACK	BOX
238B	238	6.3M St - 2xRCA F	1pc/1	20



CODE	N°	MODEL	PACK	BOX
217B	217	RCA F - RCA F	1pc/1	5
217GB	127	RCA F - RCA F GOLD	1pc/1	20
321B	321	RCA M - RCA M	1pc/1	20



CODE	N°	MODEL	PACK	BOX
138B	435	RCA gold	4pc/1	20

RCA Female socket – Colours: Red/Black/Yellow/Green

RCA Male+Codolo-Colori : R/N



CODE	N°	MODEL	PACK	BOX
146B	146	RCA	4pc/1	20
146VB	130	RCA	4pc/1	20

RCA Male Plug – Colours: Red/Black/Yellow/Green

RCA Male+Codolo-Colori : R/N



CODE	N°	MODEL	PACK	BOX
147B	147	RCA	4pc/1	20

RCA Female socket – Colours: Red/Black/Yellow/Green

RCA Male+Codolo-Colori : R/N

CODE	N°	MODEL	PACK	BOX
222B	222	RCA M - 2xRCA F	1pc/1	20



G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Microphone Connector

We link emotions

Microphone Connector

CODE	N°	MODEL	PACK	BOX
MIC10080	433	100m	1pc	1
MIC10083	649	100m	1pc	1

MICROPHONE CABLES DIGITAL CABLES

Balanced Microphone Cable
MIC10080
Black colour jacket Ø 6 mm

MIC10083-Low noise
Blue colour jacket Ø 6,5 mm

CODE	N°	MODEL	PACK	BOX
80B	80	6,3 F Mono	1pc/1	20
82B	82	6,3 F Stereo	1pc/1	20
79B	79	6,3 M Mono	1pc/1	20
81B	81	6,3 M Stereo	1pc/1	20

CODE	N°	MODEL	PACK	BOX
XLR311CB	420	3 POLI F	1pc/1	20
XLR311PB	424	3 POLI F GOLD	1pc/1	20
XLR312CB	421	3 POLI M	1pc/1	20
XLR312PB	426	3 POLI M GOLD	1pc/1	20

Cod.
XLR311CB

Cod.
XLR312CB

CODE	N°	MODEL	PACK	BOX
XLR6007R	6007	Cannon F/Jack 6,3	2pc/13	20

Female CANNON socket
6,3 mm Jack mono

CODE	N°	MODEL	PACK	BOX
XLR6006R	6006	Cannon M/Jack 6,3	2pc/13	20

Cannon Male
Jack 6,3 Mono

CODE	N°	MODEL	PACK	BOX
XLR6008R	6008	Cannon M/ RCA M	2pc/13	20

Male CANNON plug
Male RCA

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Video Basic

Video Cable 158
Video Connector 168

We link emotions

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Video Cable

We link emotions

Video Cable

CODE	N°	MODEL	PACK	BOX
SC839	344	A/V	1pc/1	5

SCART / PLUG ADAPTER

21-pin Scart Plug to1x RCA video
2x RCA audio stereo
Input/Output selector

CODE	N°	MODEL	PACK	BOX
SC838	343	SVHS	1pc/1	10
SC838G	103	SVHS	1pc/1	20

Scart/Plug Adapter
21 Polig Scart Plug to ->
1XCinch Video
2XCinch Audio Stereo
1xSteckdose 4 Polig S-VHS
Umschalter für die Auswahl Eingang/Ausgang
SC838G-vergoldete Kontakte

24K
gold plated

CODE	N°	MODEL	PACK	BOX
SC840	345	0,1m	1pc/3	5

SCART / SCART/PLUG ADAPTER
21-pin Female Scart
21-pin Male Scart

Extra input from: 1x RCA Video + 2x RCA Audio Stereo

CODE	N°	MODEL	PACK	BOX
SCRGB3C	5936	RGB	1pc/1	20

Scart/Plug Adapter
21 Polig Scart Plug
3XCinch Video für RGB Signal

24K
gold plated

CODE	N°	MODEL	PACK	BOX
VDS128	128	1,8m	1pc/13	5
VDS131	131	1,8m	1pc/13	10

Audio-Video interconnect cable

Code VDS128 3,5 mm Jack Stero
Code VDS131 2,5 mm Jack Stero

1x RCA Video Out
2x RCA Audio Stereo Out

CODE	N°	MODEL	PACK	BOX
VLT915	269	1,5m	1pc/13	5
VLT930	274	3,0m	1pc/13	5
VLT950	5843	5,0m	1pc/13	10

RCA-RCA Video interconnect cable
RCA-RCA Audio Stereo
High-Quality cable
24K-HGP golden contacts

24K
gold plated

CODE	N°	MODEL	PACK	BOX
VDS946	309	0,5m	1pc/13	20

Audio-Video interconnect cable
3,5 mm Jack Stereo
1x RCA Video Out
1x RCA Audio mono Out

CODE	N°	MODEL	PACK	BOX
VL302	112	2,0m	1pc/13	5
VL305	5535	5,0m	1pc/13	20

Video interconnect cable

1x RCA Male plug
1x RCA Male plug

Video Cable

CODE	N°	MODEL	PACK	BOX
VL202	111	2,0m	1pc/13	20
VL222	105	2,0m	1pc/13	20

VL202 – Video Interconnect Cable
1x BNC Male plug - 1x BNC Male plug

VL222 – Video Interconnect Cable
1x BNC Male plug - 1x RCA Male plug

CODE	N°	MODEL	PACK	BOX
VDP415B	266	1,5m	1pc/3	10

Scart-Scart interconnect cable
Audio Stereo - Video in-out connection
Single shield.
9-pin connected for automatic switching

CODE	N°	MODEL	PACK	BOX
VDS826	246	2,0m	1pc/13	10

Scart interconnect cable
Only Audio signal output
2x RCA Audio Stereo Out

CODE	N°	MODEL	PACK	BOX
LE822	600	2,0m	1pc/3	20

Scart interconnect cable
2x RCA Video In-Out
4x RCA Audio Stereo In-OutV

Video in-out 21-pin connected
Audio Stereo output



CODE	N°	MODEL	PACK	BOX
VDP502/AVR	295	2,0+1,0m	1pc/3	10

Scart-Scart interconnect cable
1x RCA Video Out
1x RCA Audio Out Stereo

CODE	N°	MODEL	PACK	BOX
VDP657	657	2,0m	1pc/3	5

Scart-Scart interconnect cable
with headphones output
1x 3,5 mm Stereo Socket

Singly shielded cables
High-Quality cable

CODE	N°	MODEL	PACK	BOX
VDP615U	5909	2,0+1,5m	1pc/13	20

Scart-Scart interconnect cable
2 x RCA Audio Stereo Out



CODE	N°	MODEL	PACK	BOX
VDP607	5858	0,7m	1pc/3	20
VDP615	310	1,5m	1pc/3	10
VDP625	245	2,5m	1pc/3	10
VDP650	311	5,0m	1pc/4	5

Scart-Scart interconnect cable
21-pin full connected
Single shield cable

Video Cable

CODE	N°	MODEL	PACK	BOX
VDR656	656	1,5m	1pc/13	20

Scart interconnect cable
1x 3,5 mm Stereo Socket

Audio Stereo output for headphones

CODE	N°	MODEL	PACK	BOX
VDP615P	268	1,5m	1pc/3	5
VDP502P	292	2,0m	1pc/3	10

Video Extension Cable
Scart male plug – Scart female plug
Audio Stereo + Video IN/OUT connection
Each conductor singly shielded
High Quality cable
Code VDP615P
21-pin full connected – single shield cable

CODE	N°	MODEL	PACK	BOX
LE983	265	2,0m	1pc/13	10

Scart interconnect cable
1x RCA Video Out
2x RCA Audio Stereo Out
VDS Line
Video cable with 75 Ohm singly shielded conductor



CODE	N°	MODEL	PACK	BOX
LE984	601	2,0m	1pc/13	20

Scart intercon
nect cable
1x RCA Video In
2x RCA Audio Stereo In

CODE	N°	MODEL	PACK	BOX
VDF904	5915	0,4m	1pc/13	20
VDF907	5916	0,7m	1pc/3	5
VDF913	5917	1,3m	1pc/3	5
VDF920	5918	2,0m	1pc/3	5

Audio/Video connecting cable, realized by 2 90° 21-pin scart plugs.
This solution enables the use of the cable in very strict spaces, like for example on a Flat TV screen mounted on the wall.

CODE	N°	MODEL	PACK	BOX
VDP715	339	1,5m	1pc/3	10
VDP715HU	9339	1,5m	1pc	25

Scart-Scart interconnect cable

24K
gold plated

CODE	N°	MODEL	PACK	BOX
VDP615A	267	1,5+0,2m	1pc/3	5

Scart-Scart interconnect cable
Audio Stereo in-out connections

Video in-out 21-pin connected
Audio Stereo output



CODE	N°	MODEL	PACK	BOX
VDP522	308	1,5m	1pc/3	10
VDP523	659	3,0m	1pc/4	5

Scart-Scart interconnect cable
21-pin full connected
Each conductor singly shielded
HIGH-Quality cable

Video Cable

CODE	N°	MODEL	PACK	BOX
LE524	264	1,5m	1pc/3	10

Scart interconnect cable
2x RCA Video In-Out
4x RCA Audio In-Out
Single shield cable



CODE	N°	MODEL	PACK	BOX
SV2MRS	320	2,0m	1pc/13	5

Scart interconnect cable
4-pin Mini-Din S-VHS
2x RCA Audio

Video In-Out
Audio In-Out Stereo



CODE	N°	MODEL	PACK	BOX
VDP502/AS	298	2,0+1,0m	1pc/3	10

3-Scart interconnect cable
+ 2x RCA Female plug Audio Stereo Out

CODE	N°	MODEL	PACK	BOX
VSC3S	894	1,5+1,5m	1pc/3	10

Video connection cable with 3 scart plugs
It allows to record and visualize (VCR socket) the signal coming from the SAT decoder. Third scart for the connection to the TV monitor.

CODE	N°	MODEL	PACK	BOX
VDP502MX	272	2,0+1,5m	1pc/4	10

Scart-Scart interconnect cable
2 x RCA Audio Stereo Out
2 x RCA Audio Stereo In



CODE	N°	MODEL	PACK	BOX
SV4M	319	2,0m	1pc/4	10

Scart interconnect cable
2x 4-pin Mini-Din S-VHS
4x RCA Audio

Video In-Out
Audio In-Out Stereo



CODE	N°	MODEL	PACK	BOX
SVL200	314	2,0m	1pc/13	5
SVL200D	330	2,0m GOLD	1pc/13	10
SVL2005	5656	5,0m	1pc/13	20
SVL20010	5657	10,0m	1pc/3	10

S-VHS interconnect Video cable.
Low capacity cables for a correct separate conduction of the Luminance (Y) and the Chrominance © signals.
Optimal results in the balancing and saturation of colours.

Cod.SVL200D - Gold Plated Pins

S-VHS

CODE	N°	MODEL	PACK	BOX
SV300K	5534	3,0m	1pc/13	20

Audio-Video cable
2x Low capacity Audio Stereo
1x S-VHS / S-VHS Video cable
24K-HGP golden contacts

24K gold plated
S-VHS

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Video Connector

We link emotions

Video Connector

CODE	N°	MODEL	PACK	BOX
205B	205	J3,5/9,5F	1pc/1	20

Video connector
3,5 mm Jack stereo

IEC 9,5 Antenna female socket

CODE	N°	MODEL	PACK	BOX
177B	177	BNC M	2pc/1	20



CODE	N°	MODEL	PACK	BOX
219B	219	BNC M - 2xBNC F	1pc/1	20



CODE	N°	MODEL	PACK	BOX
151B	151	BNC F - BNC F	1pc/1	20

CODE	N°	MODEL	PACK	BOX
156B	156	RCA F - BNC	2pc/1	10
155GB	155	RCA F - BNC GOLD	2pc/1	10



CODE	N°	MODEL	PACK	BOX
182B	182	RCA M	2pc/1	20

CODE	N°	MODEL	PACK	BOX
154B	154	RCA M - BNC F	2pc/1	10



CODE	N°	MODEL	PACK	BOX
SCART2F	5855	SCART 21P	1pc/1	20

Junction-Extension Adapter
Female Scart – Female Scart
21-pin connection

Video Connector

CODE	N°	MODEL	PACK	BOX
SCART/3	685	0,3m	1pc/3	5

Multi-Scart Selector
It allows to connect 3 video devices to one Video output.
Switching by buttons to select the entrance signal.

24K gold plated

CODE	N°	MODEL	PACK	BOX
SCART/23	275	0,3m	1pc/3	10
SCART/2	293	0,4m	1pc/3	5

Scart splitter
For the parallel connection of 2 (Scart/2) or 3 (Scart/23) video devices
21-pin full connection

24K gold plated

CODE	N°	MODEL	PACK	BOX
VSC60	341	0,5m	1pc/3	5

Multi-Scart Selector
With selection button to select the entrance signal.
It allows to connect two video sources to one TV monitor.

24K gold plated

CODE	N°	MODEL	PACK	BOX
SCART-5	290	0,2m	1pc/4	5

Scart splitter 5-fold
Scart splitter for the parallel connection of 5 video devices. It allows, for example, the simultaneous vision on up to 5 TV monitors.

24K gold plated S-VHS

CODE	N°	MODEL	PACK	BOX
SCART5SW	5961	0,3m	1pc/3	5

Multi-Scart Selector
It allows to connect 5 video devices to one Video output.
Switching by buttons to select the entrance signal.

24K gold plated

CODE	N°	MODEL	PACK	BOX
181B	181	SCART 21P	1pc/1	20
180BG	180	SCART 21P GOLD	1pc/1	20



CODE	N°	MODEL	PACK	BOX
170B	170	SCART 21P F	1pc/1	20



G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Antenna/SAT

Antenna Cable	176
SAT Cable	180
Antenna Connectors	190
Internal Antenna	194
Wireless Accessories	196



We link emotions

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Antenna Cable

We link emotions

Antenna Cable

CODE	N°	MODEL	PACK	BOX
AN201D	681	2,0m	1pc/13	10
AN201D03	6291	3,0m	1pc/13	20
AN501D	5685	5,0m	1pc/13	20

Antenna Cable
9,5 mm male plug / 9,5 mm female plug
75 Ohm - IEC
Shielding efficiency > 75 Db

Male/Male Adapter included

Digital TV

Ideale per LCD e PLASMA

CODE	N°	MODEL	PACK	BOX
AN202B	5692	2,0m	1pc/13	20
AN203B	194	3,0m	1pc/13	20
AN205B	286	5,0m	1pc/13	20
AN210B	5497	10,0m	1pc/4	10

Antenna Cable
9,5 mm male plug / 9,5 mm female plug
75 Ohm - IEC
Shielding efficiency > 75 Db

Male/Male Adapter included

+adattatore M/M

CODE	N°	MODEL	PACK	BOX
AN2AB	5675	2,0m	1pc/13	20
AN5AB	5676	5,0m	1pc/13	20

Antenna Cable
9,5 mm female socket / 9,5 mm male plug at 90°
75 Ohm - IEC
Shielding efficiency > 75 Db

Male/Male Adapter included

+adattatore M/M

CODE	N°	MODEL	PACK	BOX
AN203MB	195	3,0m	1pc/13	20
AN210MB	5496	10,0m	1pc/4	10

Antenna Cable
9,5 mm male plug / 9,5 mm female plug
75 Ohm – IEC
Shielding efficiency > 75 Db

CODE	N°	MODEL	PACK	BOX
AN200B	306	2,0m	1pc/13	10
ANN203B	5693	3,0m	1pc/13	20

Antenna Cable
9,5 mm male plug / 9,5 mm female plug
75 Ohm - IEC
Shielding efficiency > 75 Db

Male/Male Adapter included

+adattatore M/M

CODE	N°	MODEL	PACK	BOX
203B	203	Induttivo	1pc/1	5
899B	899	Induttivo	1pc/1	10
206B	206	Resistivo	1pc/1	20
220B	220	Resistivo	1pc/1	20

Code 203B / 899B
Metal splitter 2-folds with 9,5 mm IEC connectors
Bandwidth 900 Mhz
Transmission loss: 4 dB
Decoupling > 18 dB
Manufactured according to CEI norms

CODE	N°	MODEL	PACK	BOX
221B	221	1xM-2xF	1pc/1	10



2-fold Selector
75 OHM
1x Male plug / 2x Female socket

CODE	N°	MODEL	PACK	BOX
AVN10	342	10,0m	1pc/102	10

TV Cable Winder
Double Shielding 100%
75 Ohm – Plugs IEC 9,5 mm – M/F
Shielding efficiency : 80 dB
M/M adapter included

CODE	N°	MODEL	PACK	BOX
GR7	878	7mm	1pc/13	20

Mountin clips for Sat and Antenna Cable with 20 mm long nail
- Diameter up to Ø 7,00mm
Recommended to solve Antenna and Sat cable fixing problem
100 pieces box

CODE	N°	MODEL	PACK	BOX
RA95FF	5908	F/F	1pc/1	20
RA95MM	5907	M/M	1pc/1	20
202B	202	90°	1pc/1	20

Cod. 202
Angled connector for antenna cables
PAL 9,5 IEC Male
PAL 9,5 IEC Female

Cod. 5907-5908
Linear connector for antenna cables
PAL 9,5 IEC Male /Male

Antenna Cable

CODE	N°	MODEL	PACK	BOX
172B	172	Presa 9,5	2pc/1	20
171B	171	Spina 9,5	1pc/1	20

CODE	N°	MODEL	PACK	BOX
173B	173	Spina/Presa 9,5	2pc/1	10

Kit composed by

1x PAL 9,5 IEC Male
1x PAL 9,5 IEC Female



SAT Cable

We link emotions

SAT Cable

CODE	N°	MODEL	PACK	BOX
809B	809	mod. Scatola	1pc/3	20
808B	808	mod. Termina	1pc/3	20



3-ways antenna socket
It allows the demix of FM/SAT/TV signals for single devices.
Flush mounting plate
TV Frequencies: 40-862 Mhz
SAT Frequencies: 950-2050 Mhz
SAT derivation: 2 dB

CODE	N°	MODEL	PACK	BOX
ST10A	826	10m	1pc/828	6
ST15A	827	15m	1pc/828	6
ST20A	828	20m	1pc/828	6

Shielded coaxial antenna cable Ø 6,8 mm, designed for connections to satellite dish, in reels already terminated on one side. The optimal quality of the product and the efficient shielding allow to optimize the installation in terms of time and reliability.
The kit includes:
- SAT coaxial cable in reel, terminated on one end
- 1 x "F" type connector with protective sleeve

CODE	N°	MODEL	PACK	BOX
MA830	830	Manicotto	1pc/1	20
RS832	832	Presa "F"	1pc/1	20

Sleeve for the protection of "F" terminals.
Suitable for external use.
Closing resistance
RS832 = "F" type socket

CODE	N°	MODEL	PACK	BOX
AMP701	818	2xOUT	1pc/3	10

Antenna amplifier FM / VHF / UHF
Frequency range: 47-862 Mhz
Impedance: 75 Ohm Gain: 20 dB
Gain control: 10 dB Screening factor: >75 Db
Antenna input
1 x TV output

Rotative gain control

CODE	N°	MODEL	PACK	BOX
AMP702	819	2xOUT	1pc/3	10

4 WAY DISTRIBUTION AMPLIFIER
Antenna amplifier/splitter FM / VHF / UHF
Frequency range: 40-862 Mhz
Impedance: 75 Ohm Gain: 4x12 dB
Noise Figure 5dB Max Output level 89dBµV

SLOPE system
It grants the automatic compensation of UHF signal losses due to the antenna cable resistance.

CODE	N°	MODEL	PACK	BOX
STF2	897	Nero	1pc/0	1
STF1	896	20db	1pc/0	1

Supporto a muro per parabole Satellitari
Versatile supporto per il fissaggio a muro della parabola SAT in modo rapido e sicuro



CODE	N°	MODEL	PACK	BOX
SAMP	893	20db	1pc/13	20

LINE AMPLIFIER TELE-POWERED

It allows the compensation of the line transmission loss due to the electrical resistance of the coaxial cable. They are used in case of long distances between the parabolic antenna and the SAT receiver.
Fully shielded as per CEI norms.

Frequency:	950÷2050 Mhz
dB amplification	20 dB
Power supply	14 - 24 V



CODE	N°	MODEL	PACK	BOX
807B	807	mod. Passante	1pc/3	20

3-ways antenna socket
It allows the demix of FM/SAT/TV signals for single devices.
Flush mounting plate
TV Frequencies: 40-862 Mhz
SAT Frequencies: 950-2050 Mhz
SAT derivation: 2 dB



CODE	N°	MODEL	PACK	BOX
SATFD	890	SAT	1pc/13	20

SATELLITE FINDER

Extremely useful accessory for a correct pointing of SAT parabolic antennas to a specific satellite orbital position. Self-powered 75Ohm "F" type connectors.
Acoustic and optic warning.
Input frequency: 950-2250MHz
Min Input level : -40dBm
Max input level : -10dBm

CODE	N°	MODEL	PACK	BOX
MDSAT	840	SAT	1pc/3	10

SAT / TV signals Mix – Demix Kit through one sole antenna cable. The kit is composed by two TV/SAT mixers and by 6 "F" type connectors for cable termination. Mix/Demix totally shielded and compliant with CEI norms.

Frequency:	Terr. 47÷862 Mhz SAT 950÷2050 Mhz
Attenuation dB	Terrestre <4 dB
dB Passage	SAT <2 dB
Current passage	SAT 1A max
Connections	75 Ohm, "F" connectors



SAT Cable

CODE	N°	MODEL	PACK	BOX
191RB	191	"F" F/"F" F	2pc/1	20
192B	192	"F" / 9,5 M	2pc/1	20
199B	199	"F" M/9,5 F	2pc/1	20
198B	198	"F" M/9,5 M	2pc/1	20

"F" type junction connectors

CODE	N°	MODEL	PACK	BOX
195B	98	diam.5mm	2pc/1	20
200B	200	diam.6mm	2pc/1	10
2010B	124	diam.7mm	10pc/1	20
201B	201	diam.7mm	2pc/1	5

Terminal connector "F" type Suitable for SAT cable termination.
With rubber ring for the protection from infiltrations.



CODE	N°	MODEL	PACK	BOX
833B	833	"F" Living	1pc/1	20
834B	834	"F" Magic	1pc/1	20

Flush mounting SAT junction socket for proper supports.
"F" type output connector
Frequency range: 50-2050 Mhz
Decoupling > 18dB
CEI compliant contruction



CODE	N°	MODEL	PACK	BOX
VL502	644	2,0m	1pc/13	20
VLS402	5812	2,0m	1pc/13	10
VL505	5540	5,0m	1pc/13	20

SAT Antenna Video connecting cable
1 x "F" type plug
1 x "F" type plug

VLS402
1 x "F" type plug
1 x 9,5 mm plug

CODE	N°	MODEL	PACK	BOX
FL30	882	0,3m	1pc/13	5

FLAT junction cable, in 30 cm. length.
Special junction cable with two "F" type connectors for a connection absolutely sure and functional, thanks to the possibility of stepping on without problems. It can be laid across doors or windows, making cable installation easier.
Tic interferences.

CODE	N°	MODEL	PACK	BOX
HVLFF150	6012	1,5m	1pc/13	5
HVLFF250	6013	2,5m	1pc/13	5
HVLFF750	6015	7,5m	1pc/3	10

SAT Antenna connection cables.
Terminated with two "F" type male connectors, it is realized using a cable especially suitable for connection of high definition LCD and Plasma TV monitors.
Moulded connectors for an optimal durability. The cable is also equipped with ferrite cores for a better rejection of noises and electromagnetic interferences.

CODE	N°	MODEL	PACK	BOX
SAT10900	193	100m	1pc	1
SAT10900B	884	300m	1pc	1

Shielded coaxial antenna cable especially suitable for TV/ SATELLITE signals
External diameter 6,7 mm
Internal conductor diameter 1,13 mm CU

CODE	N°	MODEL	PACK	BOX
SAT5HS	885	100m	1pc	1
SAT5DB	889	500m	1pc	1

MINISAT
Shielded coaxial antenna cable. Especially suitable for TV/ SATELLITE signals.
External diameter 5,0 mm
Code SAT5HS: shielding efficiency > 90dB
Internal conductor diameter 1,13 mm CU St



CODE	N°	MODEL	PACK	BOX
SATDIG	887	100m	1pc	1

Shielded coaxial antenna cable especially suitable for TERRESTRIAL DIGITAL TV signals. Shielding coverage: 100% + 82%
SKYDIGT50 - External diameter 5,0 mm
SKYDIGT66 - External diameter 6,6 mm
Internal conductor diameter 1,13 mm CU



CODE	N°	MODEL	PACK	BOX
SATDSQC	6047	Commutatore	1pc/3	10
SATLNB2	6045	Convertitore	1pc/3	10

Universal Twin-LNB (6045)
- Conversion Gain 55 dB
- D.C. Power Consuption: 200mA
- Noise Figure: 0,6 dB

Switch DiSEqC 2.0 (6047)
- Insertion loss 4dB
- Rated Current: 500mA
- Frequency: 950-2300 MHz

SAT Cable

CODE	N°	MODEL	PACK	BOX
CS100A	5207	LNBF	1pc/3	10
S6LNB	5209	STAFFA	1pc/13	10

SHARP universal LNBF
SuperCompact SHARP LNBF for the reception of analogic and digital SAT signals. Dimensions and volume very small.
Sensibility 0,7dB - Cross Polar 25 - Return Loss dB 8
Frequency L.O. MHz 9.750 Low Band/10.600 High-Band
Consumption mA 110
Dual-Feed mount for parabolic antennas
It allows to expand the SAT installation from one to two LNBF, enabling the reception of signals from two satellites at a distance

CODE	N°	MODEL	PACK	BOX
SATPISK	6044	80cm	1pc/0	1

SAT OFFSET KIT

ANTENNA TYPE: Offset
MATERIAL: Acciaio
FREQUENCY: 10-13GHz
REFLECTOR DIMENSIONS: 730 x 796 mm
EXTERNAL REFLECTOR DIMENSIONS: 780 x 846 mm
11,5 GHz SIGNAL GAIN: 37,7 dB
FIXING: 24-61mm
ELEVATION RANG: 22°-112° - max. 41° with passing pile
OFFSET ANGLE: 22,5°
CONVERTOR SUPPORT: 23/40 mm

The kit contains: 1 Offset Dish 80cm
1 Universal LNB

SUPPORT

T 4

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Antenna Connectors

We link emotions

Antenna Connectors

CODE	N°	MODEL	PACK	BOX
HESDMF	5261	1,5m M/F	1pc/4	10
HESDMF25	5688	2,5m M/F	1pc/4	10
HESDMF50	5689	5,0m M/F	1pc/4	10
HESDMF75	5827	7,5m M/F	1pc/4	10
HESDMF100	5828	10,0m M/F	1pc/4	10
HESDMF15	6289	15,0m M/F	1pc	5
HESDMF20	6290	20,0m M/F	1pc	5

Antenna Cable – Grey colour
Double Shielding 100%
75 Ohm – IEC Male/Male
Shielding efficiency : 110 dB
Protection from EMI interferences thanks to ferrite cores.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HP90MF09	6191	0,9m M/F	1pc/4	10
HP90MF18	6192	1,8m M/F	1pc/4	10
HP90MF30	6193	3,0m M/F	1pc/4	10
HP90MF50	6194	5,0m M/F	1pc/4	10

Antenna Cable – Grey colour
Double Shielding 100%
75 Ohm – IEC Male/Female at 90° angle
Shielding efficiency : 110 Db

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HESDMM	5260	1,5m M/M	1pc/4	10

Antenna Cable – Grey colour
Double Shielding 100%
75 Ohm – IEC Male/Male
Shielding efficiency : 110 dB
Protection from EMI interferences thanks to ferrite cores.

24K
gold plated

CODE	N°	MODEL	PACK	BOX
HPFDMF	5651	1,5m M/F	1pc/4	10
HPFDMM	5650	1,5m M/M	1pc/4	10
HPFDMF30	6187	3,0m M/F	1pc/4	10
HPFDMF50	6188	5,0m M/F	1pc/4	10
HPFDMF100	6271	10,0m M/F	1pc	5
HPFDMF150	6272	15,0m M/F	1pc	5

Antenna cable for digital TV. It features the new MC-OCC copper conductor and an high efficiency double shield that grants an absolutely linear signal transmission free from any RFI interference. It avoids the Audio Video signal deterioration that may easily occur using traditional Antenna cables. The special construction and appropriate section ensure the high quality standard and extol the high resolution of the new Digital TV/ Monitors. Features two ferrite beads – SS3 – for enhanced connection to digital TV. Professional a-magnetic aluminium connectors with 24K HGP contacts.

MC-OCC HIGH QUALITY COPPER

24K gold plated

CODE	N°	MODEL	PACK	BOX
HEDMF	5619	1,5m M/F	1pc/4	10
HEDMM	5618	1,5m M/M	1pc/4	10
HEDMF30	6185	3,0m	1pc/4	10
HEDMF50	6186	5,0m M/F	1pc/4	10

Antenna cable for digital TV. It features the new MC-OCC copper conductor and an high efficiency double shield that grants an absolutely linear signal transmission free from any RFI interference. It avoids the Audio Video signal deterioration that may easily occur using traditional Antenna cables. The special construction and appropriate section ensure the high quality standard and extol the high resolution of the new Digital TV/ Monitors. Professional a-magnetic aluminium connectors with 24K HGP contacts.

MC-OCC HIGH QUALITY COPPER

24K gold plated

CODE	N°	MODEL	PACK	BOX
HDFF200	6027	2,0m	1pc/4	10
HDFF300	6028	3,0m	1pc/4	10
HDFF500	6029	5,0m	1pc/4	10

TOP QUALITY SAT "F" CONNECTING CABLES

High-End F-Connection Lead for professional installations . 75 ohm coaxial cable
High Density pure Foamed Polyethilene for low capacitance and minimized error
Ultra pure OFC conductors for improves and excellent image precision and detail
Double Shield Construction + Ferrite Nucleus to avoid RFI and EMI -
24K Gold plated connectors

24K gold plated

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Internal Antenna

We link emotions

Internal Antenna

CODE	N°	MODEL	PACK	BOX
ANTIT2	991	20dB	1pc/0	6

Mod. ANTIT2

UHF-VHF-FM active TV Indoor Antenna. Fashionable design and small dimensions, with internal power supplier.
Adjustable gain 0-36dB
1 m 75 Ohm coaxial antenna cable included.
Gain:
VHF: 20 dB
UHF: 36 Db

CODE	N°	MODEL	PACK	BOX
ANTIT	990	20dB	1pc/112	6

Mod. ANTIT

UHF-VHF-FM active TV Indoor Antenna. Small dimensions, with built-in power supplier.
Adjustable gain 0-36dB
1 m 75 Ohm coaxial antenna cable included.
Gain:
VHF: 20 dB
UHF: 36 dB

FREE CHANNEL
COMPATIBLE DIGITALE TERRESTRE

CODE	N°	MODEL	PACK	BOX
ANTDIGT	993	22dB	1pc/0	5

Mod. ANTDIGT

Active Indoor Antenna especially suitable to receive the terrestrial digital signal.
- Vertical and horizontal polarization
- Gain 22dB ± 5dB
- Electronic detector for the reduction of ground noise
- 2 m 75 Ohm coaxial antenna cable
- Low power consumption – 220V/9V-100mA
- Frequency range: 50-870MHz
- Dimensions: 190x240x40

FREE CHANNEL
COMPATIBLE DIGITALE TERRESTRE

Wireless Accessories



We link emotions

Wireless Accessories

CODE	N°	MODEL	PACK	BOX
VTPMB	5706	Dig-Sat	1pc/0	1

Digital SAT DVB

Decoder for the vision on your PC of the digital terrestrial TV programs, PCI 2.2 trough Antenna socket.
Remote control with extender via USB input
Frequency 950-2150 MHz / LNB S.V. 13V/18V
Software included in the box

CODE	N°	MODEL	PACK	BOX
WS61CV	5544	VIDEO->VGA	1pc/0	1

- Compatible with the following
  input signals: Analogical video, S-Video
- Output signal: VGA 0.7Vp-p RGB – on DB15HD socket
- Frame rate automatic conversion from 50 to 60Hz according to the input signal
- Effect key to select 5 special effects
- Build-in power supplier DC 7.5V 500mA
- Il enable, for example, to watch on a PC monitor the video signal coming from a game console.

CODE	N°	MODEL	PACK	BOX
RCEX	880	REPEATER	1pc/0	5

Remote Control Extender

It turns the remote control infrared signal into a radio frequency signal to extend the operating range of your remote control from one room to another.
It can be used for controlling all your Audio-Video components, from where you want!

CODE	N°	MODEL	PACK	BOX
WS24	879	2.4 Ghz	1pc/118	5

A/V 2.4 GHz Transmitter

A/V transmitter on the 2,4 GHz frequency. Features 4 selectable inputs, to watch on a remote TV the program you desire or the DVD or a videotape selecting the A/V source by remote control or directly on the AV Sender. It includes 2 remote controls: one for the transmitting unit/source selection and one for the receiving unit.
Independent SCART inputs. 2,4 GHz indoor antenna, omni-directional.
Operating range: 100 m in open space. IR Remote control extender. It enables to watch different programs on the main TV and on the remote TV.

CODE	N°	MODEL	PACK	BOX
WS24TUNR	5839	ONLY RECEIVER	1pc/0	1
WS24TUN	5838	2.4Ghz	1pc/0	1

A/V 2.4 GHz Transmitter

Operating range : 100 m in open space. PLL frequency control. Directional antenna for an increased reception gain. Optimal audio and video signal/noise rate. 4 selectable transmission-reception channels, for transmission without interferences in the same operating space.
FM Antenna input to transmit the TV signal wireless. Infrared remote control extender. Possibility to connect a video camera for indoor/outdoor monitoring.
Remote control + IR extender included.

2,4 GHz AV Sender
A/V transmitter with RF frequency modulator
Build-in TV tuner with 128 channels memory

CODE	N°	MODEL	PACK	BOX
WSCCOL	5914	Solo Camera	1pc/0	1
WSCSY	5913	Kit 2,4GHz	1pc/0	1

Wireless Remote Monitoring Kit

- Complete kit for the remote monitoring through colour video-camera with 1/3" CMOS colour image sensor.
- Solid aluminium housing, weather resistant
- The camera has a built-in microphone
- Possibility to extend to max. 4 video cameras the control system
- Auto switching function between the 4 cameras at 4 seconds interval.

Wireless Accessories

CODE	N°	MODEL	PACK	BOX
WSD4SE	5701	4 INPUT	1pc/0	1

A/V 2.4 GHz Transmitter
A/V transmitter on the 2,4 GHz frequency. Features 4 selectable inputs, to watch on a remote TV the program you desire or the DVD or a videotape selecting the A/V source by remote control or directly on the AV Sender. It includes 2 remote controls: one for the transmitting unit/source selection and one for the receiving unit.
Independent SCART inputs. 2,4 GHz indoor antenna, omni-directional.
Operating range: 100 m in open space. IR Remote control extender. It enables to watch different programs on the main TV and on the remote TV.

CODE	N°	MODEL	PACK	BOX
WRSP10	5943	Legno	1pc/0	1

2,4 Ghz WIRELESS STEREO SPEAKER SYSTEM

SPEAKER RATING:
Power source: DC-14V/1.5A
Frequency Response: 45Hz-20kHz
Sensitivy (1m/1w): 85dB
Power Output: 10 Watt RMS
Impedance: 4 ohms
Indipendent power amplifier
Included 2xPower Supply with charger function
Included 18xAA rechargeable battery for 4 hour of music

TRANSMITTER RATING:
Power source: DC-12V/0.25A
Transmitter Power: <10mw
Audio Input: Stereo Line Level
Up to 100 meters transmitting distance in open space
16 channels selection for optimal performance

IDEAL FOR USE: in kitchen / garage / garden / Back yard / bathroom / bedroom

Wall Mount

We link emotions

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Speaker Support

We link emotions

Speaker Support

CODE	N°	MODEL	PACK	BOX
SBD5442	5442	NERO	2pc/4	10
SBD5443	5443	SILVER	2pc/4	10

Speaker wall mount, that can swivel and tilt, in order to grant the best sound diffusion.
Ideal for living rooms and public rooms. No visible fixing screws. All fixing screws and dowels included in the blister.

One pair per blister.

3,5Kg
max weight

CODE	N°	MODEL	PACK	BOX
SBO5925	5925	NERO	1pc/4	10
SBO5926	5926	SILVER	1pc/4	10

Speaker ceiling and wall mount, capable of widely swivel and tilt. Its fashionable design makes it ideal for bedrooms, living rooms and public rooms. Efficient fixing system for every position. All fixing screws and dowels included in the blister. In the blister are also included two adapters for small dimension speakers. One pair per blister.

Suitable for home cinema speakers weighting up to 5 kg.

5Kg
max weight

CODE	N°	MODEL	PACK	BOX
SBS5440	5440	NERO	1pc/4	10
SBS5441	5441	SILVER	1pc/4	10

Speaker ceiling and wall mount, with swivel and tilt feature. Ideal for bedrooms, living rooms and public rooms. No visible fixing screws. All fixing screws and dowels included in the blister.

One single piece per blister.

5Kg
max weight

CODE	N°	MODEL	PACK	BOX
SSP5462	5462	NERO	2pc/0	1

Mod.Punto

Speaker wall mount, with swivel and tilt feature. Ideal for bedrooms, living rooms and public rooms. The fixing between the speaker and the support is granted by 4 screws.





25Kg
max weight

CODE	N°	MODEL	PACK	BOX
SSP5461	5461	NERO	2pc/0	1

Mod.Ulysses

Speaker wall mount, with swivel and tilt feature. Ideal for bedrooms, living rooms and public rooms. High-friction pads and a vice clamp fixing system grant a stable contact between the speaker and the support.



20Kg
max weight

Speaker Support

CODE	N°	MODEL	PACK	BOX
SSP5468	5468	NERO	2pc/0	1
SSP5469	5469	SILVER	2pc/0	1

Home Cinema Speaker Support

Adjustable floor stands for speakers. Ideal for living rooms and bedrooms. They are supplied with four different mounting heads for speakers.
Extension: min. 685 – max. 1060 mm

CODE	N°	MODEL	PACK	BOX
SSP5958HB	5958	0,6m/ BLACK	2pc/0	1
SSP5996HS	5996	0,6m/ SILVER	2pc/0	1
SSP5959HB	5959	0,8m/ BLACK	2pc/0	1
SSP5997HS	5997	0,8m/ SILVER	2pc/0	1

Home Theater Speaker Support

Loudspeaker Floor Stand for High Quality Speakers
Top and bottom spikes provided - Fixing kit included and Easy installation

•5958 e 5996: ideal for front Home Theater system 5.1 speakers
Speaker support dimension: 160x160mm

•5959 e 5997: ideal for rear Home Theater system 5.1 speakers
Speaker support dimension: 125x125mm

2 pz included in the box



TV Support

We link emotions

CODE	N°	MODEL	PACK	BOX
TVS5472	5472	NERO	1pc/0	1

Mod.Liberty
Raised wooden turntable that allows to place the VCR or decoder under the television.



60Kg
max weight

CODE	N°	MODEL	PACK	BOX
TVS5470	5470	NERO	1pc/0	1

Mod.Slimline
Television turntable in black lacquered wood. Suitable for both small and big televisions.



60Kg
max weight

CODE	N°	MODEL	PACK	BOX
TVS5471	5471	NERO	1pc/0	1

Mod.Liberty
Raised wooden turntable that allows to place the VCR or decoder under the television.





60Kg
max weight

TV Support

We link emotions

CODE	N°	MODEL	PACK	BOX
SWC5452	5452	NERO	1pc/0	1

Wall Mount with one articulation, for TV or monitor of both big and small dimensions. Features a tilt and swivel plate for a perfect vision adjustment, ideal for kitchens, bedrooms and public rooms. The plate refolded edge and a security strap grant a stable contact between the TV and the support.



CODE	N°	MODEL	PACK	BOX
SWE5455	5455	NERO	1pc/0	1
SWE5456	5456	SILVER	1pc/0	1

Mod.TriMagix50
Wall Mount with three articulations, for TV or monitor of medium and big dimensions. Features a tilt and swivel plate for a perfect vision adjustment, ideal for kitchens, living rooms and public rooms. The plate refolded edge and a security strap grant a stable contact between the TV and the support.

CODE	N°	MODEL	PACK	BOX
SWE5457	5457	NERO	1pc/0	1
SWE5458	5458	SILVER	1pc/0	1

Wall Mount with two articulations, for TV or monitor of small and big dimensions. Features a tilt and swivel plate for a perfect vision adjustment, ideal for kitchens, living rooms and public rooms. The plate refolded edge and a security strap grant a stable contact between the TV and the support.

Classic Wallmount for LCD/Plasma/ LED

We link emotions

Classic Wallmount for LCD/Plasma/LED

15" - 21"

CODE	N°	MODEL	PACK	BOX
SBL5953	5953	Inclinabile	1pc/0	1

"UNDER CABINET" SUPPORT FOR LCD SCREENS

Designed for mounting LCD screens (up to 20")
Universal mounting kit included
Can be fixed under cabinet for saving space
Designed for screens weighing up to max 5 Kg (11 lbs)
Tilts 120° - Rotateable 360° - Security detent
Simple installation - Compatible with VESA standard



360° INCLINATION | +20° INCLINATION | 5Kg max weight | 50x50 75x75 100x100 VESA standard

15" - 21"

CODE	N°	MODEL	PACK	BOX
SBL5446	5446	Inclinabile	1pc/4	10

LCD screen wall mount
Supplied with VESA standard mounting plate (50/75/100)
Designed for LCD/TFT screens with a weight of up to 15 Kg (44lbs)
and dimensions up to 21"
Wide adjustment range with 20° tilt
Easy to adjust and lock position
Minimum distance from wall: 50mm
All fixing screws included







0° INCLINATION | +15° -5° INCLINATION | 14Kg max weight | 50x50 75x75 100x100 VESA standard

15" - 23"

CODE	N°	MODEL	PACK	BOX
SBL5445	5445	Fisso	1pc/4	10

LCD screen wall mount
Designed for LCD/TFT screens with a weight of up to 20 Kg (44lbs) and dimensions up to 23".
Extremely solid and efficient system with a simple installation.
Supplied with VESA standard mounting plate (50/75/100)
Minimum distance from wall: 15mm
All fixing screws included





15" - 30"

CODE	N°	MODEL	PACK	BOX
SBL5927	5927	Inclinabile 3D	1pc/4	10

LCD/TFT Wall Mounts

Wall Mount for LCD / TFT weighting up to 20 kg.
Designed for screens up to 30"/74 cm.
Extremely solid and efficient system with a simple installation.
90° swivel right and left. +/- 20° tilt up and down.
All fixings included.





Classic Wallmount for LCD/Plasma/LED

15" - 30"

CODE	N°	MODEL	PACK	BOX
SBL5945	5945	3 snodi	1pc/0	5

Double articulated arm LCD/TFT Wall Mounts

Wall mount for LCD/TFT weighting up to 20 kg.
Designed for screens up to 30"
Supplied with VESA standard
mounting plate
Optimal extension and for maximum
swivel.
Tilts 20° up and down
All fixings included







23" - 32"

CODE	N°	MODEL	PACK	BOX
SOMIS200F	6030	Fisso	1pc/4	10

LCD screen wall mount

Supplied with VESA standard mounting plate (50/75/100/200x100)
Designed for LCD/TFT screens with a weight of up to 25 Kg (55lbs) and dimensions up to 32"
Easy to adjust and lock position
Minimum distance from wall: 18mm
All fixing screws included



23" - 32"

CODE	N°	MODEL	PACK	BOX
SOMIS200R	6031	Inclinabile 20°	1pc/4	10

LCD screen wall mount

Supplied with VESA standard mounting plate (50/75/100/200x100)
Designed for LCD/TFT screens with a weight of up to 20 Kg (44lbs) and dimensions up to 32" - Tilts up to +/-10°
Easy to adjust and lock position
Minimum distance from wall: 45mm
All fixing screws included



23" - 32"

CODE	N°	MODEL	PACK	BOX
SBL5737	5737	2 snodi	1pc/0	1

LCD/TFT Wall Mounts with two articulations

Wall mount for LCD/TFT weighting up to 20 kg.
Designed for screens up to 30"
Maximum distance from wall: 300 mm
Supplied with 50/75/100/100*200 VESA standard mounting plate
190° swivel / 20° tilt up and down





Classic Wallmount for LCD/Plasma/LED

23" - 37"

CODE	N°	MODEL	PACK	BOX
SOMF2020	6126	Fisso	1pc	5

LCD screen wall mount
Supplied with VESA standard mounting plate (50/75/100/200x100/200x200)
Designed for LCD/TFT screens with a weight of up to 35 Kg (77lbs)
and dimensions up to 37"
Easy to adjust and lock position
Minimum distance from wall: 18mm
All fixing screws included



ADATTATORE

CODE	N°	MODEL	PACK	BOX
PW200100	5944	200x100	1pc/0	1

LCD WALL MOUNT ADAPTER FOR Samsung LCD

VESA LCD Wall mount adapter Ready for Samsung LCD
Max Weight: 30 Kg
From 100x100 to 100x200



Classic Wallmount for LCD/Plasma/ LED

We link emotions

Classic Wallmount for LCD/Plasma/LED

23" - 32"

CODE	N°	MODEL	PACK	BOX
PSE6141S	6141	550mm	1pc	6

WALL MOUNT FOR PLASMA AND LCD SCREENS

Designed for mounting Plasma and large LCD screens
Universal mounting kit included
Designed for concrete, brick or 16" stud walls
For screens weighing up to max 40 kg (88 lbs)
Width: 500mm



23" - 32"

CODE	N°	MODEL	PACK	BOX
PSS5880N	6217	NERO	1pc	4
PSS5880	5880	SILVER	1pc/0	4



LCD/Plasma Wall Mount
Designed for mounting LCD screens (up to 32")
Universal mounting kit included
Designed for concrete, brick or 16" stud walls
For screens weighing up to max 40 Kg (88 lbs)
Simple installation- Tilt of +/-1

23" - 32"

CODE	N°	MODEL	PACK	BOX
PSI5952	5952	SILVER	1pc/0	4

WALL MOUNT FOR LCD SCREENS WITH TILT
Designed for mounting LCD VESA screens (up to 32")
Universal mounting kit included
Designed for concrete, brick or 16" stud walls
Can be mount flat to the wall or with a tilt of -5°/+15°
Designed for screens weighing up to max 40 Kg (88 lbs)
Simple installation
Compatible with VESA standard (up 400x200)





23" - 32"

CODE	N°	MODEL	PACK	BOX
PSI6248B	6248	NERO	1pc	4

WALL MOUNT FOR LCD SCREENS WITH TILT
Designed for mounting LCD VESA screens (up to 32")
Universal mounting kit included
Designed for concrete, brick or 16" stud walls
Can be mount flat to the wall or with a tilt of -5°/+15°
Designed for screens weighing up to max 40 Kg (88 lbs)
Simple installation
Compatible with VESA standard (up 400x200)





Classic Wallmount for LCD/Plasma/LED

23" - 37"

CODE	N°	MODEL	PACK	BOX
UTFWMSF	6285	16mm	1pc	4

ExtraSlim Screen wall mount for LCD/Plasma
Ideal for LED TV and Ultra thin LCD/PLASMA

Supplied with VESA standard up to 400x300
Designed for LCD/Plasma screens with a weight of up to 35 Kg (77lbs) and dimensions 23" up to 37"
Minimum distance from wall: 16mm
All fixing screws included
Easy to adjust
Safe bar included



32" - 50"

CODE	N°	MODEL	PACK	BOX
PSE5956	5956	870mm	1pc/0	6

WALL MOUNT FOR PLASMA AND LCD SCREENS

Designed for mounting Plasma and large LCD screens
Universal mounting kit included
Designed for concrete, brick or 16" stud walls
For screens weighing up to max 75 Kg (132 lbs)
VESA Standard up to 800x400 and non-VESA





32" - 50"

CODE	N°	MODEL	PACK	BOX
PSS5921	5921	Fisso	1pc/0	3

LCD/Plasma screen wall mount

Supplied with VESA standard up to 800x400
Designed for LCD/Plasma screens with a weight of up to 75 Kg (160lbs) and dimensions 32" up to 50"
Minimum distance from wall: 80mm
All fixing screws included
Easy to adjust



32" - 50"

CODE	N°	MODEL	PACK	BOX
SOPST23	5923	Inclinabile	1pc/0	2

WALL MOUNT FOR LCD SCREENS WITH TILT

Designed for mounting LCD VESA screens (up to 50")
Universal mounting kit included
Designed for concrete, brick or 16" stud walls
Can be mount flat to the wall or with a tilt of -5°/+15°
Designed for screens weighing up to max 75 Kg (165 lbs)
Simple installation
Compatible with VESA standard (up 800x400)





Classic Wallmount for LCD/Plasma/LED

32" - 50"

CODE	N°	MODEL	PACK	BOX
PSI6249B	6249	Inclinabile	1pc	2

WALL MOUNT FOR LCD SCREENS WITH TILT

Designed for mounting LCD VESA screens (up to 50")
Universal mounting kit included
Designed for concrete, brick or 16" stud walls
Can be mount flat to the wall or with a tilt of -5°/+15°
Designed for screens weighing up to max 75 Kg (165 lbs)
Simple installation
Compatible with VESA standard (up 800x400)





32" - 50"

CODE	N°	MODEL	PACK	BOX
UTFWMMF	6286	16mm	1pc	2

ExtraSlim Screen wall mount for LCD/Plasma
Ideal for LED TV and Ultra thin LCD/PLASMA

Supplied with VESA standard up to 600x400
Designed for LCD/Plasma screens with a weight of up to 45 Kg (77lbs) and dimensions up to 50"
Minimum distance from wall: 16mm
All fixing screws included
Easy to adjust
Safe bar included



37" - 50"

CODE	N°	MODEL	PACK	BOX
SOM6016S	6016	Plasma/LCD	1pc/0	1

LCD/Plasma wall mount for screens up to 50"

3 pivot points for maximum swivel
Designed for concrete/brick walls and 16" stud walls
Maximum extension: 780mm
Can be folded flat to the wall
Maximum weight of screen 70 Kg
Variable downward tilt up to 20°
Locking security screws included
Horizontal adjustment levelling screws





42" - 65"

CODE	N°	MODEL	PACK	BOX
UTFWMLF	6287	18mm	1pc	2

ExtraSlim Screen wall mount for LCD/Plasma
Ideal for LED TV and Ultra thin LCD/PLASMA

Supplied with VESA standard up to 600x400
Designed for LCD/Plasma screens with a weight of up to 60 Kg and dimensions up to 65"
Minimum distance from wall: 18mm
All fixing screws included
Easy to adjust
Safe bar included



Wall Mount Series

Classic Wallmount for LCD/Plasma/LED

42" - 65"

CODE	N°	MODEL	PACK	BOX
PSBWEXLP	6231	INCLINABILE	1pc	3

WALL MOUNT FOR PLASMA AND LCD VESA SCREENS WITH TILT

Can be mounted flat to the wall or with a fixed tilt of 15°
Universal mounting kit included
Designed for concrete, brick or 16" stud walls
Approved for screens weighing up to 75 Kg (125 lbs)
Simple installation; all fixings included.





Prestige Wallmount

We link emotions

Prestige Wallmount

15" - 32"

CODE	N°	MODEL	PACK	BOX
STBQVS10M	6155	Nero	1pc	4

SINGLE ARM WALL MOUNT FOR LCD SCREENS

Designed for mounting LCD VESA screens (up to 32")
Universal mounting kit included
Designed for concrete, brick or 16" stud walls
Can be mount flat the wall or with a tilt of +/- 20°
Designed for screens weighing up to max 30 Kg (66lbs)
Simple installation - Rotation 180°
Compatible with VESA standard (50/75/100/200*100)







15" - 32"

CODE	N°	MODEL	PACK	BOX
STBQVS20M	6176	Nero	1pc	4

SINGLE ARM WALL MOUNT FOR LCD SCREENS - BLACK COLOR

Designed for mounting LCD VESA screens (up to 32")
Universal mounting kit included
Designed for concrete, brick or 16" stud walls
Can be mount flat the wall or with a tilt of +/- 20°
Designed for screens weighing up to max 30 Kg (66lbs)
Simple installation - Rotation 180°
Compatible with VESA standard (50/75/100/200*100/200*200)









15" - 32"

CODE	N°	MODEL	PACK	BOX
STBQVS22B	6156	Nero	1pc	4

ARTICULATED ARM WALL MOUNT FOR LCD SCREENS

Designed for mounting LCD VESA screens (up to 32")
Universal mounting kit included
Designed for concrete, brick or 16" stud walls
Can be mount flat the wall or with a tilt of +/- 20°
Designed for screens weighing up to max 30 Kg (66lbs)
Simple installation - Rotation 180°
Compatible with VESA standard (50/75/100/200*100/200*200)



320° INCLINATION | ±20° INCLINATION | 30Kg max weight | 50/75 100x100 200x100 200x200 VESA standard

15" - 32"

CODE	N°	MODEL	PACK	BOX
STBQVS20B	6157	NERO	1pc	4
STQVS20B	6103	SILVER	1pc/0	1

ARTICULATED ARM WALL MOUNT FOR LCD SCREENS

Designed for mounting LCD VESA screens (up to 32")
Universal mounting kit included
Designed for concrete, brick or 16" stud walls
Can be mount flat the wall or with a tilt of +/- 20°
Designed for screens weighing up to max 30 Kg (66lbs)
Simple installation - Rotation 180°
Compatible with VESA standard (50/75/100/200*100/200*100)



320° INCLINATION | ±20° INCLINATION | 30Kg max weight | 50x50 75x75 100x100 200x100 VESA standard

Prestige Wallmount

32" - 50"

CODE	N°	MODEL	PACK	BOX
STQ2AFIX	6174	NERO	1pc	2

DOUBLE ARM WALL MOUNT FOR LCD SCREENS

Designed for mounting LCD VESA screens (up to 50")
Universal mounting kit included
Designed for concrete, brick or 16" stud walls
Designed for screens weighing up to max 50 Kg (110 lbs)
Simple installation-Double arm for an high flexibility
Compatible with VESA standard(max 800x400)
Max/min extension: 474mm/151mm







32" - 50"

CODE	N°	MODEL	PACK	BOX
STBQ2ARB	6154	NERO	1pc	2
STQ2ARB	6100	SILVER	1pc/0	1

DOUBLE ARM WALL MOUNT FOR LCD SCREENS

Designed for mounting LCD VESA screens (up to 50")
Universal mounting kit included
Designed for concrete, brick or 16" stud walls
Can be mount flat to the wall or with a tilt of +/- 15°
Designed for screens weighing up to max 50 Kg (110 lbs)
Simple installation-Double arm for an high flexibility
Compatible with VESA standard(max 800x400)
Max/min extension:514mm/191mm







Perfection Wallmount Serie

We link emotions

Perfection Wallmount Serie

15" - 26"

CODE	N°	MODEL	PACK	BOX
PSBB10	6229	1 SNODO	1pc	5

LCD screen wall mount

Supplied with VESA standard mounting plate 50/75/100
Designed for LCD/TFT screens with a weight of up to 20 Kg (44lbs) and dimensions up to 26"
Wide adjustment range with ± 15° tilt and 180° swivel - Horizontal adjustment: ± 25°
Minimum distance from wall: 100mm
All fixing screws included - Easy to adjust





15" - 23"

CODE	N°	MODEL	PACK	BOX
PSBS10	6230	2 SNODI	1pc	5

LCD screen wall mount

Supplied with VESA standard mounting plate 75/100
Designed for LCD/TFT screens with a weight of up to 20 Kg (44lbs) and
LENGTHs up to 26"
Wide adjustment range with ± 15° tilt and 180° swivel - Horizontal
adjustment: ± 25°
Minimum distance from wall: 95mm
All fixing screws included - Easy to adjust





15" - 23"

CODE	N°	MODEL	PACK	BOX
SBL5868N	6216	3 SNODI	1pc	5

LCD screen wall mount

Supplied with VESA standard mounting plate (75/100/100*200)
Tilts (14° up or down) and turns for an optimal viewing experience
Designed for LCD/TFT screens with a weight of up to 15 Kg (33lbs)
and LENGTHs up to 30"
Double articulated arm for maximum swivel
Minimum distance from wall: 93mm





180° INCLINATION | ±14° INCLINATION | 15Kg max weight | 50x50 75x75 100x100 200x100 VESA standard

26" - 42"

CODE	N°	MODEL	PACK	BOX
PSBXLP	6232	400x400	1pc	1

LCD screen wall mount

Supplied with VESA standard mounting plate up to 800x400
Designed for LCD/TFT screens with a weight of up to 91 Kg (200lbs) and LENGTHs up to 42"
Wide adjustment range with ± 15° tilt and 180° swivel - Horizontal adjustment: ± 4°
Minimum distance from wall: 180mm
All fixing screws included - Easy to adjust



180° INCLINATION | ±15° INCLINATION | 36Kg max weight | up to 400x400 VESA standard

Perfection Wallmount Serie

42" - 50"

CODE	N°	MODEL	PACK	BOX
PSMSVP	6233	INCLINABILE	1pc	1

LCD screen wall mount

Supplied with VESA standard mounting plate up to 800x400
Designed for LCD/TFT screens with a weight of up to 60 Kg (132 lbs) and LENGTHs up to 50"
Wide adjustment range with ± 15° tilt and 180° swivel
Minimum distance from wall: 180mm
All fixing screws included
Easy to adjust



180° INCLINATION
±15° INCLINATION
60Kg max weight
up to 800x400 VESA standard

42" - 65"

CODE	N°	MODEL	PACK	BOX
PSMARTW	6234	2 BRACCIA	1pc	1

LCD screen wall mount

Supplied with VESA standard mounting plate up to 800x400
Designed for LCD/TFT screens with a weight of up to 91 Kg (200lbs) and LENGTHs up to 65"
Wide adjustment range with ± 15° tilt and 180° swivel -
Horizontal adjustment: ± 4°
Minimum distance from wall: 180mm
All fixing screws included
Easy to adjust



190° INCLINATION
±15° INCLINATION
91Kg max weight
up to 800x400 VESA standard

Ceiling Support

We link emotions

Ceiling Support

Ceiling

CODE	N°	MODEL	PACK	BOX
SOP6121	6121	Soffitto	1pc	1

CEILING MOUNT WITH EXTENSION ARM FOR LCD/PLASMA

Exclusive Universal Ceiling Mounting System for LCD/Plasma
Designed for brick, concrete or 16" stud walls
Easy to install - all fixings included
Adjustable ceiling drop: Minimum 600mm - Maximum 1000mm
Full 360° swivel - LCD/Plasma's Wall Mount not included
Compatible with wall mount cod. 5880 and 5952 for LCD/Plasma up to 32",
5923 and 5921 for LCD/Plasma up to 50" (that has to be bought separately)
Supports Weight up to 75Kg - Cable management system



Projector

CODE	N°	MODEL	PACK	BOX
SUPMC13	5844	Fisso	1pc/119	10

PROJECTOR CEILING MOUNT

Exclusive Universal Mounting System
Designed to fit LCD/DLP projectors
Easy to install - all fixings included
Full 10° tilt and 10° swivel - easy to aim projector and lock in position
Unique design provides maximum air circulation for longer projector bulb life
Suitable for angled ceilings
Distance from the ceiling: 120mm





Projector

CODE	N°	MODEL	PACK	BOX
SUPMC75	5845	Est. 650	1pc/0	5

PROJECTOR CEILING MOUNT

Exclusive Universal Mounting System
Designed to fit LCD/DLP projectors
Easy to install - all fixings included
Adjustable ceiling drop: Minimum 430mm - Maximum 650mm
Full 5° tilt and 5° swivel - easy to aim projector and lock in position
Unique design provides maximum air circulation for longer projector bulb life
Includes coverplate to hide fixing screws
Suitable for angled ceilings
Cable management system



Projector

CODE	N°	MODEL	PACK	BOX
SUPMC120	5846	Min 75cm Max 120cm	1pc/0	5

Projector Ceiling Mount

Efficient projector ceiling mount with extensible arm and ball joint braket.
Universal 3-points mounting kit
Complete fixings kit included, also for mounting the bracket to the celing
Wide adjustment range with 90° tilt and 360° swivel.
Suitable also for uneven ceilings.
Cover plates to hide screws
Cable management system
It grants an optimal air circulation near the projector



G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Cable Management

We link emotions

Cable Management

CODE	N°	MODEL	PACK	BOX
KFLAGSBL	6131	BIANCA	1pc/0	60
KFLAGSHT	6132	Home Theater	4pc/0	60
KFLAGSPC	6133	PC	1pc/0	60

Kableflags were designed to provide a convenient and instant method of identifying cables without the hassle of complicated systems. The simple things in life are often the best and nothing could be simpler than this product.

6131 - White Labels to identify everything
6132 - Labels to identify electronic devices such as DVD player, TV, etc.
6133 - Labels to identify PC connections (Network cables, printer cables, USB cables, etc...)

10 labels per package, 15 packages per bundle, 4 bundle per

CODE	N°	MODEL	PACK	BOX
CCOVBL1	6038	1,0m BLACK	1pc/4	10
CCOVGY1	6042	1,0m SILVER	1pc/4	10
CCOVWH1	6040	1,0m WHITE	1pc/4	10
CCOVBL3	6039	3,0m BLACK	1pc/4	10
CCOVGY3	6043	3,0m SILVER	1pc/4	10
CCOVWH3	6041	3,0m WHITE	1pc/4	10

CABLE COVER

Elegant, expandable cable sleeving in woven polyester
Ideal to pick up and to order the cables of Home Theatre, Hi-Fi and computers
Simple and rapid installation thanks to the practice tear closing

CODE	N°	MODEL	PACK	BOX
CC5822W	5822	BIANCO	1pc/0	10
CC5821	5821	SILVER	1pc/0	10

Elegant aluminium cable cover with double groove

- They allow an accurate and efficient cover of Plasma/LCD cables connecting to the video reproduction source.
- No more visible cable
- Cable cover length: 950 mm

CODE	N°	MODEL	PACK	BOX
K3F6009	6009	115mm	3pc	100

VELCRO CABLE TIE

Re-usable - Hook and loop cables in a fast way - perfect for A/V, sat or multimedia cables

Power



We link emotions

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Power adaptor 220V

We link emotions

Power adaptor 220V

CODE	N°	MODEL	PACK	BOX
GF50012	965	1200mA	1pc/3	10

Power adaptors with single output.

Output voltage 6V DC – 600 mA
Output voltage 12V DC – 500 mA

AC DC PLUG IN

CODE	N°	MODEL	PACK	BOX
GV500	958	500mA	1pc/3	10
GV1000	959	1000mA	1pc/3	10

Power adaptors with output voltage selected by slide switch.

Output voltage:
3.0/4.5/6.0/7.5/9.0/12.0V DC, 3.6VA
6 x output interchangeable plugs
2.5/3.5/5.0x2.1/5.5x2.5/3.5x1.35/5.5x1.5

AC DC PLUG IN

CODE	N°	MODEL	PACK	BOX
GV500S	955	500mA	1pc/4	10
GV1000S	5696	1000mA	1pc/4	10

Regulated power adaptors with output voltage selected by slide switch.

Output voltage:
3.0/4.5/6.0/7.5/9.0/12.0V DC, 3.6VA
6 x output interchangeable plugs
2.5/3.5/5.0x2.1/5.5x2.5/3.5x1.35/5.5x1.5

AC DC PLUG IN

CODE	N°	MODEL	PACK	BOX
GF5006	963	600mA	1pc/3	10

Power adaptors with single output.

Output voltage 6V DC – 600 mA
Output voltage 12V DC – 500 mA

AC DC PLUG IN

CODE	N°	MODEL	PACK	BOX
GV300	957	300mA	1pc/4	10

Power adaptors with output voltage selected by slide switch.

Output voltage:
3.0/4.5/6.0/7.5/9.0/12.0V DC, 3.6VA
6 x output interchangeable plugs
2.5/3.5/5.0x2.1/5.5x2.5/3.5x1.35/5.5x1.5

AC DC PLUG IN

CODE	N°	MODEL	PACK	BOX
GV300S	954	300mA	1pc/3	10

Regulated power adaptors with output voltage selected by slide switch.

Output voltage:
3.0/4.5/6.0/7.5/9.0/12.0V DC, 3.6VA
6 x output interchangeable plugs
2.5/3.5/5.0x2.1/5.5x2.5/3.5x1.35/5.5x1.5

AC DC PLUG IN

Power adaptor 220V

CODE	N°	MODEL	PACK	BOX
DU12V2U1	6137		1pc/4	10

2 Cigarette ports
2 USB ports power charger

dual cigarette outlet sockets/ 2xUSB type "A" Jack
iPOD/MP3 player/PDA/etc. USB power supplier
DC/DC Converter ready for Car, Camper, etc.
Cigarette plug: Input Voltage: 12-24 V
Output Voltage: 12V/5A
USB: Output Voltage: 5V/1000mA max

Battery Charger



We link emotions

Battery Charger

CODE	N°	MODEL	PACK	BOX
A700MH	5213	AAA/700mA	4pc/1	25
A2600MH	6010	AA/2600mA	4pc/1	20

Mod.A700MH-Ni/MH 1,2V
Mod.A700CD-Ni/Cd 1,2V

Mod.A2300MH-Ni/MH 1,2V
Mod.A2600MH-Ni/MH 1,2V

CODE	N°	MODEL	PACK	BOX
GCCH250	949	200mA	1pc/3	10

Compact battery charger for 2 or 4 Ni-Cd or Ni-MH rechargeable AA or AAA batteries.

The red led shows the charging process.
Plug 10A 230V – 50Hz 12W

PLUG IN

CODE	N°	MODEL	PACK	BOX
GRCH946	946	800mA	1pc/4	10

Fast battery charger with V detection to prevent overcharging of Ni-Cd or Ni-MH rechargeable batteries. Switcher for the simultaneous charge of 2 or 4 AA 1,2V batteries. The led shows the charge mode, fast charge or trickle.
Power supplied both by 220V power adaptor and 12V DC car plug.

	AA
Normal charge	800mA
Trickle charge	80mA

Dimensions :127x72x54mm
4 x 2300* mAh Ni-MH rechargeable batteries included

CIGARETTE PLUG

FAST CHARGER

CODE	N°	MODEL	PACK	BOX
GRT947	947	200mA	1pc/4	10

150mA- Universal Battery Charger
For Ni-Cd/Ni-MH AA/AAA/9V Block rechargeable Batteries
Two LEDs show the charging process of its corresponding charging slot
With 10 A standard Plug, 230 V AC, 50 Hz

PLUG IN

CODE	N°	MODEL	PACK	BOX
GRB961	961	Carica batterie	1pc/3	10

Compact battery charger. Manual selection of the type of batteries to be recharged: Ni-Cd or Ni-MH.
RECHARGEABLE BATTERIES NOT INCLUDED.

Ni-CD: AAA 40mA - AA 60mA
Ni-MH : AAA 60mA - AA 120mA

CIGARETTE PLUG

CODE	N°	MODEL	PACK	BOX
GRCH945	945	800mA	1pc/4	10

Fast battery charger with V detection to prevent overcharging of Ni-Cd or Ni-MH rechargeable batteries. Switcher for the simultaneous charge of 2 or 4 AA 1,2V batteries. The led shows the charge mode, fast charge or trickle.
Power supplied both by 220V power adaptor and 12V DC car plug.

Normal charge 800mA
Trickle charge 80mA
Dimensions :127x72x54mm

CIGARETTE PLUG FAST CHARGER

Battery Charger

CODE	N°	MODEL	PACK	BOX
GCCH250B	952	200mA	1pc/3	10

Compact battery charger for 2 or 4 Ni-Cd or Ni-MH rechargeable AA batteries.

The package includes four 2100 mA NI-MH rechargeable batteries.

The red leds show the charging process.
Plug 10A 230V – 50Hz 12W

PLUG IN

CODE	N°	MODEL	PACK	BOX
GRCH948	948	AA+AAA	1pc/4	10

Fast battery charger with V detection to prevent overcharging of Ni-Cd or Ni-MH rechargeable batteries. Switcher for the simultaneous charge of 2 or 4 AA or AAA batteries. Discharge and memory refresh function.
Power supplied both by 220V power adaptor and 12V DC car plug.

Normal charge: AA 800mA - AAA 300mA
Trickle charge : AA 80mA - AAA 30mA
Dimensions :127x78x54mm

CIGARETTE PLUG

PLUG IN

Power adaptor 12V

We link emotions

Power adaptor 12V

CODE	N°	MODEL	PACK	BOX
PINV150	2615	150W	1pc/105	5

DC/AC Converter - Input voltage: 12 V

The Power Inverter can convert the direct current into alternating current, enabling to give 220 V mains supply to common electrical home appliances when only 12 V battery current is available.
- Discharged battery signal with automatic switch off.
- Overheating and overvoltage protection
- High rise power
- Stable output voltage, without interferences.

- Output power : 150W
- Input voltage: DC 10,5V – 15V
- Output voltage: AC 230V
- Output frequency: 50Hz

DC AC

CODE	N°	MODEL	PACK	BOX
G12-800	967	800mA	1pc/3	10

Universal IC Switching Regulated DC/DC Converter
Thermal, Short Circuit and Overload Protection
Input voltage: 12-13.8 VDC - Output Current: 800 mA (max)
Output Voltage: 1.5/3.0/4.5/6.0/7.5/9.0/12.0 VDC

DC DC

PLUG IN

CODE	N°	MODEL	PACK	BOX
GV500CIG	5920	500mA	1pc/3	5
GV800CIG	6223	800 mA	1pc/3	10

Compact power supplier with cigarette lighter.
Useful and needed to the use of 12V power adaptors for the car when you are at home or in the office, using the 220 V electricity network.
Plug 10A 230V – 50Hz 12W

5920 - 12V DC - 500mA
6223 - 12V DC - 800mA

ALIMENTATORE STABILIZZATO

AC DC

PLUG IN

CODE	N°	MODEL	PACK	BOX
MSTRAVEL	876	NO FUSE	1pc/1	10

MULTI-NATION TRAVEL PLUGS

Multination Travel Plugs Adapter
Max Power: 2500W 250VAC / 1875W 125VAC
Dimensions: 80x45x40 mm - Travel size
Led indicate adaptor is power-supplied
Certified IEC 608841 - IEC 60884-2-5



CODE	N°	MODEL	PACK	BOX
M2TRAVB	6145	WITH FUSE	1pc/1	10

MULTI-NATION TRAVEL PLUGS

Multination Travel Plugs Adapter
Max Power: 1380W 230VAC
Dimensions: 60x65x55 mm - Travel size
Led indicate adaptor is power-supplied
6A Fuse inside for max protection

CODE	N°	MODEL	PACK	BOX
PCONV100	6108	100W	1pc/4	8

110V/220V - 100W VOLTAGE CONVERTER

This voltage converter is designed for use by those who are using 100-120V appliances in countries which provides 200-240V mains voltage.
This unit can be used for appliances with power of up to 100W
Input Voltage: 200-240VAC - Output Voltage: 100-120VAC
Maximum Load: 100W

MULTIME

EDIA 5

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

PC Kabel

Serial Printer Cables	256
Monitor Cables	262
Keyboard Cables	266
FDD-CD ROM Cables	268
Serial Cables	270
Power Cables	272
Network Cables	276
USB Cables	280
Fire Wire Cables	286

We link emotions

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Serial Printer Cables

We link emotions

Serial Printer Cables

CODE	N°	MODEL	PACK	BOX
RMO2409	2409	MD9 F/ DB25 F	1pc/1	10
RMO2408	2408	MD9 F/ DB25 M	1pc/1	20
RMO2407	2407	MD9 M/ DB25 F	1pc/1	20
RMO2406	2406	MD9 M/ DB25 M	1pc/1	20

Mouse Adapter and AT Modem



CODE	N°	MODEL	PACK	BOX
RMO2404	2404	MD6 F/ DB9 F	1pc/1	20
RMO2402	2402	MD6 F/ DB9 M	1pc/1	20
RMO2403	2403	MD6 M/ DB9 F	1pc/1	20
RMO2401	2401	MD6 M/ DB9 M	1pc/1	20

PS/2 Mouse Adapter



CODE	N°	MODEL	PACK	BOX
CRS2037	2037	1,80m	1pc/13	20

Modem Serial Connecting Cable
DB 9 pin plug / DB 9 pin plug
9 Conductors - Pin to Pin

CODE	N°	MODEL	PACK	BOX
CRS2033	2033	1,80m	1pc/13	20

Null Modem Connecting Cable
DB 9 pin F / DB 9 pin F
2464/28AWG-Gold Plated Pins
Professional Molding Connectors

CODE	N°	MODEL	PACK	BOX
CRS2036	2036	1,80m	1pc/13	20

Modem Serial Connecting Cable
DB 9 pin jack / DB 9 pin plug
9 Conductors - Pin to Pin

CODE	N°	MODEL	PACK	BOX
CRS2038	2038	1,80m	1pc/13	20

Modem Serial Connecting Cable
DB 9 pin jack / DB 25 pin plug
UL 2464/28AWG-Gold Plated Pins
Professional Molding Connectors

CODE	N°	MODEL	PACK	BOX
CRS2039	2039	1,80m	1pc/13	10

Modem Serial Connecting Cable
DB 25 pin jack / DB 9 pin plug
UL 2464/28AWG-Gold Plated Pins
Professional Molding Connectors



CODE	N°	MODEL	PACK	BOX
CLL2051	2051	1,80m	1pc/13	20

Lap link cable - 11 wires
For data transfer via parallel port
Cable end DB25-M / DB25-M
Cast shockproof caps-Golded pins

CODE	N°	MODEL	PACK	BOX
CRS2028	2028	1,80m	1pc/3	10

Lap link cable - 11 wires
For data transfer via parallel port
Cable end DB25-F / DB25-F
Cast shockproof caps-Golded pins

CODE	N°	MODEL	PACK	BOX
CRS2043	2043	1,80m	1pc/3	20
CRS2044	2044	1,80m	1pc/3	20

Modem Serial Connecting Cable
DB 9 pin jack / DB 25 pin plug
UL 2464/28AWG-Gold Plated Pins
Professional Molding Connectors



Serial Printer Cables

CODE	N°	MODEL	PACK	BOX
CRS2029	2029	1,80m	1pc/3	10

Modem Serial Connecting Cable + Adapter
DB 25 pin jack / DB 9 pin plug
Professional Molding Connectors



CODE	N°	MODEL	PACK	BOX
CLL2053	2053	1,80m	1pc/3	10

Lap link cable - 11 wires + adapters
For data transfer via parallel port
Cast shockproof caps-Golded pins



CODE	N°	MODEL	PACK	BOX
CST2006	2006	3,0m	1pc/4	20
CST2007	2007	5,0m	1pc/4	10
CST2008	2008	7,0m	1pc/4	10

Reference Parallel - Printer Connecting Cable
DB 25 pin Sub D plug / 36 pin Centronics plug
High-Quality shield for excellent noise rejection
Professional Molding Connectors-25 conductors

CODE	N°	MODEL	PACK	BOX
CRS2022	2022	1,8m	1pc/3	10
CRS2023	2023	3,0m	1pc/3	10
CRS2024	2024	5,0m	1pc/3	10

Modem cable-25 wires-Pin to Pin
For data transfer via serial port
Cable end DB25-M / DB25-M
Cast shockproof caps-Golded pins

CODE	N°	MODEL	PACK	BOX
CRS2026	2026	1,8m	1pc/3	10
CRS2027	2027	3,0m	1pc/3	10

Lap link cable - 11 wires
For data transfer via parallel port
Cable end DB25-F / DB25-M
Cast shockproof caps-Golded pins

CODE	N°	MODEL	PACK	BOX
MGC2431	2431	DB9 F/DB9 F	1pc/1	20
MGC2430	2430	DB9 M/DB9 M	1pc/1	20
MGC2441	2441	HDDB15 F/ HDDB15 F	1pc/1	20
MGC2440	2440	HDDB15 M/ HDDB15 M	1pc/1	20
MGC2436	2436	DB25 M/DB25 M	1pc/1	20

Adapter Mini gender changers

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Monitor Cables

We link emotions

Monitor Cables

CODE	N°	MODEL	PACK	BOX
CEL5545	5545	1,8m	1pc/13	20
CEL5546	5546	5,0m	1pc/3	10

MULTIMEDIA CABLES

CODE	N°	MODEL	PACK	BOX
CEL5548	5548	2,0m	1pc/13	20
CEL5549	5549	5,0m	1pc/4	10

MULTIMEDIA CABLES



CODE	N°	MODEL	PACK	BOX
CMN2073	2073	1,8m	1pc/13	10
CMN2076-3	2076	3,0m	1pc/13	10
CMN2077-5	2077	5,0m	1pc/3	10

VGA Monitor connecting Cable
DB 15 pin plug / DB 15 pin plug
15 Conductors - Pin to Pin - with ferrite



CODE	N°	MODEL	PACK	BOX
CMN2070	2070	1,8m	1pc/13	20
CMN2071	2071	3,0m	1pc/13	20

VGA Monitor connecting Cable



CODE	N°	MODEL	PACK	BOX
CMN2075	2075	1,8m	1pc/13	20
CMN2072	2072	3,0m	1pc/13	20
CMN2074	2074	5,0m	1pc/3	10

VGA Monitor extension Cable
DB 15 pin jack / DB 15 pin plug
16 Conductors - Pin to Pin
Molding Connectors - Golded Pins



CODE	N°	MODEL	PACK	BOX
RG59	2297	100m	1pc	1

Coaxial Shilded Cable RG59

CODE	N°	MODEL	PACK	BOX
RDB2429	2429	Femmina	1pc/1	20
RDB2428	2428	Maschio	1pc/1	20

DB15HD Metal Plug-Long fixing screws
For cable diametre up to 8 mm

CODE	N°	MODEL	PACK	BOX
RDB2427	2427	Femmina	1pc/1	20
RDB2426	2426	Maschio	1pc/1	20

DB15HD Plug-Long fixing screws
For cable diametre up to 8 mm

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Keyboard Cables

We link emotions

Keyboard Cables

CODE	N°	MODEL	PACK	BOX
RTS2115	2115		1pc/1	20
RTS2116	2116	MDIN6 M / DIN5 F	1pc/1	20

Keyboard/Mouse PS2 Connecting Cables
UL 2919/135(S)7/0.127TA - 6 CONDUCTORS+AeB
Moulded Caps & Shielded Connectors



CODE	N°	MODEL	PACK	BOX
CTS2113	2113	1,8m	1pc/13	10
CTS2111	2111	5,0m	1pc/13	10
CTS2112	2112	5,0m	1pc/13	10

Keyboard/Mouse PS2 Connecting Cables
UL 2919/135(S)7/0.127TA - 6 CONDUCTORS+AeB
Moulded Caps & Shielded Connectors



CODE	N°	MODEL	PACK	BOX
CTS2110	2110	1,8m	1pc/13	20

Keyboard/Mouse PS2 Connecting Cables
UL 2919/135(S)7/0.127TA - 6 CONDUCTORS+AeB
Moulded Caps & Shielded Connectors

FDD-CD ROM Cables

We link emotions

FDD-CD ROM Cables

CODE	N°	MODEL	PACK	BOX
ATA2719	2719	0,2m	1pc/13	10

Y" FDD Power Supply cable
8xconductors - 3xconnectors
1 x FDD 5"1/4 Plug
2 x SATA150 Plugs

CODE	N°	MODEL	PACK	BOX
CFD2201	2201	0,2m	1pc/13	20

"Y" FDD Power Supply cable
4xconductors - 3xconnectors



Serial Cables

We link emotions

Serial Cables

CODE	N°	MODEL	PACK	BOX
CFD2711	2711	0,3m	1pc/13	20
CFD2710	2710	0,5m	1pc/13	20

Y" FDD Power Supply cable
8xconductors - 3xconnectors
1 x FDD 5"1/4 Plug
2 x SATA150 Plugs



CODE	N°	MODEL	PACK	BOX
SATA3236	3236	1,5m	1pc/3	10

High-Speed External Esata Connecting Cable
Robust and user friendly external connection
Maximum speed rate 3 Gbps
Applications: External Direct Attached Storage for notebooks, desktop, consumer electronics and entry servers

CODE	N°	MODEL	PACK	BOX
ATA2717	2717	0,6m	1pc/4	10
ATA2718	2718	0,8m	1pc/4	10

ATA 133 round twisted series cable
Connectors: 3 x IDC Jacks - 40 conductors
Possibility to use in high frequences
High performance and flexibility

CODE	N°	MODEL	PACK	BOX
ATA2712	2712	0,6m	1pc/13	20
ATA2713	2713	0,8m	1pc/13	20

Serial ATA 150 Connecting Cable - For Hard Disk
Professional data transfer support up to 150 Mbyte/s
High-Quality shield for excellent noise rejection
2xSATA 150 7-pol. Jacks - Golded Plated 24 K Pin

ATA SERIAL

Power Cables

We link emotions

Power Cables

CODE	N°	MODEL	PACK	BOX
AL2208S	398	1,0-3,0m	1pc/13	20
AL2208R	401	1,0-3,0m	1pc/13	20

Two Poles Power Supply Cord 2 x 0,75 mm²
1 x European Plug type 2,5 A - 220V
1 x Molded double slot socket
For Radiorecorder, Compact Systems etc

CODE	N°	MODEL	PACK	BOX
AL220IQ	410	1,8m	1pc/13	20

Power Supply cable for Compaq - iMac Notebook
1 x Italian plug AC 10 A - 250 V + Earth
1 x 3-pol. Socket AC 10 A, 250 V + Earth
Core thickness 3 x 0,75 mmq - H05VVF

CODE	N°	MODEL	PACK	BOX
AL220FB	364	1,8m	1pc/13	20

Power supply cable
Socket AC 10 A 250V+ earth
Socket AC 10A 250V+ earth
Core thickness 3 x 0,75mmq - H05VVF

CODE	N°	MODEL	PACK	BOX
AL220CB	399	1,8m	1pc/13	20
AL230CB	409	3,0m	1pc/13	20

Power supply cable for computer and monitor
Italian plug 10 A+earth
Socket AC 10A 250V+earth
Core thickness 3 x 0,75mmq - H05VVF

CODE	N°	MODEL	PACK	BOX
AL220SK	393	1,8m	1pc/13	20

Power supply cable for computer and monitor
Schuko plug 10 A
Socket AC 10A 250V+earth
Core thickness 3 x 0,75mmq - H05VVF

CODE	N°	MODEL	PACK	BOX
AL220C90B	6219	1,8m	1pc/13	0

Power supply cable for computer and monitor
Italian plug 10 A+earth
Socket AC 10A 250V+earth angle 90°
Core thickness 3 x 0,75mmq - H05VVF



CODE	N°	MODEL	PACK	BOX
AL2208B	400	1,8m	1pc/13	20
AL2308B	408	3,0m	1pc/13	20

Two Poles Power Supply Cord 2 x 0,75 mm²
1 x European Plug type 2,5 A - 220V
1 x Molded double slot socket
For Radiorecorder, Compact Systems etc

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Network Cables

We link emotions

Network Cables

CODE	N°	MODEL	PACK	BOX
S45100	2260	1,0m	1pc/13	20
S45200	2261	2,0m	1pc/13	20
S45300	2262	3,0m	1pc/13	20
S45500	2263	5,0m	1pc/13	20
S451000	2265	10,0m	1pc/4	10
S451500	2266	15,0m	1pc/4	10

Enhanced CAT 5 Patch Cable FTP
Al-Foil Shilded Lan net 100 Mhz patch cable
RJ45 - 8p8c Plug / RJ45 - 8p8c Plug
Pin to Pin Connection-Molded connectors
Shielded

CATEGORY 5

CODE	N°	MODEL	PACK	BOX
CAT6L02	3383	2,0m	1pc/13	10
CAT6L03	3384	3,0m	1pc/13	10
CAT6L05	3385	5,0m	1pc/13	10
CAT6L07	3386	7,0m	1pc/4	10
CAT6L10	3215	10,0m	1pc/82	10
CAT6L15	3216	15,0m	1pc/82	10
CAT6L20	3217	20,0m	1pc/82	10
CAT6L30	3218	30,0m	1pc/82	10

Cat 6, short for Category 6, is a standard cable standard used mainly for Ethernet computer networking, security systems, and telephone services. Cat 6 cable is backward compatible with the Cat 5, Cat 5E, and Cat 3 cable standards. Category 6 cable is capable of transmitting voice and data

CATEGORY 6

CODE	N°	MODEL	PACK	BOX
U45200CR	2259	2,0m	1pc/13	20
U45300CR	2249	3,0m	1pc/13	20
U45500CR	2258	5,0m	1pc/13	20

Enhanced CAT 5 Patch Cable UTP
Al-Foil not shilded Lan net 100 Mhz cable
RJ45 - 8p8c Plug / RJ45 - 8p8c Plug
Cross Over Connection-Molded connectors

CATEGORY 5

CODE	N°	MODEL	PACK	BOX
U45100	2250	1,0m	1pc/13	20
U45200	2251	2,0m	1pc/13	20
U45300	2252	3,0m	1pc/13	20
U45500	2253	5,0m	1pc/13	20
U45700	2254	7,0m	1pc/4	10
U451000	2255	10,0m	1pc/4	10
U451500	2256	15,0m	1pc/4	10

Enhanced CAT 5e Patch Cable UTP
Al-Foil not shilded Lan net 100 Mhz cable
RJ45 - 8p8c Plug / RJ45 - 8p8c Plug
Pin to Pin Connection-Molded connectors

CATEGORY 5e

CODE	N°	MODEL	PACK	BOX
SRE2191	2191	32 BIT	1pc/0	10

Ethernet PCI network interface card
Transfer rate: 10/100 Mbps
Fast Ethernet IEEE8023 and IEEE802.3u 10Base-TX
Compatible with the most important Lan protocols
This card allows you to link to databases, share printers, scanners and other peripherals in office or at home

CODE	N°	MODEL	PACK	BOX
FEU2189	2189	5 PORTE	1pc/0	1

LAN HUB - 5 PORTS



CODE	N°	MODEL	PACK	BOX
PZA2294	2294	8P/8C-RJ45	1pc/4	1

Professional stripping
Crimping modular plugs RJ45 - METAL MODEL



CODE	N°	MODEL	PACK	BOX
RJ250	2271	305m	1pc	1

Enhanced CAT 5 Cable for UTP LAN
Unshielded

4 pairs - UNSCHIELDED CABLES
24 AWG-PVC JACKET



Network Cables

CODE	N°	MODEL	PACK	BOX
RJ45R	2281	Non Schermato	1pc/1	20
RJ45S	2280	Schermato	1pc/1	20

LEVEL 5 SHIELDED CONNECTORS
Golded Plated Pins-For round cables



USB Cables

We link emotions

USB Cables

CODE	N°	MODEL	PACK	BOX
DUPLIUSB	3353	1,8m	1pc/13	10

USB 2.0 Y-cable 2x USB A Male to Mini USB-B Male
For the operation of external hard disks (with mini USB-B connection) for which a standard cable with USB plug is not enough for the power supply

ATTENTION: Both A-plugs must be connected to the same computer!

MINI
CONNECTOR

CODE	N°	MODEL	PACK	BOX
USBMI060	3355	0,6m	1pc/13	10
CUS2542	2542	1,8m	1pc/13	20
CUS2543	2543	3,0m	1pc/13	20

High Speed USB 2.0 Connecting Cable
Double Shield-2x28AWG Wires+2xPower
Certified maximum speed rate up to 480 Mbps
1xUSB Plug type A -1xPlug type USB-MINI-B M

MINI
CONNECTOR

USB 2,0

CODE	N°	MODEL	PACK	BOX
USB30180	3233	1,8m	1pc/3	10
USB30300	3234	3,0m	1pc/3	10

SuperSpeed USB 3.0 Connecting Cable
Transfer Rate?SuperSpeed 4.8 Gbps (around 600Mb/second)
Shielded Twisted Pair (STP) used for USB 3.0
Cable Connections?USB A Male - USB A Male A

USB 3,0

CODE	N°	MODEL	PACK	BOX
CUS2539	2539	0,7m	1pc/13	10
CUS2541	2541	1,8m	1pc/13	20
CUS2540	2540	3,0m	1pc/13	20
CUS2538	2538	5,0m	1pc/13	10

High Speed USB 2.0 Extension Cable
Double Shield-2x28AWG Wires+2xPower
Maximum speed rate 480 Mbps-Max.Lenght 5m
1xConnector typeA M-1xConnector typeA F

USB 2,0

CODE	N°	MODEL	PACK	BOX
CUS2211B	2211	1,8m	1pc/13	20
CUS2212R	2212	1,8m	1pc/13	20
CUS2218	2218	1,8m	1pc/13	10
CUS2219	2219	3,0m	1pc/13	10
CUS2220	2220	5,0m	1pc/13	10

High-Speed USB 2.0 Connecting Cable
Double Shield - 2x28AWG Wires+2xPower
Maximum speed rate 480Mbps
1xConnector type A-1xConnector type B

USB 2,0

CODE	N°	MODEL	PACK	BOX
USBMICR060	3356	0,6m	1pc/13	10
USBMICR180	3357	1,8m	1pc/13	10

High Speed USB 2.0 Connecting Cable
Double Shield-2x28AWG Wires+2xPower
Certified maximum speed rate up to 480 Mbps
1xUSB Plug type A -1xPlug type USB-MINI-B M

MICRO CONNECTOR

USB 2,0

CODE	N°	MODEL	PACK	BOX
CUH2393	2393	3,0m	1pc/13	20

High-Speed USB 2.0 Connecting Cable
Double Shield - 2x28AWG Wires+2xPower
Maximum speed rate 480Mbps-With Ferrites
1xConnector type A-1xConnector type B

USB 2,0

CODE	N°	MODEL	PACK	BOX
CUS2388	2388	1,8m	1pc/13	10
CUS2389	2389	3,0m	1pc/13	10

High-Speed USB 2.0 Connecting Cable
Double Shield - 2x28AWG Wires+2xPower
Maximum speed rate 480Mbps
1xConnector type A-1xConnector type A

USB 2,0

USB Cables

CODE	N°	MODEL	PACK	BOX
CUD2395	2395	1,8m	1pc/13	20
CUD2396	2396	3,0m	1pc/13	20

High-Speed USB 2.0 Connecting Cable
Double Shield - For Digital Photocamera
High Speed-Maximum transmitting rate 480 Mbps
1xConnector type A-1xConnector type Mini B 4 Pin

USB 2,0

CODE	N°	MODEL	PACK	BOX
CUD2397	2397	1,8m	1pc/13	20
CUD2398	2398	3,0m	1pc/13	20

High-Speed USB 2.0 Connecting Cable
Double Shield - For digtal Photocamera
High Speed - Maximum transmitting rate 480 Mbps
1xConnector type A-1xConnector type Mini B 8 Pin

USB 2,0

CODE	N°	MODEL	PACK	BOX
CUS2218W	3378	1,8m	1pc/13	10

High-Speed USB 2.0 Connecting Cable
Double Shield - 2x28AWG Wires+2xPower
Maximum speed rate 480Mbps
1xConnector type A-1xConnector type B

USB 2,0

CODE	N°	MODEL	PACK	BOX
RSB2461	2461	USB A F-USB A F	1pc/1	20
RSB2459	2459	USB A F-USB B F	1pc/1	20
RSB2458	2458	USB A F-USB B M	1pc/1	20
RSB2457	2457	USB A M-USB B F	1pc/1	20
RSB2463	2463	USB B F-USB B F	1pc/1	20
RSB2464	2464	USB A F-PS2 6P	1pc/1	20



Full Range of USB connectors

CODE	N°	MODEL	PACK	BOX
RSBNK96	3231	MICRO USB M / MINI USB F	1pc/1	10

Mini USB (female) to Micro USB (male) Adapter
Allows you to use your Mini USB chargers, Mini USB data cables and Mini USB audio devices with your digital devices (mobile phone, digital camera, video camera) provided with Micro USB port

CODE	N°	MODEL	PACK	BOX
CMUSBMF	3237	USB-A F/USB-B Mini M	1pc/1	10

USB (female) to Mini USB (male) Adapter
Allows you to use your USB chargers, USB data cables and USB audio devices with your digital devices (mobile phone, digital camera, video camera) provided with Mini USB port

CODE	N°	MODEL	PACK	BOX
CUS2187	2187	1,0m	1pc/3	10

USB to Ethernet PCI 10/100 Mbps adaptor

Allows to connect your PC through USB port to Ethernet.
Data transfer rate : 10/100 Mbps
Network protocol : IEEE 802.3 Ethernet
Compatible Windows 98/2000/XP

CODE	N°	MODEL	PACK	BOX
CSU2018	2018	1,0m	1pc/3	10

USB to Parallel Converter-Transfer

USB to Parallel Converter-Transfer data rate 230 kbps
For connection from Personal Computer to Printer
Compatible with Windows 95, 98, ME,2000, XP or VistaTM
Driver software and user's manual on CD-Rom included

USB Cables

CODE	N°	MODEL	PACK	BOX
CUS2182	2182	1,0m	1pc/3	10

USB TO DB9 CONVERTER

- For connection between PC to Modem or other devices
- 1.1 USB specification compatibility
- Support 56K Modem + RS-232 serial interface
- True Plug and Play
- Cable length 0,9m
- Transfer data rate 230K bps

Fire Wire Cables

We link emotions

Fire Wire Cables

CODE	N°	MODEL	PACK	BOX
HSF2154	2154	1,8m	1pc/13	20

Advanced DV Firewire IEEE1394B Connecting Cable
Professional data transfer support up to 800 Mbps
High-Quality shield/conductors for excellent noise rejection
Accurate data transfer-Professional 9Pin and 9Pin plugs

CODE	N°	MODEL	PACK	BOX
HSF2156	2156	1,8m	1pc/13	20

Advanced DV Firewire IEEE1394A/1394B Connecting Cable
Professional data transfer support up to 400 Mbps
High-Quality shield/conductors for excellent noise rejection
Molded Plugs DV-9 Pin IEEE1394B / DV-4 Pin IEEE1394A

CODE	N°	MODEL	PACK	BOX
FWH2198	2198	1,8m A6P / A6P	1pc/3	20
FWH2199	2199	1,8m A6P / B4P	1pc/3	20
FWH2200	2200	1,8m B4P / B4P	1pc/3	20
FWH2094	2094	3,0m A6P / A6P	1pc/3	10
FWH2096	2096	3,0m A6P / B4P	1pc/3	10
FWH2099	2099	3,0m B4P / B4P	1pc/13	10
FWH2101	2101	3,0m A / B 90 °	1pc/13	20
FWH2095	2095	4,5m A6P / A6P	1pc/3	10
FWH2097	2097	4,5m A6P / B4P	1pc/3	10
FWH2100	2100	4,5m B4P / B4P	1pc/13	20
FWH2102	2102	4,5m A / B 90 °	1pc/3	10



CODE	N°	MODEL	PACK	BOX
FW2235	2235	3,0m A6P / A6P	1pc/13	20
FW2239	2239	3,0m A6P / B4P	1pc/3	10
FW2244	2244	3,0m B4P / B4P	1pc/13	20
FW2236	2236	4,5m A6P / A6P	1pc/3	10
FW2240	2240	4,5m A6P / B4P	1pc/3	20
FW2245	2245	4,5m B4P / B4P	1pc/4	10

Advanced DV Firewire IEEE1394 Connecting Cable
Professional data transfer support up to 400Mbps-With Ferrites



CODE	N°	MODEL	PACK	BOX
HSF2155	2155	1,8m	1pc/13	20

Advanced DV Firewire IEEE1394A/1394B Connecting Cable
Professional data transfer support up to 400 Mbps
High-Quality shield/conductors for excellent noise rejection
Molded Plugs DV-9 Pin IEEE1394B / DV-6 Pin IEEE1394A

CODE	N°	MODEL	PACK	BOX
FWC2328	2328	1,8m	1pc/1	20

IEEE 1394 Adapters
FireWire A Female-B Male

CODE	N°	MODEL	PACK	BOX
FCB2195	2195	3 porte	1pc/13	10

PMCIA CardBus adapter IEEE 1394 - Three inputs
Studied for a specific use with Notebook so that to be able to exploit the best speed of the 1394 products. Allow the exchange of data up to 400Mbps (50MB/Sec) rate.
Installation Plug&Play. With the use of FCB2195 your notebook can connect to all the Digital device that use the IEEE1394 standard. For device that foresees an elevated consumption (HDD FireWire type) it is possible to use an optional external DC12V power supply from at least 500mA of power.
It's better the use of switching type power supply such as the our code GSW12 regulated on tension of 12V exit.
All Windows® compatible.

CODE	N°	MODEL	PACK	BOX
FWC2330	2330	3 porte	1pc/0	10

TECHNICAL SPECIFICATIONS
- IEEE 1394 FireWire Card
- Allows the connection of Digital Video Camera and other device provided of IEEE 1394 interface
- 3 IEEE 1394 ports up to 100/200/400 Mbpses rate
- Easy Plug & Play installation
- Perfect integration for DV Camcorder with PC or MAC
- Compatible Windows®98/2000 / XP - MAC OS 8.6 or higher

3 x IEEE 1394 type A ports

Code FWC2330K - KIT includes one Card code 2326
- ULEAD Software + one FireWire Cable length 1,8m

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

PC Accessories

FireWire- USB-DB15 Gold Cables	292
USB Accessories	296
Lights and Webcam	300
VOIP Accessories	302
Laptop Power Supply	304
Keyboard and Mouse	306
Mouse Pad	308
Multimedia Speakers	310
Headphone and Microphone	312
	318



We link emotions

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

FireWire- USB-DB15 Gold Cables

We link emotions

FireWire- USB-DB15 Gold Cables

CODE	N°	MODEL	PACK	BOX
FWG2128	2128	1,8m	1pc/4	10
FWG2131	2131	1,8m	1pc/4	10
FWG2132	2132	3,0m	1pc/4	10

Advanced DV Firewire IEEE1394 High Speed Connecting Cable
Professional data transfer support up to 400 Mbps
Accurate data transfer
High-Quality shield/conductors and ferrite nucleus for excellent noise rejection
Professional 24K Gold Plated 6Pin and 4Pin plugs
Max attenuation<5.8 Db

CODE	N°	MODEL	PACK	BOX
HSD2147	2147	1,8m	1pc/4	10

MULTIMEDIAL CABLES FOR NOTEBOOK
High Quality Audio-Video Multimedia Cable for external TV / Monitor
Ready for high-speed digital Audio connection/Video SVHS and composite RCA
7 PIN Multimedia Plug - Output : Audio Digital / SVHS 4PIN+Composite Video
For Notebook with 7PIN socket and use with external TV as Monitor

CODE	N°	MODEL	PACK	BOX
NFA2561	2561	10 mm	2pc/1	20
NFA2562	2562	13 mm	2pc/1	20
NFA2560	2560	6,5 mm	2pc/1	20

Ferrite Nucleus for digital connection
Diameter 8 / 10 / 13 mm Ø - Clip Fixing system.

CODE	N°	MODEL	PACK	BOX
CUG2152	2152	1,8m	1pc/13	20

High Speed USB 2.0 Professional Cable
Double Shield-2x28AWG Wires+2xPower
Maximum speed rate 480 Mbps-Max.Lenght 5m
24K gold plated pins

CODE	N°	MODEL	PACK	BOX
DB15X2	3235	0,25m	1pc/3	10

• VGA Splitter Cable - 1 x VGA Male / 2 x VGA Female
• Allows to connect two monitors with VGA Input to a PC with a VGA graphics card
• Allows the simultaneous display of the video signal on both monitors
Attention: both monitors have to be able to support the same video resolution

CODE	N°	MODEL	PACK	BOX
HDD2347	2347	1,8m	1pc/4	10
HDD2348	2348	5,0m	1pc/4	10
HDD2349	2349	10,0m	1pc/4	10
HDD2350	2350	15,0m	1pc/65	5

DB15HD REFERENCE MONITOR CABLE
Especially PC High-Power Line dedicated and enveloped for high-level
connecting solutions, between Video PC output to Monitor/ LCD/Plasma
Single shielded 75OHM Impedance Video conductors using LC-OFC copper
HQ dielectric-Professional image and colors definition
24K Gold Plated
External Shield + Ferrite Cores for a perfect rejection to RFI/EMI

CODE	N°	MODEL	PACK	BOX
HDB2144	2144	1,8m	1pc/4	10
HDB2145	2145	5,0m	1pc/4	10
HDB2146	2146	10,0m	1pc/4	5

High-Power Line cable for a PC video output going to Monitor/ LCD/Plasma screen

- Single shielded 75OHM Impedance Video conductors using LC-OFC copper
- HQ dielectric-Professional image and color definition
- 24K Gold Plated
- External Shield + Ferrite Cores for a perfect rejection to RFI/ EMI interference

CODE	N°	MODEL	PACK	BOX
VGD2683	2683	8 Vie	1pc/0	1

VGA MONITOR SPLITTER
The 1:8 VGA Hub allows a computer with a VGA graphic card to be connect to up to four VGA compatible monitors or projectors at the same time. Since it allows one computer to drive multiple monitors for simultaneous viewing, you can use it to set up additional monitors in the workspace, or to assist presentation environments by sending graphics to both monitors and projectors at the same time.

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

USB Accessories

We link emotions

USB Accessories

CODE	N°	MODEL	PACK	BOX
ULC2237	2237	1,8m	1pc/3	10
ETCVISTA	3183	2,4m	1pc/3	10

Easy Transfer Cable -USB 2.0 certified-Higher Bandwidth
For data communication between PC-Transfer data rate 480 Mbps
Easy to install - Plug&Play - No needs software
Transfers: User accounts, Files and folders, Program data files and settings, Email messages-settings-contacts, Photos, Music, Videos, Windows settings, Internet settings

COMPATIBILITY: Windows® 98, ME, 2000, XP or VISTA/WIN7

USB 2,0

CODE	N°	MODEL	PACK	BOX
USM2549	2549	52/1	1pc/13	10

USB Card Reader/Writer

USB 2.0 Card Reader/Writer - Powered by USB link
Ready to read CFC, Smart MC, Multi Media Card, Secure digital Card,
Micro drive IBM, Memory Stick, Memory Stick Pro and Memory Stick Duo
For Windows 98 or higher systems and Mac 8.0 or higher systems

CODE	N°	MODEL	PACK	BOX
UBT2179	2179	2.4 GHz	1pc/13	10

Ultra Small BLUEtooth 2.0® USB Adapter - Supporting 2.4 GHz FHSS
10 meter coverage area
Data transfer rate up to 3 Mbps
Ready for data transfer (photos, films and files) between PC and PDA
or mobile phone. It allows to connect to the net 1 or more PC wireless
Create a wireless connection between your notebook/PC and BLUEtooth devices

Bluetooth

CODE	N°	MODEL	PACK	BOX
UBP2178	2178	USB	1pc/0	1

BLUETOOTH USB PRINTER ADAPTER

- BLUEtooth v1.1 specification compliant
- Class 1, (LOS)
- Free transmission without impediments: max 200m
- Sensibility <-85dBM
- Supported protocols: Serial Port Profile (SPP)
- Hardcopy Cable Replacement Profile (HCRP) for printers
- Please verify printers compatibily list

CODE	N°	MODEL	PACK	BOX
UMH2206	2206	1,0m	1pc/13	10
UMH2231	2231	1,0m	1pc/3	10
UMH2268S	2268	1,0m	1pc/4	10

USB 2.0 High-Speed Mini Hub code 2231 manages up to 4 USB device.
If such device (example external CD/DVD writer etc.) requires a high absorption of electrical feeding, it is essential to use the code UMH2268S with 220V-5V DC - 2.5A power supply

CODE 2206 - New HUB compatible with the USB 2.0 High Speed protocol. Maximun speed rate 480 Mbps. Particularly suitable for the connection of devices with low power absorption. It doesn't need external feeding. Powered by the PC USB Port.

CODE	N°	MODEL	PACK	BOX
IFP2619	2619	1,2m	1pc/3	10

Infrared interface to connect and exchange data with GSM mobile phones and other devices with infrared port as Pocket PC, Joystick etc. to your computer. USB port connection, compatible IrDA 1.1/USB 1.1 / FIR 4Mbps, MIR, SIR e ASK 56Kbps

Handset Manager - USB
Windows® 98,Windows® ME e Windows® 2000
To update the software and find the user manual please visite the web site in the "driver section"

CODE	N°	MODEL	PACK	BOX
CBA3219R	3219	4 x USB	1pc/13	10

USB 2.0 Express Card Adapter - 4xUSBA"A" inputs
To connect notebook to devices with USB standard
Transfer data rate up to 480 Mbps - 32 Bit cardbus Type 2
Supports Windows 2000, ME, XP / VISTA ready / Mac 8.6, 9.x, 10.1.2, and above - True plug and play - No Driver required

CODE	N°	MODEL	PACK	BOX
CBA2142	2142	PCMCIA	1pc/13	10

USB 2.0 HI-SPEED PCMCIA CARDBUS ADAPTER
To connect notebook to devices with USB standard
USB-IF Certified and Us & FCC approved
Compatible with EHCI (USB 2.0) and OHCI (USB 1.1)
32 bit Cardbus, Type II - Transfer data rate to 1.5/12/480 Mbpses
True plug&play - For device that foresee an elevated power consumption (type HDD USB) it is possible to use an optional external power supply DC12V. Each USB port supplies 500mA power.

It adds 2 USB 2.0 Type.A ports to your laptop
Compatible Windows® 98SE/ME/2000/XP & MAC OSX

USB Accessories

CODE	N°	MODEL	PACK	BOX
CUS2229	2229	0,2m	1pc/13	20

USB ROB (Receptacle on Bracket) - Support for two type A socket with 5Pin two connectors

CODE	N°	MODEL	PACK	BOX
UPC2183	2183	4 VIE	1pc/0	10

USB 2.0 PCI HOST CARD - 4 PORT
USB 2.0 specification compliant
Transfer rate 1.5/12/480Mbps
32-bit 33MHz host interface - PCI release 2.2
Plug&Play - All Windows® compatible.

CODE	N°	MODEL	PACK	BOX
U2P2186	2186	0,3m	1pc/13	10

PS/2 Keyboard and Mouse to USB interface CONVERTER

Allows to contemporarily connect both the keyboard and the mouse to USB port
No software required

Lights and Webcam

We link emotions

Lights and Webcam

CODE	N°	MODEL	PACK	BOX
NLU2159	2159	ALLUMINIO	1pc/4	10

USB LED LIGHT
USB led light - Powered directly by USB port - With On/Off switch
Equipped of flexible neck to position the flylight anyway wished
Power saving design comes with reliable Led light - For 10000 hours of use
Durable featherweight construction and small enough for taking anywhere easily

CODE	N°	MODEL	PACK	BOX
NLU2158	2158	BLACK	1pc/3	10

USB LED LIGHT

Notebook light
Powered by USB port
Lifetime Led: 10000 h
With gum-clip and switch

CODE	N°	MODEL	PACK	BOX
UVC2951	2951	RED	1pc/4	10

USB WEBCAM

USB 1.1 Web Cam - Plug and Play USB Interface for easy installation
Low power consumption - No external power required
Image Sensor: 1/4" CMOS - Resolution: 1,3 Mega Pixels
640*480; 1280*960 (Interpolated) - On/Off button of LEDs
Driver software and user's manual on CD-ROM included

CODE	N°	MODEL	PACK	BOX
UVC3182	3182	SILVER	1pc/4	10

HIGH QUALITY USB WEBCAM

USB 1.1 Web Cam - Plug and Play USB Interface for easy installation
Coating under the transparent surface, persistent shining appearance
Image Sensor: 1/4" CMOS - Resolution: 1,3 Mega Pixels
640*480; 1280*960 (Interpolated) - Online snapshot button
Driver software and user's manual on CD-ROM included

VOIP Accessories

We link emotions

VOIP Accessories

CODE	N°	MODEL	PACK	BOX
VOIP6018W	6018	WHITE	1pc/4	10
VOIP6019B	6019	BLACK	1pc/4	10

USB Internet Phone
Compliant with SkypeTM
USB cable included in the blister: L. 1,50 m

Compatible with VoIP solution such as SkypeTM
Works as microphone & earphone with Yahoo Messenger, MSN Messenger, MS NetMeeting and etc.
Built in hot key functions to operate as a normal telephone
Easy to Carry - Echo cancellation - Buzzer for incoming call alert
Compliant with USB 1.1/2.0 - No additional power required
As a speaker to broadcast music from PC

IDEAL FOR SKYPE / MSN S

CODE	N°	MODEL	PACK	BOX
VOIP6022V	6022	BLUE	1pc/4	10

Professional USB Internet Phone with display
Compliant with SkypeTM
USB extensible cable included in the blister: L. 1,50 m

Supports most VoiP software and Messaging application such as Skype, MSN Messenger, Yahoo! Messanger, etc...
Allows you to use your broadband connection as a normal phone line
Plug and Play - No external power required - With digital display
No additional sound card, audio lines o microphone required
USB 1.1 and 2.0 compatible no need for soundcard - Echo cancellation
Ringer volume control Hi/Low/OFF

IDEAL FOR SKYPE / MSN S

Laptop Power Supply

We link emotions

Laptop Power Supply

CODE	N°	MODEL	PACK	BOX
AUNTB6FAC	3379	6000mA - 15~24V DC	1pc/4	10
AUNTB6FDC	3380	6000mA - 15~24V DC	1pc/4	10

AC DC

UNIVERSAL POWER SUPPLY FOR NOTEBOOK
120 Watt universal notebook power adapter to use as replacement or secondary power adapter at home/office
With 12 popular notebook output plugs to assure compatibility with major notebook brands
European Plug
High efficient energy saving design for lower energy cost
Also suitable for 12V LCD TV or portable hard disk drive
Input voltage: 100V-240V AC - Output Current: 6000 Ma (max)
Output Voltage: 15.0/16.0/18.0/19.0/20.0/22.0/24.0 VDC

CODE	N°	MODEL	PACK	BOX
MWN2359	2359	4500 mA	1pc/4	10
MWN3176H	3176	6000 mA	1pc/4	10

UNIVERSAL POWER SUPPLY FOR NOTEBOOK
CODE 2359
Universal Power Supply for Notebook Computer-Safety for use
With 9 popular notebook output plugs - European Plug
Input voltage: 100V-240V AC - Output Current: 4500 Ma (max)
Output Voltage: 12.0/15.0/16.0/18.0/19.0/20.0/24.0 VDC
CODE 3176
Universal Power Supply for Notebook Computer-Safety for use
With 9 popular notebooks' output plugs - European Plug
Input voltage: 100V-240V AC - Output Current: 6000 Ma (max)
Output Voltage: 15.0/16.0/18.0/19.0/20.0/22.0/24.0 VDC
With USB port (5V 2A) for charge all devices USB powered
(es. MP3 Player, PDA, Phone,etc.)

CODE	N°	MODEL	PACK	BOX
MWN2360	2360	3500 mA	1pc/4	10
MWN3010	3010	6000 mA	1pc/4	10

UNIVERSAL POWER CONVERTER FOR NOTEBOOK
CODE 2360
Universal Power Supply for Notebook Computer-Safety for use
With 9 popular notebook output plugs - Cigarette Plug
Input voltage: 11-16 VDC - Output Current: 4000 mA (max)
Output Voltage: 15.0/16.0/18.0/19.0/20.0/22.0/24.0 VDC
CODE 3010
Universal Power Supply for Notebook Computer-Safety for use
With 9 popular notebooks' output plugs - Cigarette Plug
Input voltage: 11-16 VDC - Output Current: 6000 mA (max)
Output Voltage: 15.0/16.0/18.0/19.0/20.0/22.0/24.0 VDC

Keyboard and Mouse

We link emotions

Keyboard and Mouse

CODE	N°	MODEL	PACK	BOX
MOM2950	2950	2+1 TASTI	1pc/3	10

USB MINIMOUSE

USB Optical Mini Mouse for Notebook-Luminous with BLUE Light
Three buttons- Convenient scroll wheel -Compact and lightweight
Optical precision on almost any surface: no ball, no sticking, no cleaning
Optical sensor up to 800 dpi for high speed and optimal accuracy

CODE	N°	MODEL	PACK	BOX
MSW2673	2673	2+1 TASTI	1pc/0	10

SCROLLING MOUSE

Speedy movement for game players and Web browers PS/2 conncection
Shourtcuts for time saving browsing and closing

600/800 DPI
Micro Switch
Scrolling function
Works in Windows 95, 98, 200, XP, Vista, etc…

USB Female/PS2 Male adapter included

CODE	N°	MODEL	PACK	BOX
TSW2661	2661	MULTIMEDIA	1pc/0	20
TSW2662	2662	TASTIERA	1pc/0	20

Professional Keyboard
Internet & Multimedia
WindowsXP® compatible

Mouse Pad



We link emotions

Mouse Pad

CODE	N°	MODEL	PACK	BOX
CPS2720	2720	PORTA CPU	1pc/106	1

ADJUSTABLE CPU SUPPORT

CPU support let you move the CPU off the work surface, freeing up valuable space and getting the unit out from under the monitor.

CODE	N°	MODEL	PACK	BOX
HGP2781	2781	MOUSE PAD	1pc/2781	10

GEL ERGONOMIC PAD

Helps to distribute pressure more evenly with super-soft gel cushion
Universal size fits all keyboards and mouse
Prevents wrist illness caused by working for long time on yours PC keyboard
Offers silky smooth fabric and a nonslip base

CODE	N°	MODEL	PACK	BOX
HMP2778	2778	BLUE	1pc/4	20
HMP2773	2773	GREY	1pc/4	20
HMP2774	2774	GREY	1pc/4	20
HMP2777	2777	BLACK	1pc/4	20
HMP2776	2776	RED	1pc/4	20
HMP2775	2775	GREEN	1pc/4	20

COLORED MOUSE PAD

- Dimensions: 220x180x4mm

CODE	N°	MODEL	PACK	BOX
HMP3179	3179	AQUILA	1pc/2781	20
HMP3177	3177	CANI	1pc/2781	20
HMP3178	3178	GATTI	1pc/2781	20
HMP3180	3180	ISOLA	1pc/2781	20
HMP3181	3181	CANI 2	1pc/2781	20

MOUSE PAD

- Very thin mouse pad with soft fabric surface
- Particularly suitable for optical mice
- Antistatic
- Non-slip base
- Dimensions: 220x180x3mm

Multimedia Speakers

We link emotions

Multimedia Speakers

CODE	N°	MODEL	PACK	BOX
ASC2732	2732	500W	1pc/0	10

Power Output :250W (PMPO)
Frequency Response : 100Hz - 20KHz
Headphone jack
Power supplier 220V-AC / included
Dimensions : 81x110x190 (WxDxH)

CODE	N°	MODEL	PACK	BOX
ASC2733	2733	500W	1pc/0	10

- Drive Unit : 2 paar 34x34mm Flux type Full Range Driver
- Power Output :500W (PMPO)
- Frequency Response : 30 - 20KHz
- Input sensitivity : 300mV - 1.0V
- Volume Control and equalization
- Power supplier 220V-AC
- Dimensions: 70x70x220 (LxPxH)

CODE	N°	MODEL	PACK	BOX
ASC2730	2730	120W	1pc/0	10

DESCRIPTION
Drive Unit : 2"x3.5" Oval type Full Range Driver
Power Output :120W (PMPO)
Frequency Response : 60 - 15KHz
Input sensitivity : 300mV - 1.0V
Headphone jack
Power supplier 220V-AC / included
Dimensions : 65x95x193 (WxDxH)

CODE	N°	MODEL	PACK	BOX
MMS2175	2175		1pc/0	1

Multimedia Subwoofer System - AMPLIFIED
Frequency Response: Subwoofer 40Hz - 250 Hz
Satellite 180Hz - 20 KHz
Controls: ON/OFF, Volume, tone
Dimensions: Subwoofer 145x252x220 mm
Satellite 80x105x110 mm
Output power: Subwoofer 15W RMS
Satellite 5W x 2 RMS

Headphone and Microphone

We link emotions

Headphone and Microphone

CODE	N°	MODEL	PACK	BOX
HSSL01	5826	AURICOLARI STEREO	1pc/13	20

STEREO EARPHONES
- Driver Unit : Ø15mm Mylar Cone speaker
- Frequency response : 20Hz-20Khz
- Impedance : 32 ohm / 1 KHz
- Sensibility : 98dB ±4dB S.P.L. a 1 Khz
- Max.input power : 30mW
- Connector : 3,5mm Stereo Gold Plug
- Cable : L.1,1m

CODE	N°	MODEL	PACK	BOX
HEDVR	5731	1,8m - CUFFIA	1pc/4	10
HSSL01VOL	6259	5,0m - AURICOLARI	1pc/13	10
HEDVR5	5941	5,0m - CUFFIA	1pc/4	10

COMPUTER MULTIMEDIA HEADSETS
Directivity: Omni-directional
Sensitivity: 58-62 dB
Output Impedance: 2,2 Kohm
Frequency Response: 50-13 Khz
Operating Voltage: 1,5V-10V DC
Standard Operation Voltage: 3 VDC
Current Consumption: 350mA Max
S/N Ratio: 40dB or >
Sensitivity reduction: Within -3dB at 1V

CODE	N°	MODEL	PACK	BOX
MHB2584	2584	BEIGE	1pc/4	20
MHB2585S	2585	SILVER	1pc/4	20

COMPUTER MULTIMEDIA HEADSETS
Directivity: Omni-directional
Sensitivity: -54 ± 3dB
Output Impedance :2,2 Kohm
Frequency Response: 50-16Khz
Operating Voltage: 1,5V-10V DC
Standard Operation Voltage: +4,5VDC
Current Consumption: 500mA Max
S/N Ratio: 40dB or >
Sensitivity reduction: Within -3dB at 1V
Connector: Gold Plated 3,5 mm Stereo MIC - Plug
HEADPHONE SPECIFICATION
TRANSDUCER-MYLAR FILM DYNAMIC TYPE

CODE	N°	MODEL	PACK	BOX
MHB2589	2589	CUFFIA+ MIKE	1pc/4	20

COMPUTER MULTIMEDIA HEADSETS
Directivity: Omni-directional
Sensitivity: 58-62 dB
Output Impedance: 2,2 Kohm
Frequency Response: 50-13 Khz
Operating Voltage: 1,5V-10V DC
Standard Operation Voltage: 3 VDC
Current Consumption: 350mA Max
S/N Ratio: 40dB or >
Sensitivity reduction: Within -3dB at 1V
Connector: Gold plated 3,5 mm MIC - Plug

CODE	N°	MODEL	PACK	BOX
HED300	5732	Cuffia Audio Stereo	1pc/4	10

STEREO BACK-HEAD HEADSET
HEADPHONE SPECIFICATION
Type: Open Air Dynamic
Impedance: 32 ohm
Frequency Range: 20Hz -20Khz
Sensitivity: 103dB ± 4dB at 1,0cm 0,31V
Maximum Input Power: 30mW
Rated Input Power: 40mW
Connector: Gold Plated 3,5 mm Stereo Plug

WITH VOLUME CONTROL

CODE	N°	MODEL	PACK	BOX
HED506	5733	Cuffia Audio Stereo	1pc/13	10

STEREO NECKBAND HEADSET

•Driver Unit : Ø40mm Mylar Cone speaker
•Frequency range: 20-20Khz
•Impendance : 32 ohm / 1 KHz
•Sensibilitiy : 89dB ±4dB S.P.L. a 1 Khz
•Max.input power : 30mW
•Connector : 3,5mm Stereo Gold Plug -Cavo : L.1,8m
•Archetto sostegno auricolari pieghevole

WITH VOLUME CONTROL

CODE	N°	MODEL	PACK	BOX
MHB2587	2587	CUFFIA+ MIKE	1pc/4	20

COMPUTER MULTIMEDIA HEADSETS
Directivity: Omni-directional
Sensitivity: -60 ± 3dB
Output Impedance: 2,2 Kohm
Frequency Response: 50-16Khz
Connector: Gold Plated 3,5 mm Stereo MIC - Plug

HEADPHONE SPECIFICATION
TRANSDUCER-MYLAR FILM DYNAMIC TYPE
Type: Open Air Dynamic
Impedance: 32 ohm
Frequency Range: 20Hz -20Khz
Sensitivity: 103dB ± 4dB at 1,0cm 0,31V

CODE	N°	MODEL	PACK	BOX
MHB2588	2588	CUFFIA+ MIKE	1pc/4	20

COMPUTER MULTIMEDIA HEADSETS

Directivity: Omni-directional
Sensitivity: -54 ± 3dB
Output Impedance :2,2 Kohm
Frequency Response: 20-20Khz

HEADPHONE SPECIFICATION TRANSDUCER-MYLAR FILM DYNAMIC TYPE
Type: Open Air Dynamic
Impedance: 32 ohm
Frequency Range: 20Hz -20Khz
Sensitivity: 89dB ± 4dB at 1,0cm 0,31V Maximum Input Power: 30mW

Headphone and Microphone

CODE	N°	MODEL	PACK	BOX
HED812S	5734	CUFFIA STEREO	1pc/4	10

STEREO NECKBAND HEADSET

HEADPHONE SPECIFICATION

Impedance: 32 ohm
Frequency Range: 20Hz -20Khz
Sensitivity: -96dB ± 4dB at 1,0cm 0,31V
Maximum Input Power: 30mW
Connector: Gold Plated 3,5 mm Stereo Plug

CODE	N°	MODEL	PACK	BOX
HEDHP304	5735	HQ STEREO	1pc/4	10

STEREO PROFESSIONAL HEADPHONE

HEADPHONE SPECIFICATION
TRANSDUCER-MYLAR FILM DYNAMIC TYPE

Impedance: 32 ohm
Frequency Range: 20Hz -20Khz
Sensitivity: 105dB ± 4dB at 1,0cm 0,31V
Maximum Input Power: 100mW
Connector: Gold Plated 3,5 mm Stereo MIC - Plug

CODE	N°	MODEL	PACK	BOX
HEDSRR	5736	5.1	1pc/0	5

HOME THEATER HEADPHONE

The speaker driver puts at the position of real 5.1ch surrounding home theatre system.
Audio input for Front/Rear/Sub/Central channel
5.1 channels and stereo input to satisfy different devices: CD player, DVD player, etc.
Super Bass driver leads to the rral bass vibration
Indipendent front, rear and center subwoofer controller
Max.input power: 100mW
Frequency response:50-400Hz/Bassi
250Hz-17Khz Front/rear - 180Hz-14Khz Center
Cable : L.2,0m

CODE	N°	MODEL	PACK	BOX
HSSL02	5832	AURICOLARI STEREO	1pc/13	10

STEREO EARPHONES
Driver unit: Ø13,5mm Mylar Speaker
Frequency Response : 50Hz-16Khz
Impedance : 32 ohm / 1 KHz
Sensibility : 107dB ±4dB S.P.L. a 1 Khz
Max.input power : 20mW
Connector : 3,5mm Stereo Gold Plug
Cable : L.1,2m

CODE	N°	MODEL	PACK	BOX
MHB2586	2586	CUFFIA+ MIKE	1pc/4	20

COMPUTER MULTIMEDIA HEADSETS
Directivity: Omni-directional
Sensitivity: -54 ± 3dB
Output Impedance: 2,2 Kohm
Frequency Response: 20-20Khz
Sensitivity reduction: Within -3dB at 1V
Connector: Gold Plated 3,5 mm Stereo MIC - Plug

HEADPHONE SPECIFICATION
TRANSDUCER-MYLAR FILM DYNAMIC TYPE
Impedance: 32 ohm
Frequency Range: 20Hz -20Khz
Sensitivity: 103dB ± 4dB at 1,0cm 0,31V
Maximum Input Power: 100mW

CODE	N°	MODEL	PACK	BOX
HSHP-SY	5823	Auricolari+ Custodia	1pc/13	20
HSHP-BK	5824	Auricolari+ Custodia	1pc/13	20
HSHP-WH	6158	Auricolari+	1pc/13	20
HSHP-MP3	5942	Auricolari+	1pc/13	20

STEREO EARPHONES
Driver unit : Ø15mm Mylar Cone speaker
Frequency response: 30Hz-20Khz
Impendance : 32 ohm / 1 KHz
Sensibility: 98dB ±4dB S.P.L. a 1 Khz
Max.input power : 30mW
Connector : 3,5mm Stereo Gold Plug
Cable : L.1,1m

CODE	N°	MODEL	PACK	BOX
MHB3167	3167	CUFFIA+MIKE	1pc/13	20

COMPUTER MULTIMEDIA HEADSETS
Driver Unit: Ø15mm
Impedance: 32 ohm
Frequency Range: 20Hz - 20Khz
Sensitivity: 113dB ±5dB/mW
Maximum Input Power: 40mW
Microphone: 2x2.5/58 ±2dB
Signal wire: 1,2m
Insert diameter 3,5mm

INPUT AUDIO: Jack 3,5mm Stereo (green color)
OUTPUT Mike: Jack 3,5mm stereo (pink color)
Ideale per SKYPE, MSN Messenger, Yahoo Messenger, etc.

CODE	N°	MODEL	PACK	BOX
HSHPB-W	6130	AURICOLARI STEREO	1pc/13	20

Driver unit: Ø15mm Boom Type
Impedance: 32 ohm
Frequency response: 20Hz -20Khz
Sensibility: 110dB S.P.L. a 1 Khz
Connector: 3,5 mm Stereo Jack dorato
WITH volume control
Ideal for iPod, MP3, Cellulari, PDA, CD Player
Included 3,5mm to 2,5mm adapter
4 repraceable windshields are included
Cable : L.1,2m

Headphone and Microphone

CODE	N°	MODEL	PACK	BOX
MCM2590	2590	MICROFONO	1pc/104	10

COMPUTER MICROPHONE
Directivity : Omni-directional
Sensitivity : -54 ± 3 dB
Impedance: 2,2 Kohm
Frequency Response: 20Hz-16KHz
Operating Voltage ; 1.0V-10V DC
Stadard Operation Voltage: +4,5 VDC
Current Consumption: 0.5mA Max
S/N Ratio : 40dB or>
Sensitivity reduction: Within-3dB at 1V
Connector : 3.5mm Stereo MIC-Plug

CODE	N°	MODEL	PACK	BOX
HEADP18	5939	DIAM. 18mm	6pc/1	20
HEADP50	5940	DIAM. 48mm	6pc/1	20

Code 5939 Earphone Sponges 6 Pieces - ø 18 mm
Code 5940 Earphone Sponges 4 Pieces - ø 48 mm

We link emotions

CODE	N°	MODEL	PACK	BOX
RE80HQ	3156	80g	1pc	5

Fotocopy paper 80 gr. 500 sheets

Cleaning



We link emotions

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Cleaning Accessories

We link emotions

Cleaning Accessories

CODE	N°	MODEL	PACK	BOX
RCC2693	2693	CD-DVD CLEANER	1pc/3	10
RCD3084	3084	DVD-CAM CLEANER	1pc/3	10

RADIAL CD CLEANING - CODE 2693
For CD, CD-R, CD/RW, DVD, V-CD e CD-ROM
Use cleaning fluid to clean your disc manually
Safe for all digital Media

LASER LENS CLEANER - CODE3084
- For gentle, dry cleaning of the laser optical system in DVD drives
- Not suitable for slot-in drives
- Improves the playback quality of the sound carriers

CODE	N°	MODEL	PACK	BOX
LLC2691	2691	LENS CLEANER	1pc/4	10

LASER LENS CLEANER - for CD/DVD/VCD/CD-R

- for gentle cleaning of the lens in CD-ROM drives or in CD players
- with animated cleaning process display on the screen and classical instrumental music
- removes all dirt particles
- suitable for DOS, Windows and Apple Macintosh
- incl. CD box

CODE	N°	MODEL	PACK	BOX
KCBR2695	2695	PENNELLO	1pc/4	10

Features
1. Clean the keyboard easily.
2. Clean away dust and stains safely.
3. Soft brush without scratching the surface.

CODE	N°	MODEL	PACK	BOX
SCLK3433	3433	CLEANING KIT MOBILE	1pc	10

1.Remove dirt and dust with the soft brush first.
2.Spray the cleaning solution on the screen properly. (Turn off the screen power first.)
3.Wipe the screen gently with the glove.
4.Wash the glove with warm water or neutral detergent.
It includes:
Cleaning solution (Isopropyl Alcohol Free) - Less than 5% anionic surface active agents - Non flammable
Caution: 1. Keep out of reach of the children.
2. Do not touch the eye.
3. Not for medical use.
If swallowed, seek medical attention immediately and show this container or label

CODE	N°	MODEL	PACK	BOX
SPSCSCLKF	3434	SCREEN CLEANING KIT	1pc	10

1. Remove dirt with the brush.
2. Spray the solution properly on the micro fiber cloth.
3. Wipe the screen with the micro fiber cloth.
(Turn off the screen power first.)
4. Wipe the screen again with the dry side of the micro fiber cloth.
5. Wash the micro fiber cloth in neutral cleaner (Do not wash in machine.)
It includes:
1) Cleaning solution (Isopropyl Alcohol Free) - Less than 5% anionic surface active agents - Non flammable
2) Cleaning cloth - Material: Micro fiber. Could be reused after washing

CODE	N°	MODEL	PACK	BOX
LMC2690	2690	200 ml	1pc/3	10
MFCK3367	3367	200 ml	1pc/4	10

LCD MONITOR CLEANER

This cleaning solution could be used to clean all kinds of LCD/ CRT, office equipement and household appliance, such as telephone, fax, printer, etc. You can spray the solution on the display directly or spray on the cloth to wipe the display.
1. Cleaning solution. Ingredient: distilled water, IPA, antistatic agent, antiseptic essence, etc.
2. Cleaning cloth. Material: micro fiber. Could be reused after washing

CODE	N°	MODEL	PACK	BOX
RKEY100	3230	KIT	1pc/4	10

Cleaning Kit (sponge + detergent) for keyboard and Monitor
1. it easily cleans the keyboard thanks to the special shape of the sponge that allows to remove the dust and the dirty among the keys
2. microfiber cloth on the upper part of the sponge for a perfect cleaning of the Monitor
3. after the use the sponge can be washed with water, dried and it will be ready for a new use
Caution :
1. Keep out of reach of the children. 2. Do not touch the eye.
3. Not for medical use.

CODE	N°	MODEL	PACK	BOX
SCLK2694	2694	KIT	1pc/4	10

MULTIUSE CLEANER WITH ACTIVE FOAM TO REMOVE DUST AND DOWN FROM THE ELECTRONIC EQUIPMENT

FEATURES: Cleaner with active foam, it cleans deeply giving shine. It eliminates halos, grease, encrustations, dirt, oil. Car: to clean windows, wind-screens, dashboards, rear-view mirrors, seats, part in plastic, wood or aluminium. House: to clean windows, mirrors, furniture, tiles, aluminium frames, part in plastic, wood, ceramic or chrome metal, ideal to clean TV/LCD. Office: to clean computer, tables, keyboards, screens, aluminium or steel surfaces.
CLEANING MICROFIBER CLOTH 40x40 INCLUDED

Cleaning Accessories

CODE	N°	MODEL	PACK	BOX
CFCL2697	2697	TV/LCD/ PLASMA	1pc/4	10

Operating Instruction
1. Take the swab with the sign up, break it from the mark.
2. The fluid will flow into the tip of swab.
3. Clean the screen and corner with the swab.
4. Wipe the screen and the body with the cleaning cloth.
Caution :
1. Keep out of reach of the children. 2. Do not touch the eye.
3. Not for medical use

CODE	N°	MODEL	PACK	BOX
SCLKIT	3190	12 ml	1pc/3	10

Remove dirt and dust efficiently with the brush
Soft micro-fiber cloth can remove fingerprints and dirt without scratching the screen
Unique cleaning solution included (12ml) will not damage LCD, Plasma and CRT screen (Shut down the power when you spread the solution on the screen)
Ideal for LCD/Plasma/CRT screens, Notebook screens, PC monitors, GPS, PDA, digital cameras, videocameras

CODE	N°	MODEL	PACK	BOX
MCLC2696	2696	GUANTO	1pc/120	10

SCREEN CLEANING CLOTH PAD

Operating Instruction
1. Clean up the cloth before using to avoid from scratching by fleck or dirt.
2. Wipe the screen directly without applying any solution.
3. Wash the cloth with warm water or neutral cleanser. Don't use washing machine
Caution :
1. Keep the liquid out of reach of the children. 2. Do not touch the eye. 3. Not for medical use.

CODE	N°	MODEL	PACK	BOX
DVC3042	3042	DV HEAD CLEANER	1pc/3	20

HEADS CLEANING CASSETTE FOR VCR STANDARD DV
Cassette for a comfortable and functional heads cleaning Video camera / VCR in standard DV
Usable for Ca. 15 cleaning cycles

CODE	N°	MODEL	PACK	BOX
CFC3044	3044	Compact Flash Cleaner	1pc/3	10
MSC3045	3045	Memory Stick Cleaner	1pc/3	10
SDC3046	3046	Secure Digital Cleaner	1pc/3	10



CODE	N°	MODEL	PACK	BOX
MFC4040	3184	MICROFIBRA	1pc/4	10

Micro Fiber Cloth 40x40cm BLUE

CODE	N°	MODEL	PACK	BOX
SPU3040	3040	Screen Protector Universal	1pc/111	40

SCREEN PROTECTOR FOR PDA / PSP

This film protects the screen of devices from scratches, smears and anything can damage the screen glass.
• Excellent visibility and contrast colors

The package includes:
3 x Screen protector
3 x Push-Button Protector
1 x Squeegee-Card
1 x Cleaning wipe wet
1 x Cleaning wipe dry



CODE	N°	MODEL	PACK	BOX
SPSC500HQ	3224	400ml	1pc/4	10

MULTIUSE CLEANER WITH ACTIVE FOAM TO REMOVE DUST AND DOWN FROM THE ELECTRONIC EQUIPMENT
FEATURES: Cleaner with active foam, it cleans deeply giving shine. It eliminates halos, grease, encrustations, dirt, oil. Car: to clean windows, wind-screens, dashboards, rear-view mirrors, seats, part in plastic, wood or aluminium. House: to clean windows, mirrors, furniture, tiles, aluminium frames, part in plastic, wood, ceramic or chrome metal, ideal to clean TV/LCD. Office: to clean computer, tables, keyboards, screens, aluminium or steel surfaces.
CLEANING MICROFIBER CLOTH 40x40 INCLUDED

Cleaning Accessories

CODE	N°	MODEL	PACK	BOX
SPR400	2988	400 ml	1pc/3	10
SPR400/I	2989	400 ml	1pc/0	12

AIR COMPRESSED for Electronic Equipment

Dry air to remove dust and down from the electronics equipment

2989 BULK - WITHOUT BLISTER

CODE	N°	MODEL	PACK	BOX
CLW2692	2692	100pz	1pc/121	10

CLEANING WIPES
Clean and maintain all your CD's:
Audio, Computer, CD-Rom, Laser Disk, Photo CD, DVD

100 Quick Wipes

iPOD/MP3

We link emotions

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

iPOD Cases

We link emotions

iPOD Cases

CODE	N°	MODEL	PACK	BOX
SSAVTR	3363	TRASPARENT	3pc/3	10

Transparent screen protector sheet for iPhone® 3G/3GS

- Protects the screen from scratches and dust, included cleaning cloth
- Reusable self adhesive backing surface that leaves no residue
- Preserves

CODE	N°	MODEL	PACK	BOX
SSAVMIR	3364	MIRROR	3pc/3	10

Mirror screen protector sheet for iPhone® 3G/3GS

- Protects the screen from scratches and dust, included cleaning cloth
- Reusable self adhesive backing surface that leaves no residue
- Works like a mirror when the screen is off
- Preserves the operativity of the touch screen

CODE	N°	MODEL	PACK	BOX
SSAVHEI	3365	PRIVACY	1pc/3	10

Privacy screen protector sheet for iPhone® 3G/3GS

- Protects the screen from scratches and dust, included cleaning cloth
- Reusable self adhesive backing surface that leaves no residue
- When viewed from an angle, a holographic image appears, blocking the view of the screen

CODE	N°	MODEL	PACK	BOX
IP3GCOVWS	3371	WHITE	1pc/13	10
IP3GCOVBM	3370	BLACK	1pc/13	10

Incase Protective Cover for iPhone® 3G/3GS

• Incase Protective Cover for iPhone® 3G/3GS - Designed for complete device protection, the Protective Cover fully safeguards your iPhone® 3GS while keeping surface coverage to a minimum.
• Form-fitting, injection-molded material adds extra grip
• Direct access to widescreen and device features

CODE	N°	MODEL	PACK	BOX
IPH01WH	3204	WHITE	1pc/13	10

iPHONE SOFT LEATHER CASE

• Equipped with fixing clip
• Studied to give antishock and antiscratch protection

CODE	N°	MODEL	PACK	BOX
IPG01BL	3208	BLACK	1pc/13	10

iPhone Protective Silicone Softcase

• With special holes for Dock connector, earphones and Home key
• Studied to give an antishock and antiscratch protection

iPOD Cases

CODE	N°	MODEL	PACK	BOX
IPN3116BL	3116	BLACK	10pc/13	10

iPOD Nano 4^ Generation Protective Silicone Softcase

- Slip-free, high-quality silicone skin
- With special holes for Headphones and Cable Inputs
- Studied to give an antishock and antiscratch protection

CODE	N°	MODEL	PACK	BOX
ITOU01WH	3206	WHITE	1pc/13	10
ITOU01BL	3205	BLACK	1pc/13	10

iTOUCH Protective Silicone Softcase

- With special holes for Dock connector and Home key
- Studied to give antishock and antiscratch protection

CODE	N°	MODEL	PACK	BOX
MP3ARM	3358	MP3 Universal	1pc/13	10

Universal MP3 Special Protective Arm Softcase
Designed hole for Headphones Inputs
Studied to give easy portability of the MP3 during walking and running
Strap closure with Velcro sizing adjustments for universal fit
Washable construction and materials - Cover in Soft neoprene

CODE	N°	MODEL	PACK	BOX
SONYE444W	3374	BLACK	1pc/13	10

SONY E444 MP3 Player Protective Silicone Softcase

- With special holes for Headphones and Cable Inputs
- Studied to give an antishock and antiscratch protection

- Black colour

CODE	N°	MODEL	PACK	BOX
IPNMCOL	3141	MULTICOLOR	3pc/13	5
IPNMCOL01	3354	BLACK	1pc/13	10

3xSoftcase made with special elasticized fabric for iPOD Nano
- Compatible for MP3 players and mobile phones of different brands, with size up to 2,5 x12,5x 5,5 cm
- Equipped with adjustable shoulderbelt and security lock

3 pieces of various colors for packaging

CODE	N°	MODEL	PACK	BOX
IPODNARM4	3123	NANO 4G	1pc/13	10

3123 - 4th generation iPOD Nano Special Protective Arm Softcase

Designed with holes for controls and Headphones Inputs
Studied to give easy portability of the iPod during walking and running
Strap closure with Velcro sizing adjustments for universal fit
Washable construction and materials - Cover in Soft neoprene

3358 - Universal MP3 Special Protective Arm Softcase

- Designed hole for Headphones Inputs
- Studied to give easy portability of the MP3 during walking and running
- Strap closure with Velcro sizing adjustments for universal fit
- Washable construction and materials - Cover in Soft neoprene

iPOD Cases

CODE	N°	MODEL	PACK	BOX
IPN3228B4	3228	BLUE	10pc/13	10
IPN3226P4	3226	PINK	10pc/13	10
IPN3227G4	3227	GREEN	10pc/13	10

iPOD Nano 4^ Generation Protective Silicone Softcase

- Slip-free, high-quality silicone skin
- With special holes for Headphones and Cable Inputs
- Studied to give an antishock and antiscratch protection

CODE	N°	MODEL	PACK	BOX
IPN3359W5	3359	WHITE	1pc/13	10
IPN3362B5	3362	BLUE	1pc/13	10
IPN3360P5	3360	PINK	1pc/13	10
IPN3361G5	3361	GREEN	1pc/13	10

iPOD Nano 5^ Generation Protective Silicone Softcase

Equipped with Shoulder Belt for an easy transport
With special holes for Headphones and Cable Inputs
Studied to give an antishock and antiscratch protection
Special hole on the rear side for the camera

CODE	N°	MODEL	PACK	BOX
IPSHUF04C	3185	SHUFFLE 2G	4pc/13	10

iPOD Shuffle 2nd Generation Special Protective Softcase

- iPOD Shuffle 2nd Generation Special Protective Softcase
- With protective membrane to allow the control of the button
- Recess for headset - Non-slip surface
- Studied to give an antishock and antiscratch protection

CODE	N°	MODEL	PACK	BOX
IPSHUF3CO	3238	SHUFFLE 3G	4pc/13	10

iPOD Shuffle 3rd Generation Special Protective Softcase

- iPOD Shuffle 3rd Generation Special Protective Softcase
- With protective membrane to allow the control of the button
- Recess for headset - Non-slip surface
- Studied to give an antishock and antiscratch protection

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

iPOD/MP3 Dock Station

We link emotions

Multimedia Series

iPOD/MP3 Dock Station

CODE	N°	MODEL	PACK	BOX
MP3DSA-BL	3187	BLUE	1pc/0	12
MP3DSA-P	3188	PINK	1pc/0	12
MP3DSA-G	3189	GREEN	1pc/0	12

Radio, which you can hear many type of MP3 by Jack 3.5 and cable Jack3, 5M-Jack 3.5 M and accompanying all ipod through various adapters included in the package.
The radio allows you to set the alarm to come awakened in the morning by your favorite music on your iPod (this feature is not enabled for other types of MP3), and by this dock connector, while you sleep, you iPod reload allowing you to share the morning with the iPod in full form. "
Ability to listen to FM radio and set the alarm on your favorite channel.
An interesting feature of this radio is that when the iPod is connected to the docking station, you can interact with it through buttons on the front of the radio-alarm for a more comfortable setting / navigation.
Feature important is theportability of product by 6 AAA batteries (not included) or can be fed to the 220V outlet.
The sound is excellent is that low maximum volume without distortion or noise in the background, the sound always remains

iPOD/MP3 Power Charger

We link emotions

iPOD/MP3 Power Charger

CODE	N°	MODEL	PACK	BOX
ADDBCHIPS	3125	SOLAR	1pc/13	10

External emergency backup power battery
for iPhone 2G/3G - iPod

External emergency backup power battery for iPhone 2G/3G - iPod
Allows to charge (100%) your iPhone at any time and any where
Test button for checking the power station's current capacity
Animated LED indicator when charging is in progress
Capacity: 1000mAh - Input: 5V/500mA - Output: 5V/400mA (max)

DC

SOLAR CHARGER

CODE	N°	MODEL	PACK	BOX
IPCARCH	3118	CAR CHARGER	1pc/13	10

iPod CAR Power Supplier

iPOD and MP3 player/PDA USB power supplier
• Cigarette Plug / USB type "A" Jack
• DC/DC Converter ready for Car, Camper, etc.
• Input Voltage: 12-13,8 V - Output Voltage: 5 V/1 A

USB/Dock cable not included

DC

OUTPUT
5V VOLT
1000mA

CODE	N°	MODEL	PACK	BOX
IPHOMECH	3119	HOME CHARGER	1pc/3	10

iPod Power Supply - 3 power adapters included

iPOD Power Supply compatible with all MP3 Player/PDA USB-Powered
• AC/DC Regulated Converter Switching Type for a perfect Power Control
• 3 Adapter included on the box to use the supplier in different countries
• IN: 100 V-240 V - 60/50 Hz 230mA - OUT: 5 V For 1000 mA 5 VA

USB/Dock cable not included

OUTPUT
5V VOLT
1000mA

CODE	N°	MODEL	PACK	BOX
ADDBCHIP	3124	LITIO	1pc/13	10

External emergency backup power battery
for iPhone 2G/3G and iPod

- External emergency backup power battery for iPhone 2G/3G and iPod
- Allows to charge (100%) your iPhone at any time and anywhere
- Test button for checking the power station's current capacity
- Animated LED indicator when charging is in progress
- Capacity: 1000mAh - Input: 5V/500mA - Output: 5V/400mA (max)

DC

OUTPUT
5V VOLT
1000mA

CODE	N°	MODEL	PACK	BOX
IPCHUSB	3223	1xUSB	1pc/13	10
IPHOMECH2	3121	2xUSB	1pc/13	10

Compatible with all MP3 Player/PDA USB-Powered
AC/DC Regulated Converter Switching Type for a perfect Power Control
To Use with USB Cable Interface - 1 x USB PORT
IN: 100 V-240 V - 50/60 Hz 150mA - OUT: 5 V For 1000mA 5 VA

OUTPUT
5V VOLT
1000mA

CODE	N°	MODEL	PACK	BOX
IPHOMECHS	3159	1000 mA	1pc/13	10

iPod/MP3 ITALIAN PLUG POWER SUPPLIER

Compatible with all MP3 Player/PDA USB-Powered
- AC/DC Regulated Converter Switching Type for a perfect Power Control
- To Use with USB Cable Interface - 180° rotable Italian Plug
- IN: 90 V-240 V - 47/63 Hz 250mA - OUT: 5 V For 1000 mA 5 VA

OUTPUT
5V VOLT
1000mA

iPOD/MP3 Power Charger

CODE	N°	MODEL	PACK	BOX
IPCHUSB2K	3377	1xUSB	1pc/3	10

Compatible with all MP3 Player/PDA USB-Powered
AC/DC Regulated Converter Switching Type for a perfect Power Control
To Use with USB Cable Interface - 1 x USB PORT
IN: 100 V-240 V - 50/60 Hz 150mA - OUT: 5 V For 2000mA 5 VA

OUTPUT
5V VOLT
2000mA

CODE	N°	MODEL	PACK	BOX
FM180TR	6134	4 in 1	1pc/4	10

FM TRANSMITTER
iPod 4 in 1 car kit
- High-quality stereo audio
- FM Output frequency: 88.1/88.3/88.5/88.7 MHz
- 10 M maximum range
- Micro-proccessor controlled
- Built-in antenna
- Powered by 12V-24V car cigarette lighter adaptor
- Auto-reset fuse to protect unit and iPod
- Charges iPod while in use
- Angle adjustable car cigarette lighter, from 0 to 180 degree

DC

CODE	N°	MODEL	PACK	BOX
IP5438	3140	WHITE	1pc/13	5
CPL25	5438	BLACK	1pc/13	10

Audio Cassette CD-Adapter/3,5mm Plug
For a reproduction of MD -CD -MP3 player in the Car - To connect trough Headphones output - Audio Stereo

GPS/PDA Power Charger

We link emotions

GPS/PDA Power Charger

CODE	N°	MODEL	PACK	BOX
CARSUPP01	3211	CAR HOLDER	1pc/0	5

PDA/TELEPHONE/IPOD UNIVERSAL HOLDER

With adjustable holding brackets for individual adaptation to different devices
Suitable for devices with a width of 5-9 cm
With suction cup attachment

CODE	N°	MODEL	PACK	BOX
CARCH2000	3210	CAR CHARGER	1pc/13	10

MP3/PDA/NAVIGATOR CAR CHARGER

- Switch-over to trickle charge - With overload protection
- Cigarette Plug / miniUSB Plug Connectors
- Input Voltage: 12-24V - Output Voltage: 5 V/2A

OUTPUT
5V VOLT
2000mA

CODE	N°	MODEL	PACK	BOX
SWPA2000	3209	HOME CHARGER	1pc/13	10

iPod/PDA/NAVIGATOR ITALIAN PLUG POWER SUPPLIER

- AC/DC Regulated Converter Switching Type for a perfect Power Control - Italian Plug / miniUSB plug
- IN: 90 V-240 V - 50/60 Hz 250mA - OUT: 5 V For 2000 mA

OUTPUT
5V VOLT
2000mA

iPOD/MP3 Cables

We link emotions

iPOD/MP3 Cables

CODE	N°	MODEL	PACK	BOX
IP225	3138	JACK M / 2xJACK F	1pc/13	10
ICW35235	3171	0,20m	1pc/13	10

3171
AUDIO DISTRIBUTOR with extension cable 0,20m
Y Splitter Adapter Cable for iPod/CD MP3 Players
3,5-mm Stereo Plug - 2x3,5-mm Stereo Jack
24K Gold Plated Connectors

CODE	N°	MODEL	PACK	BOX
ICW353507	3122	0,7m	1pc/3	10
ICW3535	3170	1,8m	1pc/3	10

Stereo Audio Connecting Cable ideal for iPod/MP3
Shielded conductors-High Efficiency
1 x 3,5-mm Stereo Plug - 1 x Molded 3,5-mm Stereo Plug
Molded Connectors - Gold Plated 24K

CODE	N°	MODEL	PACK	BOX
ICW35M35F	3173	3,0m	1pc/3	10

Stereo Audio Extension Cable
Shielded conductors-High Efficiency
1 x 3,5-mm Stereo Plug - 1 x 3,5-mm Stereo Socket
Molded Connectors - Gold Plated 24K

CODE	N°	MODEL	PACK	BOX
ICW35RCA2	3174	1,8m	1pc/3	10

Stereo Audio Connecting Cable ideal for iPod/MP3
Shielded conductors
1 x 3,5-mm Stereo Plug - 2 x RCA Phono Plugs
Molded Connectors - Gold Plated 24K

CODE	N°	MODEL	PACK	BOX
ICW35RCA3	3172	1,80m	1pc/3	10

Audio/Video RCA - 3,5mm Plug Cable ideal for iPod/MP3
3,5mm Plug - RCA Video Composite / 2 x RCA Audio Stereo
High Efficiency Audio Conductors - 24K Gold Plated

CODE	N°	MODEL	PACK	BOX
IP028	3139	1,5m	1pc/13	10

Stereo Audio Connecting/Adapter Cable
Ipod compatible, ready for all device with 3,5 mm jack output
Shielded conductors - High Efficiency

iPOD/MP3 Cables

CODE	N°	MODEL	PACK	BOX
IPUSBCH06	3375	0,6m	1pc/13	10
IPUSBCH	3117	1,8m	1pc/13	10

USB to dock cable for iPod to charge and synchronize with PC

- USB "type A" Plug / Dock Plug Connecting Cable
- To syncronize and power supply the iPOD
- Double Shield - USB 2.0 and 1.1 compatible
- 2xPower Conductor - Max Speed Rate 480Mbps

Code 3376
Mini retractable USB to iPod cable for syncronize and power supply the iPOD (Units with the Sync Port/Dock Connector on bottom). This short cable is easier for carrying anywhere and one quick pull on the cable ends extends the cable to a full 75cm and allows you to sync your data on the g

CODE	N°	MODEL	PACK	BOX
IPUSBCHEX	3376	0,75m	1pc/13	10

USB to dock cable for iPod to charge and synchronize with PC

- USB "type A" Plug / Dock Plug Connecting Cable
- To syncronize and power supply the iPOD
- Double Shield - USB 2.0 and 1.1 compatible
- 2xPower Conductor - Max Speed Rate 480Mbps

Code 3376
Mini retractable USB to iPod cable for syncronize and power supply the iPOD (Units with the Sync Port/Dock Connector on bottom). This short cable is easier for carrying anywhere and one quick pull on the cable ends extends the cable to a full 75cm and allows you to sync your data on the g

iPOD/MP3 Earphones

We link emotions

iPOD/MP3 Earphones

CODE	N°	MODEL	PACK	BOX
RADSTRME	6152	SILVER	1pc/13	10

PROFESSIONAL AUDIO STEREO IN-EAR HEADPHONES FOR iPOD NANO 2nd GENERAZIONE

Ideal for listening to the music of your iPod/MP3/PDA/Cellulare ensuring a stereophonic sound very dynamic impact.
Thanks to the metallic external structure and to the silicone in-ear pad that perfectly adheres to the auricle, the ear is insulated from outside noises, allowing the hearing of music without external disturbances. The sound reproductions is excellent both for bass and trebles, a real high-fidelity stereo sound, with deep, braked basses

EARPHONES SPECIFICATIONS:
- Type: Dynamic type/in-ear
- Metal cover - metal plugs
- Plug type: Dock connector
- Driver Unit: 10 Ø neodymium magnet
- Impedance: 16 ohm
- Frequency Range: 20Hz -20Khz
- Output Sound Pressure Level: 115db/mW
- Maximum of Input : 10mW

CODE	N°	MODEL	PACK	BOX
VTHPMWH	6182	WHITE	1pc/13	10
VTHPMBL	6180	BLUE	1pc/13	10
VTHPMRD	6181	RED	1pc/13	10
VTHPMGR	6179	GREEN	1pc/13	10

PROFESSIONAL AUDIO STEREO IN-EAR HEADPHONES

The headphones "In-Ear" for iPod/MP3 improve the sound and noise suppression, they are more comfortable and provide high quality and bass response, but also equipped with grommets that will ensure a stable and comfortable positioning

EARPHONES SPECIFICATIONS:

Type: in-ear
Metal cover - metal plugs
Driver Unit: 10 Ø
Impedance: 32 ohm
Frequency Range: 20Hz -20Khz
Output Sound Pressure Level: 102db/Mw
Maximum of Input : 10mW

CODE	N°	MODEL	PACK	BOX
RADHPBL	6149	BLUE	1pc/13	10
RADHPBK	6151	BLACK	1pc/13	10
RADHPPI	6150	PINK	1pc/13	10
RADHPGR	6148	GREEN	1pc/13	10

PROFESSIONAL AUDIO STEREO IN-EAR HEADPHONES

Ideal for listening to the music of your iPod/MP3/PDA/Cellulare ensuring a stereophonic sound very dynamic impact.
Excellent stereo sound and high quality bass for a professional sound reproduction

EARPHONES SPECIFICATIONS:
Type: Dynamic type / in-ear
Metal cover - metal plugs
Driver Unit: 10 Ø neodymium magnet
Impedance: 16 ohm
Frequency Range: 20Hz -20Khz
Output Sound Pressure Level: 115db/mW
Maximum of Input : 10mW
Connector: 3,5 mm Stereo Plug

iPAD Accessories

We link emotions

iPAD Accessories

CODE	N°	MODEL	PACK	BOX
IPADSCPR	3390	SCREEN PROTECTOR	1pc/0	10

Transparent screen protector sheet for iPAD®

Protects the screen from scratches and dust, included cleaning cloth
Reusable self adhesive backing surface that leaves no residue
Preserved the operativity of the touch screen

CODE	N°	MODEL	PACK	BOX
IPADSCW	3388	SILICON CASE	1pc/0	10
IPADSCB	3389	SILICON CASE	1pc/0	10

iPAD Protective Silicon Softcase

With special holes for Dock connector, earphones and Home key
Studied to give an antishock and antiscratch protection

Game Cables

PSP Accessories 356
Wii Cable and Accessories 360

We link emotions

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

PSP Accessories

We link emotions

PSP Accessories

CODE	N°	MODEL	PACK	BOX
HSP3056	3056	Black SOFT	1pc/3	10
HSP3060	3060	Black HARD	1pc/3	10
HSP3057	3057	BLUE SOFT	1pc/3	10
HSP3061	3061	BLUE HARD	1pc/3	10
HSP3059	3059	Red SOFT	1pc/3	10
HSP3058	3058	Yellow SOFT	1pc/3	10

Professional Soft Case to protect SONY® UMD
Realized with waterproof and heat-proof material
Ready to contain up to 8 SONY® UMD Disks
Zip studied to close and open the case in the easiest way

CODE	N°	MODEL	PACK	BOX
APDC3077	3077	12V-Alim. PSP	1pc/4	10
CCU2382	2382	1,8m	1pc/13	20

Power PC / DC system for PSP

Mod.2382: This power cable for PSP uses taken USB Portable
Or PC drive, for a quick recharge
Battery of PSP portable.

Mod. 3077 PSP Sony® Switching Regulated DC/DC Converter
Thermal, Short Circuit and Overload Protection
Input voltage: 12-13.8 VDC - Output Current: 2000 Ma (max)
Output Voltage: 5.0 VDC - Cable lenght 2,50 m

CODE	N°	MODEL	PACK	BOX
PSR3051	3051	BLUE SOFT	1pc/4	10
PSH3053	3053	BLUE HARD	1pc/4	10
PSH3054	3054	Yellow HARD	1pc/4	10
PSR3050	3050	Black SOFT	1pc/4	10
PSH3052	3052	Black HARD	1pc/4	10
PSH3055	3055	Red HARD	1pc/4	10

Case soft for PSP Sony® with inner pockets for disk and accessories

Professional Soft Case to protect SONY® PSP
Realized with waterproof and heat-proof material
Equipped with inner pockets for disks and accessories
Zip studied to close and open the case in the easiest way
Lateral hole to pass the headphone cable

CODE	N°	MODEL	PACK	BOX
PS1K3062	3062	KIT XL PSP	1pc/4	10
PS2K3063	3063	KIT XXL PSP	1pc/4	10

KIT XL PSP (CODE3062)
SOFTCASE: Waterproof and heat-proof with pocket for disk and accessories
2.0 USB CABLE: USB "A" Plug/USB "B"Plug - High - L. 1.80 m
STEREO EARPHONES: With Plastic Case - L. 1.10 m
SCREEN PROTECTOR: Protect the Screen from scratches
MICROFIBER CLOTH: To remove dust and fingerprint

KIT XXL PSP (CODE3063)
HARDCASE: Waterproof and heat-proof- With pocket for disk
2.0 USB CABLE: USB "A" Plug/USB "B"Plug - L. 1.80 m
STEREO EARPHONES: Volume Control and Plastic Case - 1.10 m
SCREEN PROTECTOR: Protect the Screen from scratches
MICROFIBER CLOTH: To remove dust and fingerprint

CODE	N°	MODEL	PACK	BOX
PSPGAV30	6189	3,0m	1pc/4	10

A/V connecting cable for PSP SONY® 2000 series
(not compatible with 1000 series)

It enables to see all the contents of the PSP® (excluding games) on Monitor/TV/LCD
To visualize images the TV has to support the NTSC video format
2xRCA Audio St.+1xVideo RCA Composite Plugs- Jack 3,5mm PSP
RCA/jack connectors Gold Plate - 75 Ohm Video conductors

CODE	N°	MODEL	PACK	BOX
PSPGCP30	6190	3,0m	1pc/4	10

A/V Component cable for PSP SONY® 2000 series
(not compatible with 1000 series)

It enables to see all the contents of the PSP® (including games) on Monitor/TV/LCD
To visualize images the TV has to support the NTSC video format and TV has to be progressive Boxn compatibile
2xRCA Audio St.+3xVideo Component Plugs- Jack 3,5mm PSP
RCA/jack connectors Gold Plate - 75 Ohm Video conductors

CODE	N°	MODEL	PACK	BOX
MFC3043	3043	Micro-Fiber	1pc/3	20

CLEANING AND MAINTENANCE SYSTEM

The cloth antistatic MFC3043 allows thoroughly cleaned of all sensitive areas such as CD / DVD, or Digital Camera Monitor etc.. Thanks to micro-fibers used to make it.

CODE	N°	MODEL	PACK	BOX
SPP3041	3041	Screen Protector PSP		100

SCREEN PROTECTOR FOR PDA / PSP

This film protects the screen of devices from scratches, smears and anything can damage the screen glass.
Excellent visibility and contrast colors

The package includes:
3 x Screen protector
3 x Push-Button Protector
1 x Squeegee-Card
1 x Cleaning wipe wet
1 x Cleaning wipe dry



G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Wii Cable and Accessories

We link emotions

Wii Cable and Accessories

CODE	N°	MODEL	PACK	BOX
COWIIW	6099	COVER	1pc/3	10

Silicone Skin Case for Nintendo Wii Remote Controller + Nunchuck

CODE	N°	MODEL	PACK	BOX
WII18FULL	3214	1,8m	1pc/4	10

WII CABLE

Component HD A/V Cable Nintendo Wii® Plug - 5 RCA
5xRCA Audio St./Video Component -16 pin Wii Plug - Golded Pins
Connection of the Wii® to a HDTV enable device (Lcd, Plasma)
Video output in 480p - High quality cable for brilliant picture quality



CODE	N°	MODEL	PACK	BOX
WII18SC	3213	1,8m	1pc/4	10

WII CABLE

RGB Scart Cable Nintendo Wii® Plug - Scart (EuroAV) Plug
21 pol. RGB Scart Connector - 16 pin Wii Plug- Golded Pins
Ready for Audio Stereo, Video Composite, S-VHS and RGB signals
High quality cable for brilliant picture quality

CD/DVD

We link emotions

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

Soft Revolution Bags

We link emotions

Soft Revolution Bags

CODE	N°	MODEL	PACK	BOX
KCD2970B	2970	BLUE	1pc/3	10
KCD2969G	2969	GREY	1pc/3	10
KCD2971R	2971	RED	1pc/3	10

CD Player Wallet
Belt Loop
Headphone cable hole
Fixing clip

CD

CODE	N°	MODEL	PACK	BOX
KCD2980K	2980	BLACK	1pc/4	10
KCD2981G	2981	GREY	1pc/4	10
KCD2983R	2983	RED	1pc/4	10

CD player wallet CD
CD wallet for 10 CD
Headphone cable hole
High quality zip opening
Strap included
Belt Loop

CD

CODE	N°	MODEL	PACK	BOX
KDC2958B	2958	BLUE	1pc/2	10
KDC2957G	2957	GREY	1pc/3	10
KDC2956K	2956	BLACK	1pc/3	10
KDC2959R	2959	RED	1pc/3	10

Advanced Digital Camera Soft Bag
Internal Pocket for memory Cards
High Quality zip opening
Headphone cable hole
Inner Size: 7,5x11,5x3,5

FOTO

CODE	N°	MODEL	PACK	BOX
KDC2954B	2954	BLUE	1pc/3	10
KDC2953G	2953	GREY	1pc/3	10
KDC2952K	2952	BLACK	1pc/3	10
KDC2955R	2955	RED	1pc/3	10

Advanced Digital Camera Soft Bag
Internal Pocket for memory Cards
High Quality zip opening
Additional Pocket for Battery
Headphone cable hole
Belt Loop / Fixing Clip
Inner Size. : 7x13x5

FOTO

CODE	N°	MODEL	PACK	BOX
EAOR3002	3002	ORANGE	1pc/109	10
EABL3003	3003	BLUE	1pc/109	10
EAGY3001	3001	GREY	1pc/109	10
EABK3000	3000	BLACK	1pc/109	10
EAGR3004	3004	GREEN	1pc/109	10

Realized with Soft Revolution standard
Internal pocket for Batteries or memory card.
Fixing Clips
Soft revolution neoprene style means: resistance, impermeability and soft
Inner Size:9x11x1,5

FOTO

CODE	N°	MODEL	PACK	BOX
PEOR2997	2997	ORANGE	1pc/109	10
PEBL2998	2998	BLUE	1pc/109	10
PEGY2996	2996	GREY	1pc/109	10
PEBK2995	2995	BLACK	1pc/109	10
PEGR2999	2999	GREEN	1pc/109	10

Realized with Soft Revolution standard
Internal pocket for Batteries or memory card
Fixing Clip
Soft revolution neoprene style means: resistance, impermeability and soft
Inner Size. :10,5x6,5x2

FOTO

CODE	N°	MODEL	PACK	BOX
LYBK3076	3076	BLACK	1pc/0	10

Realized with Soft Revolution standard
Efficient protection of your Computer
High quality zip opening
Soft revolution neoprene style means resistance, impermeability and soft
Inner SIze : 34x26,5x3,5
Inner Size : 38x29x5 CODE 3075
Inner Size : 42,5x30x5 CODE 3076

NOTEBOOK

CODE	N°	MODEL	PACK	BOX
KRP2978K	2978	BLACK	1pc/108	5

Notebook Carrying Bag 17"
Large external pockets
Large internal pockets
Shoulder strap with non-slip padding
Padded backpack straps
Elegant internal finishing
Inner Size: 46,5x38x9

NOTEBOOK

Soft Revolution Bags

CODE	N°	MODEL	PACK	BOX
LYBL2993	2993	BLUE	1pc/108	10
LYGY2991	2991	GREY	1pc/108	20

Realized with Soft Revolution standard
Efficient protection of your Computer
High quality zip opening
Soft revolution neoprene style means resistance, impermeability and soft
Inner Slze : 34x26,5x3,5
Inner Size : 38x29x5 CODE 3075
Inner Size : 42,5x30x5 CODE 3076

NOTEBOOK

Denim Jeans Bags

We link emotions

Denim Jeans Bags

CODE	N°	MODEL	PACK	BOX
JSDC03	6083	BIG	1pc/3	10
JSDC02	6082	SMALL	1pc/3	10

Denim Jeans bag for compact digital cameras and mobile phones, offers an all around protection thanks to the soft and resistant waterproof fabric. Constructed with stylish and refined finishings.
- Beautifully lined interior, equipped with a pocket for batteries, memory card and cables storage.
- one external pocket for accessories storage
- Provided of belt loop and shoulder strap for carrying convenience



CODE	N°	MODEL	PACK	BOX
JSDC01	6081	DENIM	1pc/3	10

Denim Jeans bag for compact digital cameras and videocameras, offers an all around protection thanks to the soft and resistant waterproof fabric. Constructed with stylish and refined finishings.
- Beautifully lined interior, equipped with a pocket for batteries, memory card and cables storage.
- one external pocket for accessories storage
- Provided of belt loop and shoulder strap for carrying convenience



CODE	N°	MODEL	PACK	BOX
JSVC17	6087	BLUE	1pc/3	10
JSVC16	6086	GREEN	1pc/3	10

Bag for compact digital cameras and mobile phones, offers an all around protection thanks to the soft and resistant waterproof fabric. Constructed with stylish and refined finishings.
- Beautifully lined interior, equipped with a pocket for batteries, memory card and cables storage.
- one external pocket for accessories storage
- Provided of belt loop and shoulder strap for carrying convenience



CODE	N°	MODEL	PACK	BOX
JSMP302	6085	MP3	1pc/13	10

- IPod nano/MP3 Special protective denim jeans softcase
- Equipped with Belt Loop and fixing clip
- With Special holes for headphones and cable inputs
- Studied to give an antishock and antiscratch protection
- Magnetic Closure

CODE	N°	MODEL	PACK	BOX
JSLTTL	6096	BIG	1pc/4	10
JSLTTS	6095	SMALL	1pc/4	10

Denim Jeans bag for Portable GPS Navigator, compact digital cameras and PDAs, offers an all around protection thanks to the soft and resistant waterproof fabric. Constructed with stylish and refined finishings.
The construction is thin and adherent not to add encumbrance.
- Beautifully lined interior, equipped with a pocket for batteries, memory card and cables storage.
- one external pocket for accessories storage
- Provided of belt loop and shoulder strap for carrying convenience

FOTO NAV NAVIGATORE GPS

CODE	N°	MODEL	PACK	BOX
JSLVBDS	6097	DENIM	1pc/4	10

Denim Jeans bag for Portable GPS Navigator, compact digital cameras and PDAs, offers an all around protection thanks to the soft and resistant waterproof fabric. Constructed with stylish and refined finishings.
- Beautifully lined interior, equipped with a pocket for batteries, memory card and cables storage.
- one external pocket for accessories storage
- Provided of belt loop and shoulder strap for carrying convenience

REFLEX CAMCORDER

CODE	N°	MODEL	PACK	BOX
JSLVDBL	6098	DENIM	1pc/4	10

Denim Jeans bag for Portable GPS Navigator, compact digital cameras and PDAs, offers an all around protection thanks to the soft and resistant waterproof fabric. Constructed with stylish and refined finishings.
- Beautifully lined interior, equipped with a pocket for batteries, memory card and cables storage.
- one external pocket for accessories storage
- Provided of belt loop and shoulder strap for carrying convenience

REFLEX HD CAMCORDER

CODE	N°	MODEL	PACK	BOX
JSVC1080	6088	DENIM	1pc/3	10

Denim Jeans bag for Portable GPS Navigator, compact digital cameras and PDAs, offers an all around protection thanks to the soft and resistant waterproof fabric. Constructed with stylish and refined finishings.
Beautifully lined interior, equipped with a pocket for batteries, memory card and cables storage.
- one external pocket for accessories storage
- Provided of belt loop and shoulder strap for carrying convenience

HD CAMCORDER

Multimedia Series

Denim Jeans Bags

CODE	N°	MODEL	PACK	BOX
JSPC154	6089	DENIM	1pc/0	10

Denim Jeans bag for up to 15.4" Notebook, offers an all around protection thanks to the soft and resistant waterproof fabric. Constructed with stylish and refined finishings.
- Beautifully lined interior, equipped with a pocket for batteries, memory card and cables storage.
- four external pocket for accessories/documents storage
- Provided of belt loop and shoulder strap for carrying convenience

NOTEBOOK

Laptop bags

We link emotions

Laptop bags

CODE	N°	MODEL	PACK	BOX
BGLPT154E	3221	BLACK	1pc/108	10

Bag for up to 15.4" Notebook, offers an all around protection thanks to the soft and resistant waterproof fabric.
Webbing band to secure the notebook
Large external pocket for documents
Equipped with shoulder belt

CODE	N°	MODEL	PACK	BOX
BPL2786	2786	BLACK	1pc/107	10

Notebook Carrying Bag UP to 17"

Constructed with athermic and waterproof material. Equipped with shoulder belt and special pockets for documents and accessories.
For Notebook up to 17"

NOTEBOOK

Digital Camera / Camcorder bags

We link emotions

Digital Camera / Camcorder bags

CODE	N°	MODEL	PACK	BOX
ELLDCFROR	6167	ORANGE	1pc/13	10
ELLDCFRPI	6168	PINK	1pc/13	10
ELLDCFRGR	6169	GREEN	1pc/13	10

Bag for compact digital cameras, offers an all around protection thanks to the soft and resistant waterproof fabric.
Provided of belt loop and shoulder strap for carrying convenience.
Internal poket for memory card and accessories.

CELLULAR PHONE FOTO

CODE	N°	MODEL	PACK	BOX
ELLDCREOR	6166	ORANGE	1pc/13	10
ELLDCREBL	6165	BLUE	1pc/13	10
ELLDCREBK	6164	BLACK	1pc/13	10

Bag for compact digital cameras, offers an all around protection thanks to the soft and resistant waterproof fabric.
Provided of belt loop and shoulder strap for carrying convenience.

CELLULAR PHONE FOTO

CODE	N°	MODEL	PACK	BOX
ELLDCSLBL	6171	BLUE	1pc/13	10
ELLDCSLBK	6170	BLACK	1pc/13	10
ELLDCSLOR	6172	ORANGE	1pc/13	10

Bag for compact digital cameras, offers an all around protection thanks to the soft and resistant waterproof fabric.
Provided of belt loop and shoulder strap for carrying convenience.
External poket for memory card and accessories.

CELLULAR PHONE FOTO

CODE	N°	MODEL	PACK	BOX
ELLDCEXOR	6163	ORANGE	1pc/13	10
ELLDCEXBL	6162	BLUE	1pc/13	10
ELLDCEXBK	6161	BLACK	1pc/13	10

Bag for compact digital cameras, offers an all around protection thanks to the soft and resistant waterproof fabric.
Provided of belt loop and shoulder strap for carrying convenience.
External poket for memory card and accessories.

CELLULAR PHONE FOTO

CODE	N°	MODEL	PACK	BOX
BPL2799	2799	BLUE	1pc/4	10
BPL2798	2798	RED	1pc/4	10

Digital Camera Bags

Constructed with athermic, waterproof and antishock materials.
Equipped with shoulder belt and special pockets for memory cards and spare batteries.

CODE	N°	MODEL	PACK	BOX
BPL3078	3078	VIDEO/FOTO	1pc/0	6

Camcoder Bag

Constructed with athermic, waterproof and antishock materials.
Equipped with shoulder belt and special pockets.

CODE	N°	MODEL	PACK	BOX
ELLCAMBL	6160	BLUE	1pc	10
ELLCAMBK	6159	BLACK	1pc	10

Bag for digital compact videocameras, offers an all around protection thanks to the soft and resistant waterproof fabric.
- one external pocket for power supply and accessories storage
- Provided of belt loop and shoulder strap for carrying convenience

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

CD/DVD Case

We link emotions

CD/DVD Case

CODE	N°	MODEL	PACK	BOX
HSP2759	2759	BLUE	1pc/4	10
HSP2757	2757	YELLOW	1pc/4	10
HSP2758	2758	BLACK	1pc/4	10
HSP2756	2756	RED	1pc/4	10

CD Player Bag

Constructed with athermic, waterproof and antishock materials.
Lower opening zip for headphone cables output
Adjustable shoulder belt - Fixing clip

CODE	N°	MODEL	PACK	BOX
CDSL50	3220	50 Pcs		10

CD/DVD Paper Cover
50 pcs

CODE	N°	MODEL	PACK	BOX
HJDBR3	3229	BLUE-RAY	3pc/0	50

Single BLUE-ray disc case

3 pcs per pack
Trasparent BLUE color

CODE	N°	MODEL	PACK	BOX
HSF2751	2751	BLUE	1pc/0	10
HSF2753	2753	BLUE	1pc/0	10
HSF2750	2750	BLACK	1pc/0	10
HSF2752	2752	BLACK	1pc/0	10

PORTABLE CD CASE

Mod. 2750 / 2751

Zip closure

Mod. 2752 / 2753

CODE	N°	MODEL	PACK	BOX
HSF2767	2767	BLUE	1pc/4	10
HSF2766	2766	YELLOW	1pc/4	10
HSF2769	2769	BLACK	1pc/4	10
HSF2768	2768	RED	1pc/4	10
HSF2765	2765	GREEN	1pc/4	10

PORTABLE CD CASE

Opening Zip
Belt safety and transportation

CODE	N°	MODEL	PACK	BOX
HJD2812	2812	DVD DOUBLE	3pc/0	50
HJD2814	2814	HF.SPACE-DOUBLE	5pc/0	50
HJD2813	2813	HF.SPACE-SINGLE	5pc/0	50
HJD2811	2811	DVD SINGLE	3pc/0	50

DVD CD Single / Double

Built in plastic high resistance plastic.
Possibility to insert a printed cover outside Plastic protection
- Cellophane packing

CODE 2811 Dvd case - standard space
CODE 2812 Double dvd case- standard space
CODE 2812 Dvd case - half space
CODE 2814 Double dvd case - half space

CD/DVD Case

CODE	N°	MODEL	PACK	BOX
HSF2755	2755	BLUE-i	1pc/0	10
HSF2754	2754	BLACK	1pc/0	10

PORTABLE CD CASE

Zip closure / WITH handle

CODE	N°	MODEL	PACK	BOX
HJB2641	2641	HALF SPACE	1pc/0	50
HJB2640	2640	STD. SPACE	3pc/0	50

STANDARD CD CASE
Contains 1 CD - Color/ Transparent

Standard: 3 pcs per pack
Half-Space: 5 pcs per pack

CODE	N°	MODEL	PACK	BOX
HSF2731	2731	240 CD	1pc/0	10

CD WALLET

Opening zip - Pratical handle and shoulder belt for transportation
- Realized with special antiscratch
antistickting materials
- Realized with synthetic leather



CD/DVD Tower

We link emotions

CD/DVD Tower

CODE	N°	MODEL	PACK	BOX
DVD2621	2621	SILVER	1pc/0	1
DCD2620	2620	CD Tower 60 pz	1pc/0	1



2620
CD Tower
Elegant style, contains up to 60 CDs.
Is based on three feet.
Dimension : 1114x300x210 mm

2621
DVD Tower
Built with elegant style, contains up to 48 DVDs.
Contains single and double covers.
Is based on three feet.
Dimensions : 1114x300x210 mm

CODE	N°	MODEL	PACK	BOX
HCD2631	2631	ORANGE	1pc/0	6

CD TOWER

-Holds 20 CD or CD-ROM
-Stands on the table or can be hanged on the wall
- Various color
-4 plastic feet for excellent stability

CODE	N°	MODEL	PACK	BOX
DCD2643	2643	SILVER	1pc/0	1

Modern desktop support for CD / DVD
Built with style, contains up to 25 CDs.
Dimensions : 503x152x97 mm

CODE	N°	MODEL	PACK	BOX
DVG3065	3065	20 DVD	1pc/0	1

Stands on the table or can be hanged on the wall
Built with an efficient and elegant style, contains up to 20 DVDs.
Very flexible positioning, can be placed in horizontal or vertical.
It can be fixed to a wall for optimum modularity
Dimensions : 210x110x395 mm (LxDxH)

CODE	N°	MODEL	PACK	BOX
DVT3070	3070	SILVER	1pc/0	1
DVT3071	3071	SILVER	1pc/0	1

Modern and functional CD - DVD Tower

Built with elegance, contains up to 132 CDs or 50 DVDs. With its slightly inclined base it grants a stable placement.
Elegant metal finishing.

Dimensions: 320x200x981 mm (L/D/H) - CD
Dimensions : 320x200x1006 mm (L/D/H) - DVD

CODE	N°	MODEL	PACK	BOX
DVW3066	3066	BLACK	1pc/0	1
DVW3067	3067	SILVER	1pc/0	1

Stand on the table or can be hanged on the wall
Built with elegant style, contains up to 43 CDs.
For a stable positioning it leans both on the floor and on the wall.
Dimensions : 310x430x1250 mm (L/D/H)

CODE	N°	MODEL	PACK	BOX
DVS3072	3072	LEGNO	1pc/0	1

Elegant DVD standing rack in wood.

Built with a stylish and elegant curved line, it contains up to 56 DVDs.
It is composed with 4 shelves for an efficient display of your DVD, safe from dust and shock.
Elegant metallic finishing.
Lower deck studied for a stable placement
Dimensions : 285x350x1000 mm (L/D/H)

Multimedia Series

CD/DVD Tower

6 catalogue Display Stands

2008

G&BL
We link Emotions



972



972+983

WALL STAVE DISPLAYS

The G&BL introduces a complete range of wall display stands for the functional exposure of products. The stave displays allow the maximum modularity in the hooks placement, also thanks to the use of 8 cm wide staves, that allow a complete coverage of the wall with any model of our clamshell blisters.
The various parts of the display must be separately ordered (wall, base, hooks, basket, etc.)
The hooks are available in the measures of 20 - 30 - 40 cm. in order to optimize the quantity of product in exposure. In case of installation in the center of a room, we recommend to place two displays code ESPD back against back.
As accessories, can be ordered the base, code ESPDBAS/100; a basket to be fixed on the base, code ESPDCEST100, and a bar for spools display, code ESPBAR, that has to be hooked to the side uppercuts of the display.

For each display ESPD100, we suggest to take 20 hooks of 30 cm. plus 20 hooks of 40 cm.

972+983+3952

972	ESPD100	972 – STAVE DISPLAY CM. 100 x 210 + G&BL top panel
983	ESPDBASI100	983 – BASE FOR 100 CM. DISPLAY
977	ESPGV	977 – 20 CM. HOOK FOR STAVE DISPLAYS
978	ESPGV30	978 – 30 CM. HOOK FOR STAVE DISPLAYS
980	ESPGV40	980 – 40 CM. HOOK FOR STAVE DISPLAYS
988	ESPGV30P	988 – 30 CM. HOOK FOR STAVE DISPLAYS + PRICE HOLDER BAR
989	ESPGV40P	989 – 40 CM. HOOK FOR STAVE DISPLAYS + PRICE HOLDER BAR
987	ESPDCEST100	987 - BASKET FOR 100 CM. DISPLAY BASE
979	ESPBAR	979 - BAR FOR SPOOLS DISPLAY CM. 100
3952	SRBL3952	3592 - "SOFT REVOLUTION" FLAG
3955	KOBVDS	3955 – FIXING KIT for special panels (Right+Left hook)
3954	SPRICEM	3954 – METAL PRICE HOLDER (FOR CODES 988 + 989)
3956	PPRTRASP	3956 – TRANSPARENT PLASTIC PRICE HOLDER cm. 3 x 4 (for all kind of hooks)
5816	ATACG	5816 - ANTI SHOPLIFTING SYSTEM (for all kind of hooks)
5817	ATACH	5817 – KEY FOR ANTY SHOPLIFTING SYSTEM

WALL DISPLAYS FOR BRACKETS

G&BL proposes an easy and functional system of display for its wall mount range.
The display code 3953, is a kit composed of more parts.
The display stand, large 100 cm, has the staves on the lower part and a free flat surface on the upper part where the wall mounts can be mounted for exhibition (samples not included).
The lower part can be used for the display of boxes, placed on the base and on the metal shelf included, or with hooks for the display of blisters (if hooks are needed, they have to be ordered separately).

Code 3191 - This display also include two square supports – to be hooked on the staves- for the display of G&BL cable cover tubes.

3953

3953	ESPSPL	3953 - DISPLAY CM. 100 x 210 + G&BL top panel + BASE + ONE METAL SHELF + TWO SUPPORTS FOR CABLE COVERS
978	ESPGV30	978 – 30 CM. HOOK FOR STAVE DISPLAYS
980	ESPGV40	980 – 40 CM. HOOK FOR STAVE DISPLAYS

994#GB+997

994#GB

DISPLAYS ON WHEELS (ESPGR80R **N°994**)

Display 994#GB is a rating display on wheels with interchangeable Plexiglas side panels.
Panels available: “Audio/Video Cables”, “Inkjet Cartridges” and “Multimedia Accessories”
(indication of the panel desired must be specified at the order).
This display can also be personalised with the kit “SOFT REVOLUTION” for the presentation of this line of bags.

Display 994#GN is a similar display, same dimensions, but all metallic with holes.
The logo is printed on the display itself.

Dimensions: 200 x 80
25 hooks of 30 cm. are already included.

994#GN

994#GB	ESPGR80R	994#GB – GRATING DISPLAY WITH WHEELS + 25 HOOKS
995	ESPR30	995 – EXTRA HOOKS FOR GRATING DISPLAY 994#GB – L. 30 CM.
997	SREVKIT	997 - “SOFT REVOLUTION” KIT FOR GRATING DISPLAY 994
994#GN	ESPGR80R	994#GN – METAL DISPLAY WITH WHEELS + 25 HOOKS
3959	G20ESPMB	3959 – EXTRA HOOKS FOR METAL DISPLAY 994#GN – L. 30 CM.
3958	BASKETSV	3958 – METAL BASKET, silver with G&BL tag. Cm. 25x35x25

3958

975



DISPLAY CABINET

Display cabinet with 2 internal spotlights. Back panel with staves.
The display is supplied complete and with 30 hooks of cm. 20.
Transparent plexiglass shelves can also be ordered.

975	VETR080	975 – DISPLAY CABINET 80x30x200 + 30 HOOKS
977	ESPGV	977 – EXTRA HOOKS FOR STAVE DISPLAYS – L. 20 CM.
984	VETR80-SUPP	984 – TRANSPARENT PLEXIGLASS SHELF CM. 25 X 25

981

MODULAR SPOOLS DISPLAYS

G&BL modular spool display is extremely flexible in the construction, and can be expanded both vertically and in horizontally in accordance to the space available.
The modules can be mounted side by side or one above the other, and steadily fixed together.
Dimensions of each module: cm. 36 x 36 x 71
A practical metre-counter is also available.
At the order, the composition requested has to be specified.
Also specify if the bar for the metre-counter is needed.

981	ESP4B	981 – SPOOL DISPLAY MODULE CM. 36 X 36 X 71
985	CTM	985 – METRE-COUNTER





	Diameter	THICKNESS
Spool 1	20cm	10cm
Spool 2	20cm	20cm
Spool 3	30cm	10cm
Spool 4	30cm	20cm

WALL SPOOL DISPLAYER

New spool displayer to be positioned on teh wall displayer.
Designed for the new standard dimensions of G&BL spools.
Available in 100cm and 125 cm.
New G&BL standard dimensions are 4:

3960	RIPB0B04	3960 - Spool Displayer for spool - 100cm
3961	RIPB0B05	3961 - Spool Displayer for spool - 125cm

3947+3957

PAL BOX

New carton board display for promotional items.
It is composed by a base box and one customizable panel, that can be printed according to the customer's need with pictures of the articles exposed.

3947	PALBCV01	3947 – PALBOX + PANEL
3957	PALBSP	3957 – EXTRA PANEL FOR PALBOX

INDEX

COD.	NUM.	EAN13	Pag.
CUS2539	2539	8001348025399	280
CBA3219R	3219	8001348032199	297
HD4210E18	6516	8011554065164	79
ELJ30S	20	8011884000200	136
EL30PF	21	8011884000217	142
ELJ3S	28	8011884000286	136
EL2P	29	8011884000293	142
EL10P	31	8011884000316	141
EL15P	32	8011884000323	141
EL30P	34	8011884000347	141
EL15PF	35	8011884000354	142
EL154P	37	8011884000378	140
EL44	44	8011884000446	139
EL50P	45	8011884000453	141
EL46	46	8011884000460	139
EL47	47	8011884000477	139
EL48	48	8011884000484	139
ELS50JF	49	8011884000491	137
EL15JJ3	52	8011884000521	138
EL53	53	8011884000538	137
EL50JF	56	8011884000569	137
EL154DP	63	8011884000637	140
EL50JJ3SP	73	8011884000736	138
EL15JJ3S	76	8011884000767	138
ELJJ30S	78	8011884000781	138
79B	79	8011884000798	152
80B	80	8011884000804	152
81B	81	8011884000811	152
82B	82	8011884000828	152
EL2J	85	8011884000859	136
EL30JJ3S	86	8011884000866	138
EL50JJ3S	87	8011884000873	138
EL15JJ3SA	90	8011884000903	140
EL15DY	91	8011884000910	137
0CA1167	92	8011884000927	109
HP938	95	8011884000958	125
195B	98	8011884000989	182
SC838G	103	8011884001030	158
VL222	105	8011884001054	160
VL202	111	8011884001115	160
VL302	112	8011884001122	159
VC841	115	8011884001153	124
VC842	116	8011884001160	124
SC858	117	8011884001177	125
SC859	118	8011884001184	125
PMXL	120	8011884001207	70
PMXFJ	121	8011884001214	70
ELSUB5	122	8011884001221	142

COD.	NUM.	EAN13	Pag.
2010B	124	8011884001245	182
225GB	125	8011884001252	146
217GB	127	8011884001276	148
VDS128	128	8011884001283	159
146VB	130	8011884001306	149
VDS131	131	8011884001313	159
139B	139	8011884001399	147
140B	140	8011884001405	147
141B	141	8011884001412	147
142B	142	8011884001429	147
143B	143	8011884001436	145
144B	144	8011884001443	145
146B	146	8011884001467	149
147B	147	8011884001474	149
151B	151	8011884001511	168
154B	154	8011884001542	169
155GB	155	8011884001559	169
156B	156	8011884001566	169
157B	157	8011884001573	145
158B	158	8011884001580	145
159B	159	8011884001597	144
160B	160	8011884001603	144
AL12	161	8011884001610	136
PMJJ	163	8011884001634	70
SRSP	166	8011884001665	125
170B	170	8011884001702	171
171B	171	8011884001719	178
172B	172	8011884001726	178
173B	173	8011884001733	178
177B	177	8011884001771	168
180BG	180	8011884001801	171
181B	181	8011884001818	171
182B	182	8011884001825	169
188	188	8011884001887	53
191RB	191	8011884001917	182
192B	192	8011884001924	182
SAT10900	193	8011884001931	183
AN203B	194	8011884001948	176
AN203MB	195	8011884001955	176
198B	198	8011884001986	182
199B	199	8011884001993	182
200B	200	8011884002006	182
201B	201	8011884002013	182
202B	202	8011884002020	177
203B	203	8011884002037	177
205B	205	8011884002051	168
206B	206	8011884002068	177
207B	207	8011884002075	145

COD.	NUM.	EAN13	Pag.
208B	208	8011884002082	145
209B	209	8011884002099	147
210B	210	8011884002105	146
PT2/1.00B	211	8011884002112	48
PT2/1.00	212	8011884002129	48
P2/0.75RB	213	8011884002136	48
P2/0.75R	214	8011884002143	48
P2/1.00R	215	8011884002150	48
P2/1.50R	216	8011884002167	48
217B	217	8011884002174	148
219B	219	8011884002198	168
220B	220	8011884002204	177
221B	221	8011884002211	177
222B	222	8011884002228	149
223B	223	8011884002235	146
224B	224	8011884002242	147
225B	225	8011884002259	146
226B	226	8011884002266	148
227B	227	8011884002273	147
228B	228	8011884002280	146
229B	229	8011884002297	145
230B	230	8011884002303	146
231B	231	8011884002310	145
232B	232	8011884002327	147
233B	233	8011884002334	144
234B	234	8011884002341	147
235B	235	8011884002358	146
236B	236	8011884002365	146
237B	237	8011884002372	144
238B	238	8011884002389	148
239B	239	8011884002396	148
VDP625	245	8011884002457	161
VDS826	246	8011884002464	160
VDP521	254	8011884002549	109
LE524	264	8011884002648	164
LE983	265	8011884002655	162
VDP415B	266	8011884002662	160
VDP615A	267	8011884002679	163
VDP615P	268	8011884002686	162
VLT915	269	8011884002693	159
VDP502MX	272	8011884002723	165
VLT930	274	8011884002747	159
SCART/23	275	8011884002754	170
AN205B	286	8011884002860	176
SCART-5	290	8011884002907	170
VDP502P	292	8011884002921	162
SCART/2	293	8011884002938	170
VDP502/ AVR	295	8011884002952	161

COD.	NUM.	EAN13	Pag.	COD.	NUM.	EAN13	Pag.	COD.	NUM.	EAN13	Pag.
VDP502/AS	298	8011884002983	164	AL2308B	408	8011884004086	273	HK49410	512	8011884005120	51
SC868E	301	8011884003010	129	AL230CB	409	8011884004093	272	HK48810	513	8011884005137	52
SC868V	302	8011884003027	128	AL220IQ	410	8011884004109	272	HP42M	515	8011884005151	27
AN200B	306	8011884003065	176	HP67B	413	8011884004130	29	HP42F	516	8011884005168	27
VDP522	308	8011884003089	163	HPRAD	415	8011884004154	30	HP42J	517	8011884005175	27
VDS946	309	8011884003096	159	XLR311CB	420	8011884004208	152	SHR2	518	8011884005182	67
VDP615	310	8011884003102	161	XLR312CB	421	8011884004215	152	SHR3	519	8011884005199	67
VDP650	311	8011884003119	161	HPS07	422	8011884004222	60	SHR4	520	8011884005205	67
SVL200	314	8011884003140	165	HPS08	423	8011884004239	61	HPM4-FC	522	8011884005229	66
SV4M	319	8011884003195	165	XLR311PB	424	8011884004246	152	P2/2.50S	523	8011884005236	50
SV2MRS	320	8011884003201	164	XLR312PB	426	8011884004260	152	HP26	524	8011884005243	27
321B	321	8011884003218	148	HPT420	428	8011884004284	63	HP26F	525	8011884005250	28
VSC70H	324	8011884003249	125	10200	430	8011884004307	53	HPF81	527	8011884005274	64
VSC70HS	325	8011884003256	125	MIC10080	433	8011884004338	152	HPM4	528	8011884005281	66
PF/2075B	329	8011884003294	48	191SC	434	8011884004345	53	HP2CA	536	8011884005366	50
SVL200D	330	8011884003300	165	138B	435	8011884004352	148	HP2BA	538	8011884005380	50
VDP715	339	8011884003393	163	HPS04	437	8011884004376	60	P2/4.00S	539	8011884005397	50
VSC60	341	8011884003416	170	145B	441	8011884004413	27	HPF91	576	8011884005762	64
AVN10	342	8011884003423	177	HPS02P	442	8011884004420	61	NP5A	595	8011884005953	33
SC838	343	8011884003430	158	HPS02	449	8011884004499	61	NP150C	596	8011884005960	33
SC839	344	8011884003447	158	HPR07V	460	8011884004604	14	NPADX	597	8011884005977	32
SC840	345	8011884003454	158	HPR12V	461	8011884004611	14	NP3PS40	598	8011884005984	32
CS902	346	8011884003461	68	SUB3	463	8011884004635	72	NP3PS	599	8011884005991	32
CS904	347	8011884003478	68	SUB5	465	8011884004659	72	LE822	600	8011884006004	160
MA348	348	8011884003485	144	HPOMSS	466	8011884004666	44	LE984	601	8011884006011	162
SA349	349	8011884003492	144	HPG70	467	8011884004673	16	HP36G	606	8011884006066	28
HEOPTT1	351	8011884003515	37	HPG120	468	8011884004680	16	PTS2100B-20	636	8011884006363	50
HEOPTT2	352	8011884003522	37	HPM20	469	8011884004697	66	PTS2100N	637	8011884006370	50
HEOPT352	354	8011884003546	37	HPM3	470	8011884004703	67	PTS2200A	638	8011884006387	50
HPADOF05	356	8011884003560	36	HPM20-S	471	8011884004710	66	PTS2200B	639	8011884006394	50
HPADOF-1	357	8011884003577	36	HPTY12	472	8011884004727	15	HK2200B	640	8011884006400	51
HPADOF2	358	8011884003584	36	HPC700	474	8011884004741	15	VL502	644	8011884006448	182
HPTT35	359	8011884003591	44	HPC720	475	8011884004758	15	MIC10083	649	8011884006493	152
HPTTPR	360	8011884003607	44	HPX312	482	8011884004826	12	481002	650	8011884006509	140
HHODCTT1	362	8011884003621	40	HVR150	483	8011884004833	117	483002	651	8011884006516	140
HHODCTT2	363	8011884003638	40	HPX312-06	486	8011884004864	12	485002	652	8011884006523	140
AL220FB	364	8011884003645	272	HPX312-20	487	8011884004871	12	SCRC	654	8011884006547	126
HPS215	368	8011884003683	63	P2/3.00TR	488	8011884004888	52	38150F	655	8011884006554	141
HPS230	369	8011884003690	63	HPCD310	491	8011884004918	14	VDR656	656	8011884006561	162
HHODCTT5	372	8011884003720	40	HP2150	493	8011884004932	51	VDP657	657	8011884006578	161
PTS2100	390	8011884003904	50	HP2250	494	8011884004949	51	371502	658	8011884006585	141
PTS2200	391	8011884003911	50	HP2400	495	8011884004956	51	VDP523	659	8011884006592	163
PTS2100B	392	8011884003928	50	HP416	496	8011884004963	52	HV200HP	663	8011884006639	118
AL220SK	393	8011884003935	273	HP4152	497	8011884004970	53	ELJ3SG	670	8011884006707	141
AL2208S	398	8011884003980	272	HPTY07	505	8011884005052	15	HPVS500	671	8011884006714	120
AL220CB	399	8011884003997	272	HK2700	508	8011884005083	51	HPVS100	672	8011884006721	120
AL2208B	400	8011884004000	273	HK21000	509	8011884005090	51	HPSVHS2	674	8011884006745	120
AL2208R	401	8011884004017	272	HK23000	510	8011884005106	51	HV676S	676	8011884006769	126

COD.	NUM.	EAN13	Pag.
HV100HP	677	8011884006776	118
HVM95	678	8011884006783	124
HVF95	679	8011884006790	124
AN201D	681	8011884006813	176
ANTFM	684	8011884006844	136
SCART/3	685	8011884006851	170
HPD35	686	8011884006868	72
HPD35-5	687	8011884006875	72
P215K	690	8011884006905	49
P2110K	691	8011884006912	49
PT215K	693	8011884006936	48
PT2110K	694	8011884006943	48
PT2/0.75	695	8011884006950	48
HK15	699	8011884006998	51
FTK415T	700	8011884007001	51
TP701	701	8011884007018	392
TP702	702	8011884007025	392
TP703	703	8011884007032	392
TP705	705	8011884007056	392
TP706	706	8011884007063	392
TP707	707	8011884007070	392
TP708	708	8011884007087	392
TP709	709	8011884007094	392
TC712	712	8011884007124	392
TP714	714	8011884007148	392
TC715	715	8011884007155	392
TC716	716	8011884007162	392
TC717	717	8011884007179	392
TC719	719	8011884007193	392
TDS721	721	8011884007216	392
TDS725	725	8011884007254	392
TDS726	726	8011884007261	392
TC64CN	730	8011884007308	392
TC64CB	731	8011884007315	392
TC64C5	732	8011884007322	392
TC64C20	739	8011884007391	392
TC44CN	740	8011884007407	392
TC44CB	741	8011884007414	392
TC743N	743	8011884007438	392
TC445CN	747	8011884007476	392
TCP8N	749	8011884007490	392
TCUT	750	8011884007506	392
TCUT8	751	8011884007513	392
TP44	752	8011884007520	392
TP64	753	8011884007537	392
TCP4A	756	8011884007568	392
TCP4N	757	8011884007575	392
TCP6N	758	8011884007582	392
TCP6A	759	8011884007599	392
TA760	760	8011884007605	392
TP08	761	8011884007612	392
TP15	763	8011884007636	392
TPP85N	765	8011884007650	392
TAD5	767	8011884007674	392
TCD8	768	8011884007681	392
TM769	769	8011884007698	392
TC771	771	8011884007711	392
TA760F	772	8011884007728	392
TA780F	773	8011884007735	392
TA763	774	8011884007742	392
TA783K	777	8011884007773	392
TP788	778	8011884007780	392
TC82N	780	8011884007803	392
TC85N	781	8011884007810	392
TC85PN	782	8011884007827	392
TA783	783	8011884007834	392
TA784	784	8011884007841	392
TA787	787	8011884007872	392
TC64C10	796	8011884007964	392
TC810N	797	8011884007971	392
TC85A	798	8011884007988	392
TC64C15	799	8011884007995	392
807B	807	8011884008077	181
808B	808	8011884008084	180
809B	809	8011884008091	180
AMP701	818	8011884008183	180
AMP702	819	8011884008190	180
ST10A	826	8011884008268	180
ST15A	827	8011884008275	180
ST20A	828	8011884008282	180
MA830	830	8011884008305	180
RS832	832	8011884008329	180
833B	833	8011884008336	182
834B	834	8011884008343	182
MDSAT	840	8011884008404	181
PR375	850	8011884008503	392
PR310	852	8011884008527	392
PR575	854	8011884008541	392
PR510	856	8011884008565	392
PR373SP	858	8011884008589	392
PR3105SP	860	8011884008602	392
VI410	863	8011884008633	392
VI416S	865	8011884008657	392
VI415S	867	8011884008671	392
PR375SP	868	8011884008688	392
PR31055SP	869	8011884008695	392
AVC31005	871	8011884008718	392
AVC31010	874	8011884008749	392
AVC31507	875	8011884008756	392
MSTRAVEL	876	8011884008763	249
GR7	878	8011884008787	177
WS24	879	8011884008794	197
RCEX	880	8011884008800	196
FL30	882	8011884008824	182
SAT10900B	884	8011884008848	183
SAT5HS	885	8011884008855	183
SATDIG	887	8011884008879	183
SAT5DB	889	8011884008893	183
SATFD	890	8011884008909	181
SAMP	893	8011884008930	181
VSC3S	894	8011884008947	164
STF1	896	8011884008961	181
STF2	897	8011884008978	181
899B	899	8011884008992	177
SP10	902	8011884009029	392
SP10N	903	8011884009036	392
SP10A	904	8011884009043	392
SPR10	907	8011884009074	392
TR10	908	8011884009081	392
SP16	910	8011884009104	392
SP16N	911	8011884009111	392
SP16A	912	8011884009128	392
PR16	914	8011884009142	392
PR16N	915	8011884009159	392
TR16	916	8011884009166	392
TRSC10	918	8011884009180	392
RDSPB	919	8011884009197	392
SPSCH	920	8011884009203	392
PRSCH	921	8011884009210	392
TRSCH	923	8011884009234	392
RDSCH6	924	8011884009241	392
RDSCH	925	8011884009258	392
RD16	930	8011884009302	392
IL25	932	8011884009326	392
PT4	933	8011884009333	392
PT6	934	8011884009340	392
PT4SN	935	8011884009357	392
PT4N	936	8011884009364	392
PT937S	937	8011884009371	392
PT938S	938	8011884009388	392
VA42P	939	8011884009395	392
SRW23	943	8011884009432	110
SRW21	944	8011884009449	110
GRCH945	945	8011884009456	245

COD.	NUM.	EAN13	Pag.
GRCH946	946	8011884009463	244
GRT947	947	8011884009470	245
GRCH948	948	8011884009487	246
GCCH250	949	8011884009494	244
SPKFV	950	8011884009500	64
GCCH250B	952	8011884009524	246
GV300S	954	8011884009548	241
GV500S	955	8011884009555	240
GV300	957	8011884009579	241
GV500	958	8011884009586	240
GV1000	959	8011884009593	240
GRB961	961	8011884009616	245
GF5006	963	8011884009630	241
GF50012	965	8011884009654	240
G12-800	967	8011884009678	248
ANTIT	990	8011884009906	194
ANTIT2	991	8011884009913	194
ANTDIGT	993	8011884009937	194
PT215K/I	1693	8011884016935	48
PT2110K/I	1694	8011884016946	48
CST2006	2006	8011884020062	258
CST2007	2007	8011884020079	258
CST2008	2008	8011884020086	258
CSU2018	2018	8011884020185	283
CRS2022	2022	8011884020222	258
CRS2023	2023	8011884020239	258
CRS2024	2024	8011884020246	258
CRS2026	2026	8011884020260	258
CRS2027	2027	8011884020277	258
CRS2028	2028	8011884020284	257
CRS2029	2029	8011884020291	258
CRS2033	2033	8011884020338	256
CRS2036	2036	8011884020369	256
CRS2037	2037	8011884020376	256
CRS2038	2038	8011884020383	257
CRS2039	2039	8011884020390	257
CRS2043	2043	8011884020437	257
CRS2044	2044	8011884020444	257
CLL2051	2051	8011884020512	257
CLL2053	2053	8011884020536	258
CMN2070	2070	8011884020703	262
CMN2071	2071	8011884020710	262
CMN2072	2072	8011884020727	263
CMN2073	2073	8011884020734	262
CMN2074	2074	8011884020741	263
CMN2075	2075	8011884020758	263
CMN2076-3	2076	8011884020765	262
CMN2077-5	2077	8011884020772	262
FWH2094	2094	8011884020949	286
FWH2095	2095	8011884020956	286
FWH2096	2096	8011884020963	286
FWH2097	2097	8011884020970	286
FWH2099	2099	8011884020994	286
FWH2100	2100	8011884021007	286
FWH2101	2101	8011884021014	286
FWH2102	2102	8011884021021	286
CTS2110	2110	8011884021106	266
CTS2111	2111	8011884021113	266
CTS2112	2112	8011884021120	266
CTS2113	2113	8011884021137	266
RTS2115	2115	8011884021151	266
RTS2116	2116	8011884021168	266
FWG2128	2128	8011884021281	292
FWG2131	2131	8011884021311	292
FWG2132	2132	8011884021328	292
CBA2142	2142	8011884021427	297
HDB2144	2144	8011884021441	293
HDB2145	2145	8011884021458	293
HDB2146	2146	8011884021465	293
HSD2147	2147	8011884021472	292
CUG2152	2152	8011884021526	292
HSF2154	2154	8011884021540	286
HSF2155	2155	8011884021557	287
HSF2156	2156	8011884021564	286
NLU2158	2158	8011884021588	300
NLU2159	2159	8011884021595	300
MMS2175	2175	8011884021755	310
UBP2178	2178	8011884021786	296
UBT2179	2179	8011884021793	296
CUS2182	2182	8011884021823	284
UPC2183	2183	8011884021830	298
U2P2186	2186	8011884021861	298
CUS2187	2187	8011884021878	283
FEU2189	2189	8011884021892	277
SRE2191	2191	8011884021915	277
FCB2195	2195	8011884021953	287
FWH2198	2198	8011884021984	286
FWH2199	2199	8011884021991	286
FWH2200	2200	8011884022004	286
CFD2201	2201	8011884022011	268
UMH2206	2206	8011884022066	297
CUS2211B	2211	8011884022110	281
CUS2212R	2212	8011884022127	281
CUS2218	2218	8011884022189	281
CUS2219	2219	8011884022196	281
CUS2220	2220	8011884022202	281
CUS2229	2229	8011884022295	298
UMH2231	2231	8011884022318	297
FW2235	2235	8011884022356	286
FW2236	2236	8011884022363	286
ULC2237	2237	8011884022370	296
FW2239	2239	8011884022394	286
FW2240	2240	8011884022400	286
FW2244	2244	8011884022448	286
FW2245	2245	8011884022455	286
U45300CR	2249	8011884022493	276
U45100	2250	8011884022509	276
U45200	2251	8011884022516	276
U45300	2252	8011884022523	276
U45500	2253	8011884022530	276
U45700	2254	8011884022547	276
U451000	2255	8011884022554	276
U451500	2256	8011884022561	276
U45500CR	2258	8011884022585	276
U45200CR	2259	8011884022592	276
S45100	2260	8011884022608	276
S45200	2261	8011884022615	276
S45300	2262	8011884022622	276
S45500	2263	8011884022639	276
S451000	2265	8011884022653	276
S451500	2266	8011884022660	276
UMH2268S	2268	8011884022684	297
RJ250	2271	8011884022714	277
RJ45S	2280	8011884022806	278
RJ45R	2281	8011884022813	278
RJ45F	2282	8011884022820	393
PZA2294	2294	8011884022943	277
RG59	2297	8011884022974	263
DVC2307	2307	8011884023070	84
DVC2308	2308	8011884023087	78
DVI2310	2310	8011884023100	98
DVI2314	2314	8011884023148	100
DVA2315	2315	8011884023155	84
DVA2317	2317	8011884023179	84
DVI2318	2318	8011884023186	98
FWC2328	2328	8011884023285	287
FWC2330	2330	8011884023308	287
HDD2347	2347	8011884023476	293
HDD2348	2348	8011884023483	293
HDD2349	2349	8011884023490	293
HDD2350	2350	8011884023506	293
MWN2359	2359	8011884023599	304
MWN2360	2360	8011884023605	304

COD.	NUM.	EAN13	Pag.
CCU2382	2382	8011884023827	356
CUS2388	2388	8011884023889	281
CUS2389	2389	8011884023896	281
CUH2393	2393	8011884023933	281
CUD2395	2395	8011884023957	282
CUD2396	2396	8011884023964	282
CUD2397	2397	8011884023971	282
CUD2398	2398	8011884023988	282
RMO2401	2401	8011884024015	256
RMO2402	2402	8011884024022	256
RMO2403	2403	8011884024039	256
RMO2404	2404	8011884024046	256
RMO2406	2406	8011884024060	256
RMO2407	2407	8011884024077	256
RMO2408	2408	8011884024084	256
RMO2409	2409	8011884024091	256
RDB2426	2426	8011884024268	263
RDB2427	2427	8011884024275	263
RDB2428	2428	8011884024282	263
RDB2429	2429	8011884024299	263
MGC2430	2430	8011884024305	259
MGC2431	2431	8011884024312	259
MGC2436	2436	8011884024367	259
MGC2440	2440	8011884024404	259
MGC2441	2441	8011884024411	259
RSB2457	2457	8011884024572	282
RSB2458	2458	8011884024589	282
RSB2459	2459	8011884024596	282
RSB2461	2461	8011884024619	282
RSB2463	2463	8011884024633	282
RSB2464	2464	8011884024640	282
CUS2538	2538	8011884025388	280
CUS2540	2540	8011884025401	280
CUS2541	2541	8011884025418	280
CUS2542	2542	8011884025425	280
CUS2543	2543	8011884025432	280
USM2549	2549	8011884025494	296
NFA2560	2560	8011884025609	292
NFA2561	2561	8011884025616	292
NFA2562	2562	8011884025623	292
MHB2584	2584	8011884025845	312
MHB2585S	2585	8011884025852	312
MHB2586	2586	8011884025869	315
MHB2587	2587	8011884025876	313
MHB2588	2588	8011884025883	313
MHB2589	2589	8011884025890	312
MCM2590	2590	8011884025906	316
PINV150	2615	8011884026156	248
IFP2619	2619	8011884026194	297
DCD2620	2620	8011884026200	382
DVD2621	2621	8011884026217	382
HCD2631	2631	8011884026316	382
HJB2640	2640	8011884026408	380
HJB2641	2641	8011884026415	380
DCD2643	2643	8011884026439	382
TSW2661	2661	8011884026613	306
TSW2662	2662	8011884026620	306
MSW2673	2673	8011884026736	306
VGD2683	2683	8011884026835	293
LMC2690	2690	8011884026903	323
LLC2691	2691	8011884026910	322
CLW2692	2692	8011884026927	326
RCC2693	2693	8011884026934	322
SCLK2694	2694	8011884026941	323
KCBR2695	2695	8011884026958	322
MCLC2696	2696	8011884026965	324
CFCL2697	2697	8011884026972	324
M8D2700	2700	8011884027009	394
CFD2710	2710	8011884027108	270
CFD2711	2711	8011884027115	270
ATA2712	2712	8011884027122	270
ATA2713	2713	8011884027139	270
ATA2717	2717	8011884027177	270
ATA2718	2718	8011884027184	270
ATA2719	2719	8011884027191	268
CPS2720	2720	8011884027207	308
ASC2730	2730	8011884027306	310
HSF2731	2731	8011884027313	380
ASC2732	2732	8011884027320	310
ASC2733	2733	8011884027337	310
HSF2750	2750	8011884027504	379
HSF2751	2751	8011884027511	379
HSF2752	2752	8011884027528	379
HSF2753	2753	8011884027535	379
HSF2754	2754	8011884027542	380
HSF2755	2755	8011884027559	380
HSP2756	2756	8011884027566	378
HSP2757	2757	8011884027573	378
HSP2758	2758	8011884027580	378
HSP2759	2759	8011884027597	378
HSF2765	2765	8011884027658	379
HSF2766	2766	8011884027665	379
HSF2767	2767	8011884027672	379
HSF2768	2768	8011884027689	379
HSF2769	2769	8011884027696	379
HMP2773	2773	8011884027733	308
HMP2774	2774	8011884027740	308
HMP2775	2775	8011884027757	308
HMP2776	2776	8011884027764	308
HMP2777	2777	8011884027771	308
HMP2778	2778	8011884027788	308
HGP2781	2781	8011884027818	308
BPL2786	2786	8011884027863	372
BPL2798	2798	8011884027986	375
BPL2799	2799	8011884027993	375
HJD2811	2811	8011884028112	379
HJD2812	2812	8011884028129	379
HJD2813	2813	8011884028136	379
HJD2814	2814	8011884028143	379
MOM2950	2950	8011884029508	306
UVC2951	2951	8011884029515	300
KDC2952K	2952	8011884029522	364
KDC2953G	2953	8011884029539	364
KDC2954B	2954	8011884029546	364
KDC2955R	2955	8011884029553	364
KDC2956K	2956	8011884029560	364
KDC2957G	2957	8011884029577	364
KDC2958B	2958	8011884029584	364
KDC2959R	2959	8011884029591	364
KCD2969G	2969	8011884029690	364
KCD2970B	2970	8011884029706	364
KCD2971R	2971	8011884029713	364
KRP2978K	2978	8011884029782	365
KCD2980K	2980	8011884029805	364
KCD2981G	2981	8011884029812	364
KCD2983R	2983	8011884029836	364
SPR400	2988	8011884029881	326
SPR400/I	2989	8011884029898	326
LYGY2991	2991	8011884029911	366
LYBL2993	2993	8011884029935	366
PEBK2995	2995	8011884029959	365
PEGY2996	2996	8011884029966	365
PEOR2997	2997	8011884029973	365
PEBL2998	2998	8011884029980	365
PEGR2999	2999	8011884029997	365
EABK3000	3000	8011884030009	365
EAGY3001	3001	8011884030016	365
EAOR3002	3002	8011884030023	365
EABL3003	3003	8011884030030	365
EAGR3004	3004	8011884030047	365
MWN3010	3010	8011884030108	304
SPU3040	3040	8011884030405	325
SPP3041	3041	8011884030412	357
DVC3042	3042	8011884030429	324

Content Index

COD.	NUM.	EAN13	Pag.
MFC3043	3043	8011884030436	357
CFC3044	3044	8011884030443	325
MSC3045	3045	8011884030450	325
SDC3046	3046	8011884030467	325
PSR3050	3050	8011884030504	356
PSR3051	3051	8011884030511	356
PSH3052	3052	8011884030528	356
PSH3053	3053	8011884030535	356
PSH3054	3054	8011884030542	356
PSH3055	3055	8011884030559	356
HSP3056	3056	8011884030566	356
HSP3057	3057	8011884030573	356
HSP3058	3058	8011884030580	356
HSP3059	3059	8011884030597	356
HSP3060	3060	8011884030603	356
HSP3061	3061	8011884030610	356
PS1K3062	3062	8011884030627	356
PS2K3063	3063	8011884030634	356
DVG3065	3065	8011884030658	382
DVW3066	3066	8011884030665	383
DVW3067	3067	8011884030672	383
DVT3070	3070	8011884030702	383
DVT3071	3071	8011884030719	383
DVS3072	3072	8011884030726	383
LYBK3076	3076	8011884030764	365
APDC3077	3077	8011884030771	356
BPL3078	3078	8011884030788	375
RCD3084	3084	8011884030849	322
IPN3116BL	3116	8011884031167	332
IPUSBCH	3117	8011884031174	348
IPCARCH	3118	8011884031181	340
IPHOMECH	3119	8011884031198	340
IPHOMECH2	3121	8011884031211	341
ICW353507	3122	8011884031228	346
IPODNARM4	3123	8011884031235	333
ADDBCHIP	3124	8011884031242	341
ADDBCHIPS	3125	8011884031259	340
IP225	3138	8011884031389	346
IP028	3139	8011884031396	347
IP5438	3140	8011884031402	342
IPNMCOL	3141	8011884031419	333
IPHOMECHS	3159	8011884031594	341
MHB3167	3167	8011884031679	315
ICW3535	3170	8011884031709	346
ICW35235	3171	8011884031716	346
ICW35RCA3	3172	8011884031723	347
ICW35M35F	3173	8011884031730	346
ICW35RCA2	3174	8011884031747	347
MWN3176H	3176	8011884031761	304
HMP3177	3177	8011884031778	308
HMP3178	3178	8011884031785	308
HMP3179	3179	8011884031792	308
HMP3180	3180	8011884031808	308
HMP3181	3181	8011884031815	308
UVC3182	3182	8011884031822	300
ETCVISTA	3183	8011884031839	296
MFC4040	3184	8011884031846	325
IPSHUF04C	3185	8011884031853	334
MP3DSA-BL	3187	8011884031877	338
MP3DSA-P	3188	8011884031884	338
MP3DSA-G	3189	8011884031891	338
SCLKIT	3190	8011884031907	324
DVC3201	3201	8011884032010	102
IPH01WH	3204	8011884032041	331
ITOU01BL	3205	8011884032058	332
ITOU01WH	3206	8011884032065	332
IPG01BL	3208	8011884032089	331
SWPA2000	3209	8011884032096	344
CARCH2000	3210	8011884032102	344
CARSUPP01	3211	8011884032119	344
WII18SC	3213	8011884032133	360
WII18FULL	3214	8011884032140	360
CAT6L10	3215	8011884032157	276
CAT6L15	3216	8011884032164	276
CAT6L20	3217	8011884032171	276
CAT6L30	3218	8011884032188	276
CDSL50	3220	8011884032201	378
BGLPT154E	3221	8011884032218	372
IPCHUSB	3223	8011884032232	341
SPSC500HQ	3224	8011884032249	325
IPN3226P4	3226	8011884032263	334
IPN3227G4	3227	8011884032270	334
IPN3228B4	3228	8011884032287	334
HJDBR3	3229	8011884032294	378
RKEY100	3230	8011884032300	323
RSBNK96	3231	8011884032317	283
USB30180	3233	8011884032331	280
USB30300	3234	8011884032348	280
DB15X2	3235	8011884032355	293
SATA3236	3236	8011884032362	270
CMUSBMF	3237	8011884032379	283
IPSHUF3CO	3238	8011884032386	335
MDPHDMI	3239	8011884032393	87
DUPLIUSB	3353	8011884033536	280
IPNMCOL01	3354	8011884033543	333
USBMI060	3355	8011884033550	280
USBMICR060	3356	8011884033567	281
USBMICR180	3357	8011884033574	281
MP3ARM	3358	8011884033581	332
IPN3359W5	3359	8011884033598	334
IPN3360P5	3360	8011884033604	334
IPN3361G5	3361	8011884033611	334
IPN3362B5	3362	8011884033628	334
SSAVTR	3363	8011884033635	330
SSAVMIR	3364	8011884033642	330
SSAVHEI	3365	8011884033659	330
MFCK3367	3367	8011884033673	323
IP3GCOVBM	3370	8011884033703	331
IP3GCOVWS	3371	8011884033710	331
SONYE444W	3374	8011884033741	333
IPUSBCH06	3375	8011884033758	348
IPUSBCHEX	3376	8011884033765	348
IPCHUSB2K	3377	8011884033772	342
CUS2218W	3378	8011884033789	282
AUNTB6FAC	3379	8011884033796	304
AUNTB6FDC	3380	8011884033802	304
CAT6L02	3383	8011884033833	276
CAT6L03	3384	8011884033840	276
CAT6L05	3385	8011884033857	276
CAT6L07	3386	8011884033864	276
IPADSCW	3388	8011884033888	352
IPADSCB	3389	8011884033895	352
IPADSCPR	3390	8011884033901	352
SCLK3433	3433	8011884034335	322
SPSCSCLKF	3434	8011884034342	323
TR10N	5109	8011884051097	395
TR16N	5116	8011884051165	395
TRSC10N	5118	8011884051189	395
TRSCHN	5123	8011884051233	395
RDSCH6N	5124	8011884051240	395
RDSCHN	5125	8011884051257	395
PT6N	5134	8011884051349	395
PT938SN	5138	8011884051387	395
HDOC	5200	8011884052001	46
HDCO	5201	8011884052018	45
HPDS	5202	8011884052025	45
HEOA/TT1	5205	8011884052056	36
HEOA/TT2	5206	8011884052063	36
CS100A	5207	8011884052070	184
S6LNB	5209	8011884052094	184
A700MH	5213	8011884052131	244
SHP100	5217	8011884052179	118
SHP200	5218	8011884052186	118
SHP500	5219	8011884052193	118

COD.	NUM.	EAN13	Pag.
SHP1000	5220	8011884052209	118
SHP5221	5221	8011884052216	118
HV678S	5222	8011884052223	126
HPOOD7F	5223	8011884052230	22
HPOODF	5224	8011884052247	22
HPOOD2F	5225	8011884052254	22
HPFER9	5226	8011884052261	22
HPDCA	5241	8011884052414	45
HSAC42	5242	8011884052421	15
HHSAC43	5243	8011884052438	17
HMDTT1	5246	8011884052469	36
HMDTT2	5247	8011884052476	36
HPQFA100	5248	8011884052483	41
HPQFA200	5249	8011884052490	41
HPCT35	5250	8011884052506	44
HPC35T	5251	8011884052513	44
HESRGB2	5254	8011884052544	106
HESRGB5	5255	8011884052551	106
HPCT100	5256	8011884052568	36
HESDMM	5260	8011884052605	190
HESDMF	5261	8011884052612	190
HES3181	5270	8011884052704	113
HES3201	5272	8011884052728	113
HESVA1	5274	8011884052742	114
1-65L	5284	8011884052841	112
1-12L	5285	8011884052858	116
HHSP43	5287	8011884052872	58
HHPVA1	5292	8011884052926	118
HHPVA2	5293	8011884052933	118
HHPVA5	5294	8011884052940	118
TSC30BB	5300	8011884053008	396
TSC30BL	5301	8011884053015	396
TSC30GR	5302	8011884053022	396
TSC30GP	5303	8011884053039	396
TSC30LI	5304	8011884053046	396
TSC30ST	5305	8011884053053	396
TSC30TA	5306	8011884053060	396
TES07W	5308	8011884053084	396
TES20W	5309	8011884053091	396
TEC02W	5310	8011884053107	396
TEC02W	5311	8011884053114	396
TEC02B	5312	8011884053121	396
TEC05B	5313	8011884053138	396
TEC10B	5314	8011884053145	396
TEC15B	5315	8011884053152	396
HQRS05	5330	8011884053305	37
HQRS10	5331	8011884053312	37
HQRS20	5332	8011884053329	37
HQRS50	5333	8011884053336	37
HP46M	5336	8011884053367	29
HP79M	5338	8011884053381	29
HM062	5340	8011884053404	12
HM102	5341	8011884053411	12
HM152	5342	8011884053428	12
HM252	5343	8011884053435	12
HM502	5344	8011884053442	12
HPA072	5345	8011884053459	14
HPA122	5346	8011884053466	14
HPA202	5347	8011884053473	14
HPD35/30	5348	8011884053480	72
HOTRP2	5356	8011884053565	39
HSCB15	5367	8011884053671	108
HSCB20	5368	8011884053688	108
HSCB40	5369	8011884053695	108
HSCB07	5370	8011884053701	108
HPSQ15	5373	8011884053732	111
HPSQ40	5374	8011884053749	111
HSV020	5377	8011884053770	119
HVQ200	5379	8011884053794	105
HVQ500	5380	8011884053800	105
HVQ1000	5381	8011884053817	105
HSCB60	5385	8011884053855	108
HSCB100	5386	8011884053862	108
HTGRR30	5393	8011884053930	116
HTGHH20	5394	8011884053947	119
HTGSV10	5396	8011884053961	112
HTGSV20	5397	8011884053978	112
HTGSV50	5398	8011884053985	112
HTGSS10	5400	8011884054005	113
HTGSS20	5401	8011884054012	113
HTGSR10	5402	8011884054029	112
HTGSR20	5403	8011884054036	112
HTGVV10	5405	8011884054050	109
HTGVV20	5406	8011884054067	109
HTS20	5408	8011884054081	56
HTS30	5409	8011884054098	56
HTS50	5410	8011884054104	56
HTS80	5411	8011884054111	56
SUB5U	5413	8011884054135	72
HP2LB	5415	8011884054159	52
HPS33	5417	8011884054173	62
HPS72	5419	8011884054197	60
DB15RGB	5421	8011884054210	114
HVC3	5430	8011884054302	104
TEB100	5431	8011884054319	396
TEW100	5432	8011884054326	396
PPHM	5433	8011884054333	144
HEPOOD	5436	8011884054364	21
HEPOOD2	5437	8011884054371	21
CPL25	5438	8011884054388	342
SBS5440	5440	8011884054401	202
SBS5441	5441	8011884054418	202
SBD5442	5442	8011884054425	202
SBD5443	5443	8011884054432	202
SBL5445	5445	8011884054456	211
SBL5446	5446	8011884054463	210
SWC5452	5452	8011884054524	208
SWE5455	5455	8011884054555	208
SWE5456	5456	8011884054562	208
SWE5457	5457	8011884054579	208
SWE5458	5458	8011884054586	208
SSP5461	5461	8011884054616	203
SSP5462	5462	8011884054623	203
SSP5468	5468	8011884054685	204
SSP5469	5469	8011884054692	204
TVS5470	5470	8011884054708	206
TVS5471	5471	8011884054715	206
TVS5472	5472	8011884054722	206
HPT32-06	5473	8011884054739	16
HPT32-10	5474	8011884054746	16
HETM10R	5475	8011884054753	40
HETM20R	5476	8011884054760	40
HETM10G	5477	8011884054777	39
HETM20G	5478	8011884054784	39
RQOP060	5479	8011884054791	39
RQOP100	5480	8011884054807	39
RQOP200	5481	8011884054814	39
RQOP300	5482	8011884054821	39
HP2CA-3	5485	8011884054852	57
HP2BA-3	5486	8011884054869	57
HSP25	5489	8011884054890	57
HSP35	5490	8011884054906	57
HSP50	5491	8011884054913	57
HVTC06	5492	8011884054920	117
HVTC10	5493	8011884054937	117
HVTC20	5494	8011884054944	117
VC3FF	5495	8011884054951	126
AN210MB	5496	8011884054968	176
AN210B	5497	8011884054975	176
VRGB3	5498	8011884054982	54
HMF140	5499	8011884054999	56
HMF140-3	5500	8011884055002	56
HPVS300	5517	8011884055170	120
HPVP200	5518	8011884055187	119

COD.	NUM.	EAN13	Pag.	COD.	NUM.	EAN13	Pag.	COD.	NUM.	EAN13	Pag.
SCRR	5520	8011884055200	126	HSAT070	5575	8011884055750	24	ACVC12	5635	8011884056351	116
SCR15	5521	8011884055217	120	HSAT100	5576	8011884055767	24	ACVC20	5636	8011884056368	116
TOS90	5522	8011884055224	45	HSDT100	5578	8011884055781	24	ACVS50	5638	8011884056382	120
HP50M	5523	8011884055231	28	HSVT100	5579	8011884055798	24	ACVCP50	5641	8011884056412	104
DB15RGB42	5524	8011884055248	114	HSVT200	5580	8011884055804	24	ACSCA10	5642	8011884056429	109
DB15RGB46	5525	8011884055255	114	HSST100	5581	8011884055811	24	ACSCA20	5643	8011884056436	109
DB15SC42	5526	8011884055262	113	HSST200	5582	8011884055828	24	ACSV15-I	5644	8011884056443	112
DB15SC46	5527	8011884055279	113	HP901	5583	8011884055835	29	ACSV15-O	5645	8011884056450	112
SCRGB42	5528	8011884055286	112	HP902	5584	8011884055842	30	ACSVA15-I	5646	8011884056467	113
SCRGB46	5529	8011884055293	112	HPR903	5585	8011884055859	27	ACSVA15-O	5647	8011884056474	113
HVTCS06	5530	8011884055309	117	HPR904	5586	8011884055866	30	ACSA15-I	5648	8011884056481	111
HVTCS10	5531	8011884055316	117	HP47M	5587	8011884055873	28	ACSA15-O	5649	8011884056498	111
HVTCS20	5532	8011884055323	117	HR35MF	5590	8011884055903	26	HPFDMM	5650	8011884056504	191
SCR30	5533	8011884055330	120	HR235MF	5591	8011884055910	26	HPFDMF	5651	8011884056511	191
SV300K	5534	8011884055347	165	HRFF	5592	8011884055927	26	VDP5213	5653	8011884056535	109
VL305	5535	8011884055354	159	HRA35	5593	8011884055934	26	VDP5215	5654	8011884056542	109
HPSQ25	5536	8011884055361	111	HRA63	5594	8011884055941	26	VDP52110	5655	8011884056559	109
EL100P	5538	8011884055385	141	HRP6F	5595	8011884055958	26	SVL2005	5656	8011884056566	165
ELJ50S	5539	8011884055392	136	HRP3F	5596	8011884055965	26	SVL20010	5657	8011884056573	165
VL505	5540	8011884055408	182	HRP6MF	5597	8011884055972	26	HPVB10	5660	8011884056603	116
HVQ3	5542	8011884055422	105	HRP3MF	5598	8011884055989	26	HPVB30	5661	8011884056610	116
WS61CV	5544	8011884055446	196	HQP100	5600	8011884056009	38	H3C200	5662	8011884056627	104
CEL5545	5545	8011884055453	262	HQP200	5601	8011884056016	38	H3C400	5663	8011884056634	104
CEL5546	5546	8011884055460	262	HQP300	5602	8011884056023	38	HQC200	5664	8011884056641	105
CEL5548	5548	8011884055484	262	HQS060	5603	8011884056030	40	HQC500	5665	8011884056658	105
CEL5549	5549	8011884055491	262	HQS100	5604	8011884056047	40	HVSQ080	5667	8011884056672	111
HN102	5552	8011884055521	12	HQS200	5605	8011884056054	40	HVSQ200	5669	8011884056696	111
HN152	5553	8011884055538	12	HRQ060	5607	8011884056078	41	AN2AB	5675	8011884056757	176
HN300	5554	8011884055545	12	HRQ100	5608	8011884056085	41	AN5AB	5676	8011884056764	176
HPN100	5555	8011884055552	13	HRQ200	5609	8011884056092	41	AN501D	5685	8011884056856	176
HPN150	5556	8011884055569	13	HRSQ060	5610	8011884056108	37	HESDMF25	5688	8011884056887	190
HPN200	5557	8011884055576	13	HRSQ200	5612	8011884056122	37	HESDMF50	5689	8011884056894	190
HPN400	5558	8011884055583	13	HQLIN25	5615	8011884056153	57	AN202B	5692	8011884056924	176
HPTN060	5559	8011884055590	13	HPFQ92	5616	8011884056160	64	ANN203B	5693	8011884056931	176
HPTN100	5560	8011884055606	13	HEDMM	5618	8011884056184	191	PT2/1.50B	5694	8011884056948	48
HPTN150	5561	8011884055613	13	HEDMF	5619	8011884056191	191	PT21530K	5695	8011884056955	48
HPTX070	5562	8011884055620	16	HPD35/50	5620	8011884056207	72	GV1000S	5696	8011884056962	240
HPTX120	5563	8011884055637	16	SUBH30	5621	8011884056214	73	WSD4SE	5701	8011884057013	198
HSAQ08	5564	8011884055644	17	SUBH50	5622	8011884056221	73	H3C100	5702	8011884057020	104
HSAQ13	5565	8011884055651	17	ACJJS50	5624	8011884056245	72	H3C060	5703	8011884057037	104
HEPD1	5566	8011884055668	20	ACAS10	5625	8011884056252	13	VTPMB	5706	8011884057068	196
HEPD2	5567	8011884055675	20	ACAS15	5626	8011884056269	13	SPDIS4	5713	8011884057136	128
HEDD1	5568	8011884055682	21	ACAS30	5627	8011884056276	13	HEDVR	5731	8011884057310	312
HEDD2	5569	8011884055699	21	ACTS12	5629	8011884056290	38	HED300	5732	8011884057327	313
HEDD3	5570	8011884055705	21	ACDS06	5630	8011884056306	20	HED506	5733	8011884057334	313
HEP07	5571	8011884055712	21	ACDS12	5631	8011884056313	20	HED812S	5734	8011884057341	314
HEP15	5572	8011884055729	21	ACDS20	5632	8011884056320	20	HEDHP304	5735	8011884057358	314
HEP30	5573	8011884055736	21	ACVC06	5634	8011884056344	116	HEDSRR	5736	8011884057365	314

COD.	NUM.	EAN13	Pag.
SBL5737	5737	8011884057372	213
HDMDF50	5740	8011884057402	100
HDMDF100	5741	8011884057419	100
HZP100	5747	8011884057471	105
HEC060	5750	8011884057501	104
HEC200	5751	8011884057518	104
HEC400	5752	8011884057525	104
HEC1000	5753	8011884057532	104
VLS402	5812	8011884058126	182
SUB8	5813	8011884058133	72
SUB10	5814	8011884058140	72
ACLRGB20	5818	8011884058188	106
ACLRGB50	5819	8011884058195	106
CC5821	5821	8011884058218	236
CC5822W	5822	8011884058225	236
HSHP-SY	5823	8011884058232	315
HSHP-BK	5824	8011884058249	315
HSSL01	5826	8011884058263	312
HESDMF75	5827	8011884058270	190
HESDMF100	5828	8011884058287	190
HDMDL15	5829	8011884058294	99
HDMDL30	5830	8011884058300	99
HDMDL50	5831	8011884058317	99
HSSL02	5832	8011884058324	314
PT2/2.50B	5833	8011884058331	48
PT2/4.00B	5834	8011884058348	48
DCHDFHDF	5835	8011884058355	85
DCHDFDVM	5836	8011884058362	86
DCHDMDVF	5837	8011884058379	86
WS24TUN	5838	8011884058386	197
WS24TUNR	5839	8011884058393	197
PT2/150BW	5840	8011884058409	49
PT2/250BW	5841	8011884058416	49
PT2/400BW	5842	8011884058423	49
VLT950	5843	8011884058430	159
SUPMC13	5844	8011884058447	232
SUPMC75	5845	8011884058454	233
SUPMC120	5846	8011884058461	233
SPD2SC4	5851	8011884058515	128
P3100B	5853	8011884058539	398
HEC300	5854	8011884058546	104
SCART2F	5855	8011884058553	169
CSH502	5856	8011884058560	68
CSH504	5857	8011884058577	68
VDP607	5858	8011884058584	161
HZPBOB	5860	8011884058607	105
HZP3R	5861	8011884058614	105
HDFG20	5863	8011884058638	108
HDFG40	5864	8011884058645	108
SCSF	5865	8011884058652	126
HVRAV	5866	8011884058669	124
HVRV	5867	8011884058676	124
DVCPCV	5869	8011884058690	129
SCXGA	5871	8011884058713	129
DVIAP	5874	8011884058744	102
DVIAPD	5875	8011884058751	102
EHPSV060	5876	8011884058768	121
EHPSV120	5877	8011884058775	121
EHPSV300	5878	8011884058782	121
PSS5880	5880	8011884058805	216
HXOD07	5883	8011884058836	20
HXOD12	5884	8011884058843	20
HXOD20	5885	8011884058850	20
HRA3355	5886	8011884058867	26
NP3PSCK	5887	8011884058874	33
HPEP215	5889	8011884058898	51
HPEP225	5890	8011884058904	51
SPSP30	5891	8011884058911	58
SPSP50	5892	8011884058928	58
SPSP100	5893	8011884058935	58
HEPB25	5894	8011884058942	56
HEPB35	5895	8011884058959	56
HEPB50	5896	8011884058966	56
HQLIN35	5897	8011884058973	57
PMXL30	5898	8011884058980	70
PMXL100	5899	8011884058997	70
PMXFJ30	5900	8011884059000	70
PMXFJ100	5901	8011884059017	70
PMXMJ	5902	8011884059024	70
RA95MM	5907	8011884059079	177
RA95FF	5908	8011884059086	177
VDP615U	5909	8011884059093	161
4810002	5910	8011884059109	140
HM51002	5911	8011884059116	12
TRUP21	5912	8011884059123	398
WSCSY	5913	8011884059130	197
WSCCOL	5914	8011884059147	197
VDF904	5915	8011884059154	163
VDF907	5916	8011884059161	163
VDF913	5917	8011884059178	163
VDF920	5918	8011884059185	163
GV500CIG	5920	8011884059208	248
PSS5921	5921	8011884059215	219
SOPST23	5923	8011884059239	219
SBO5925	5925	8011884059253	202
SBO5926	5926	8011884059260	202
SBL5927	5927	8011884059277	211
SCRGB3C	5936	8011884059369	158
HEADP18	5939	8011884059390	316
HEADP50	5940	8011884059406	316
HEDVR5	5941	8011884059413	312
HSHP-MP3	5942	8011884059420	315
WRSP10	5943	8011884059437	198
PW200100	5944	8011884059444	214
SBL5945	5945	8011884059451	212
HDMDF75	5948	8011884059482	100
SUBE20	5949	8011884059499	73
SUBE50	5950	8011884059505	73
PSI5952	5952	8011884059529	217
SBL5953	5953	8011884059536	210
DVHDMI2	5954	8011884059543	95
DVHDMI4	5955	8011884059550	94
PSE5956	5956	8011884059567	218
SSP5958HB	5958	8011884059581	204
SSP5959HB	5959	8011884059598	204
SCART5SW	5961	8011884059611	171
DVIREF18	5962	8011884059628	98
DVIREF30	5963	8011884059635	98
DVIREF50	5964	8011884059642	98
DVIREF75	5965	8011884059659	98
DVIREF100	5966	8011884059666	98
DVHREF18	5967	8011884059673	99
DVHREF30	5968	8011884059680	99
DVHREF50	5969	8011884059697	99
DVHREF75	5970	8011884059703	99
DVHREF100	5971	8011884059710	99
HVHVT10	5979	8011884059796	98
HVHVT20	5980	8011884059802	98
HVHVT40	5981	8011884059819	98
SSP5996HS	5996	8011884059963	204
SSP5997HS	5997	8011884059970	204
P2BS075	5998	8011884059987	49
P2BS100	5999	8011884059994	49
P2BS150	6000	8011884060006	49
DRMIFMIF	6001	8011884060013	86
DRMIFVIF	6002	8011884060020	86
DRMIFVIM	6003	8011884060037	86
DRMIMVIF	6004	8011884060044	86
DRMIMVIM	6005	8011884060051	86
XLR6006R	6006	8011884060068	153
XLR6007R	6007	8011884060075	153
XLR6008R	6008	8011884060082	153
K3F6009	6009	8011884060099	236
A2600MH	6010	8011884060105	244

Content Index

COD.	NUM.	EAN13	Pag.
HVLFF150	6012	8011884060129	183
HVLFF250	6013	8011884060136	183
HVLFF750	6015	8011884060150	183
SOM6016S	6016	8011884060167	221
VOIP6018W	6018	8011884060181	302
VOIP6019B	6019	8011884060198	302
PR31016	6020	8011884060204	399
PR51016	6021	8011884060211	399
VOIP6022V	6022	8011884060228	302
HDMISW4	6023	8011884060235	91
SPCTRL04	6025	8011884060259	68
SPCTRL06	6026	8011884060266	68
HDFF200	6027	8011884060273	192
HDFF300	6028	8011884060280	192
HDFF500	6029	8011884060297	192
SOMIS200F	6030	8011884060303	212
SOMIS200R	6031	8011884060310	213
P215EX10	6032	8011884060327	48
P215EX20	6033	8011884060334	48
HEC100	6034	8011884060341	104
CCOVBL1	6038	8011884060389	236
CCOVBL3	6039	8011884060396	236
CCOVWH1	6040	8011884060402	236
CCOVWH3	6041	8011884060419	236
CCOVGY1	6042	8011884060426	236
CCOVGY3	6043	8011884060433	236
SATPISK	6044	8011884060440	184
SATLNB2	6045	8011884060457	183
SATDSQC	6047	8011884060471	183
DVAHDMI	6048	8011884060488	85
PS8SPBA	6079	8011884060792	34
PS8SPPRH	6080	8011884060808	34
JSDC01	6081	8011884060815	368
JSDC02	6082	8011884060822	368
JSDC03	6083	8011884060839	368
JSMP302	6085	8011884060853	368
JSVC16	6086	8011884060860	368
JSVC17	6087	8011884060877	368
JSVC1080	6088	8011884060884	369
JSPC154	6089	8011884060891	370
JSLTTS	6095	8011884060952	369
JSLTTL	6096	8011884060969	369
JSLVBDS	6097	8011884060976	369
JSLVDBL	6098	8011884060983	369
COWIIW	6099	8011884060990	360
STQ2ARB	6100	8011884061003	226
STQVS20B	6103	8011884061034	225
MP3OCW05	6104	8011884061041	38
MP3OCW10	6105	8011884061058	38
MP3OCW20	6106	8011884061065	38
MP3OCW30	6107	8011884061072	38
PCONV100	6108	8011884061089	249
DV8HDMIP	6110	8011884061102	94
HPBFA01	6111	8011884061119	62
CYSA2HD	6113	8011884061133	96
HPBFA02H	6114	8011884061140	62
HPM5G	6115	8011884061157	67
SOP6121	6121	8011884061218	232
HDMI90	6124	8011884061249	86
HPMB3R	6125	8011884061256	66
SOMF2020	6126	8011884061263	214
HSHPB-W	6130	8011884061300	315
FM180TR	6134	8011884061348	342
HDMIRMICR	6135	8011884061355	85
DU12V2U1	6137	8011884061379	242
PSE6141S	6141	8011884061416	216
M2TRAVB	6145	8011884061454	249
RADHPGR	6148	8011884061485	350
RADHPBL	6149	8011884061492	350
RADHPPI	6150	8011884061508	350
RADHPBK	6151	8011884061515	350
RADSTRME	6152	8011884061522	350
STBQ2ARB	6154	8011884061546	226
STBQVS10M	6155	8011884061553	224
STBQVS22B	6156	8011884061560	225
STBQVS20B	6157	8011884061577	225
HSHP-WH	6158	8011884061584	315
ELLCAMBK	6159	8011884061591	375
ELLCAMBL	6160	8011884061607	375
ELLDCEXBK	6161	8011884061614	374
ELLDCEXBL	6162	8011884061621	374
ELLDCEXOR	6163	8011884061638	374
ELLDCREBK	6164	8011884061645	374
ELLDCREBL	6165	8011884061652	374
ELLDCREOR	6166	8011884061669	374
ELLDCFROR	6167	8011884061676	374
ELLDCFRPI	6168	8011884061683	374
ELLDCFRGR	6169	8011884061690	374
ELLDCSLBK	6170	8011884061706	374
ELLDCSLBL	6171	8011884061713	374
ELLDCSLOR	6172	8011884061720	374
HDMIEXTL5	6173	8011884061737	93
STQ2AFIX	6174	8011884061744	226
ADHDAFCM	6175	8011884061751	85
STBQVS20M	6176	8011884061768	224
6178B	6178	8011884061782	145
VTHPMGR	6179	8011884061799	350
VTHPMBL	6180	8011884061805	350
VTHPMRD	6181	8011884061812	350
VTHPMWH	6182	8011884061829	350
HEDMF30	6185	8011884061850	191
HEDMF50	6186	8011884061867	191
HPFDMF30	6187	8011884061874	191
HPFDMF50	6188	8011884061881	191
PSPGAV30	6189	8011884061898	357
PSPGCP30	6190	8011884061904	357
HP90MF09	6191	8011884061911	191
HP90MF18	6192	8011884061928	190
HP90MF30	6193	8011884061935	190
HP90MF50	6194	8011884061942	190
SBL5868N	6216	8011884062161	229
PSS5880N	6217	8011884062178	216
SCHUM-P	6218	8011884062185	32
AL220C90B	6219	8011884062192	273
GV800CIG	6223	8011884062239	248
HDMIPOW	6228	8011884062284	92
PSBB10	6229	8011884062291	228
PSBS10	6230	8011884062307	228
PSBWEXLP	6231	8011884062314	222
PSBXLP	6232	8011884062321	229
PSMSVP	6233	8011884062338	230
PSMARTW	6234	8011884062345	230
DSHDMX2	6235	8011884062352	93
DVHD42MTR	6236	8011884062369	95
VGACVHDMI	6241	8011884062413	96
CDSP180	6243	8011884062437	78
CDSP300	6244	8011884062444	78
RDSPHFDM	6245	8011884062451	84
RDSPDVFDM	6246	8011884062468	84
HDMITYA	6247	8011884062475	85
PSI6248B	6248	8011884062482	217
PSI6249B	6249	8011884062499	220
PT2/075BW	6253	8011884062536	49
PMXL30B	6254	8011884062543	70
PMXLB	6255	8011884062550	70
PMXL100B	6256	8011884062567	70
DV4HDMIP	6257	8011884062574	94
SW1P2	6258	8011884062581	92
HSSL01VOL	6259	8011884062598	312
HPFDMF100	6271	8011884062710	191
HPFDMF150	6272	8011884062727	191
UTFWMSF	6285	8011884062857	218
UTFWMMF	6286	8011884062864	220
UTFWMLF	6287	8011884062871	221

COD.	NUM.	EAN13	Pag.
HESDMF15	6289	8011884062895	190
HESDMF20	6290	8011884062901	190
AN201D03	6291	8011884062918	176
DCHDRAA	6341	8011884063410	90
DCHDARSW	6342	8011884063427	90
DVHDMI44	6343	8011884063434	91
HD4200E06	6500	8011884065001	78
HD4200E10	6501	8011884065018	78
HD4200E20	6502	8011884065025	78
HD4200E30	6503	8011884065032	78
HD4200E50	6504	8011884065049	78
HD4200E75	6505	8011884065056	78
HD4200E100	6506	8011884065063	78
HD4200E150	6507	8011884065070	78
HD4201E10	6508	8011884065087	79
HD4201E20	6509	8011884065094	79
HD4201E30	6510	8011884065100	79
HD4201E50	6511	8011884065117	79
HD4201E75	6512	8011884065124	79
HD4201E100	6513	8011884065131	79
HD4210E10	6515	8011884065155	79
HD4210E30	6517	8011884065179	79
HD45500E10	6519	8011884065193	81
HD45500E18	6520	8011884065209	81
HD4500E06	6523	8011884065230	79
HD4500E10	6524	8011884065247	79
HD4500E18	6525	8011884065254	79
HD4500E30	6526	8011884065261	79
HD4500E50	6527	8011884065278	79
HD4500E100	6528	8011884065285	79
HD4500E120	6529	8011884065292	79
HD4510E18	6532	8011884065322	81
HD4511E18	6533	8011884065339	81
HD4520E10	6536	8011884065360	80
HD4520E20	6537	8011884065377	80
HD4520E30	6538	8011884065384	80
HD4520E50	6539	8011884065391	80
HD4530E06	6541	8011884065414	80
HD4530E18	6542	8011884065421	80
HD4540E06	6544	8011884065445	80
HD4540E18	6545	8011884065452	80
HD4700E10	6547	8011884065476	82
HD4700E20	6548	8011884065483	82
HD4700E30	6549	8011884065490	82
HD4700E50	6550	8011884065506	82
HD4700E75	6551	8011884065513	82
HD4700E100	6552	8011884065520	82
HD4700E150	6553	8011884065537	82
HD4700E200	6554	8011884065544	82
HD4700E250	6555	8011884065551	82
HD4900E10	6558	8011884065582	82
HD4900E20	6559	8011884065599	82
HD4910E10	6561	8011884065612	82
HD4910E20	6562	8011884065629	82
HD4910E30	6563	8011884065636	82
HD4910E50	6564	8011884065643	82
EL2700P6	9162	8011884091628	400
XLP521	9172	8011884091727	110
XLP522	9173	8011884091734	110
XLSP621	9175	8011884091758	108
XLSP622	9176	8011884091765	108
VDP521HU	9254	8011884092540	109
VDP715HU	9339	8011884093394	163
HTGVV15HU	9405	8011884094056	109
RE80HQ	3156	8021047441535	318
KFLAGSPC	6133	9332989000162	236
KFLAGSHT	6132	9332989000179	236
KFLAGSBL	6131	9332989000186	236

A full range ***of services***

G&BL
We link emotions

Our Strength, The Energy Of The Service

The commitment of a great team

In G&BL at the call of a client, the whole company is ready to answer, for this reason the service to the customer is one of the strength points that for a long time has countersigned the G&BL brand. The Customer's Service, ready to give answer to every demand, with courtesy and professionalism together with the Commercial Offi ce constitute a compact team that can guarantee concreteness that, besides furnishing technical and commercial information, solutions and assistance, it picks up the important suggestions on the necessities of the sale points. But not only: G&BL customer service means also the possibility to offer, when requested, the complete personalization of a vast range of accessories for the clients that want to offer their own brand.The new web site has been thought as an easy tool for simplifying the search, enabling to a rapid and detailed consultation of products and solutions. Here are published constantly updated news and promotions and it gives the possibility of virtually "skimming through" the whole catalogue, organised in categories.

Quality Control And Logistics

An effi cient and rational organisation

The innovative spirit and the quality are important because they allow to reach higher and higher standards in the products and in the services. The Research & Development department assures that G&BL's customers always receive the most amazing, advanced products available on the market. The constant controls on the whole productive line guarantees the high quality of products. G&BL logistic department coordinates the physical displacement of all the products. Through advanced EDP systems, it constantly holds control of the consignments and of the stock availability. This enables us to give a prompt answer to customers' demands, granting complete and rapid deliveries. The formula "Logistic Service Provider" allows G&BL to maintain the logistic control of its distribution. But the true strongpoint of G&BL is the careful analysis of the sale point, in order to create customized products assortments, whose sales rotation are optimized by the net of agents/ merchandisers. The renovation and the reorganization of the spaces in the sales point are constantly adapted to the demands of the market. G&BL is at your side.

Expo Point Solution, The Best In Little Space

Effective visibility and wideness of range

G&BL is a true shop in shop, optimizing the spaces to better manage the sales. The planning and the production internally handled, allow G&BL to exploit all the knowledge of its experts in the presentation of the products. G&BL packaging offers standard measures for an effective and compact exposure in the shops and an informative style that simplifi es the choice of the fi nal consumer and minimizes the time requested to the sales personnel. Those who choose to have in their shops the formula "Solution Expo Point", know to count on a partner able to supply all audio, video and multimedia accessories. Today it is the accessory that remarks the index of specialization of a shop, and its capability to answer to the continuous technological evolution. The development in the type of connections, has brought G&BL to widen more and more its proposals with sophisticated solutions. The customized exposition, are coordinated by a functional styling and are of strong visual impact, a sort of exhibit-design turnkey, that helps in the choice of the product. With a range of over 2000 products, organized in macro areas, and in diversifi ed groups of products, but still maintaining a recognizable identity, G&BL creates a true shop in shop in partnership, rich of exhaustive proposals also from the explanatory and informative point of view.

G&BL® A.V.M. Engineering Spa
35028 - Piove di Sacco PD - Italia
Tel. +39 049 9705613
Fax. +39 049 9700705
www.gebl.net
info@gebl-italia.com

G&BL® Deutschland GmbH
D-51147 Köln - Deutschland
Tel. +49 (0) 2203 - 1017222
Fax. +49 (0) 2203 - 1017220
www.gebl.net
Info@gebl-de.com

impaginato automaticamente con Weappon.com

involucra.com